



सर्व शिक्षा अभियान
सब पढ़ें सब बढ़ें
OFFICE OF THE U.E.E. MISSION
I Floor, near Estate Branch, Education Department
Distt. North Lucknow Road, Delhi – 110054
Ph.23810361, 23810647, Tele Fax:-011 23811442
Email:-spd_delhi@rediffmail.com

No: -DE.29(3)/UEEM/OSD-SS/2019/ 4627-60

Date:- 27/1/21

CIRCULAR

Sub:-Supply of RAA LAB (Four Packages) equipments in Phase -III.

With reference to Circular No.DE.29(3)/UEEM/OSD-SS/2019/1604-24 dated 24.08.2020, 114 schools of DOE were identified where the adequate space was available for the establishment of RAA Labs (Annexure I).

The following items with specifications mentioned against them were delivered in the selected schools in **Phase I**. These items are meant for use of students in RAA Labs.

| Description of Goods | Specification | Quantity |
|----------------------------------|---|----------|
| Acer Laptop A312-42 | Intel Core i5/AMD Ryzen 5, 8 th Generation/ 9 th Generation/AMD-R-5, Integrated Graphic, 5 years onsite OEM Warranty, 13.3-15.6-inch, window 10 professional/Linux, 8 GB Ram, DVD RW, 128 GB SSD/256 GB SSD or500 GB/1 TB HDD, External DVD Player LG | 3 |
| Sony Projector VPL – EX430 | Projector 3000 lumen with LED/LCD/DLP with reputed brand with 3 years warranty | 1 |
| Screen | Projector screen IMat finish White board | 1 |
| Intex 2.1 speaker Bluetooth | Speaker | 1 |
| Hanging Kit | Projectors hanging kit | 1 |
| Printer (Pantum-P2200) | Printer (B/W) | 1 |
| Quantum Webcam QHMPL-495 | Webcam (QHMPL 495 LM) | 1 |
| Electrical Fitting for the above | | |

In Phase II furniture is being delivered in all the 114 RAA Lab schools. The items delivered in furniture are as follows:

| S. No. | Particulars | Size | | | Sq. Ft. | Qty. |
|--------|---|------|---|-----|---------|------|
| 1 | Robotic Table 25 mm Pre Laminated with 1.25"X1.25 pipe powder coating | 6' | X | 4' | 24 | 1 |
| 2 | Work Station 25 mm Pre Laminated with 1.25"X1.25 pipe powder coating | 5' | X | 3' | 15 | 4 |
| 3 | Soldering Table 25 mm Pre Laminated with 1.25"X1.25 pipe powder coating | 6' | X | 2' | 12 | 1 |
| 4 | Mechanical Table 25 mm Pre Laminated with 1.25"X1.25 pipe powder coating | 6' | X | 2' | 12 | 1 |
| 5 | Electrical & Electronic Table 25 mm Pre Laminated with 1.25"X1.25 pipe powder coating | 6' | X | 2' | 12 | 1 |
| 6 | Computer Table 25 mm Pre Laminated with 1.25"X1.25 pipe powder coating | 6' | X | 2' | 12 | 1 |
| 7 | Instructor Table 25 mm Pre Laminated with 1.25"X1.25" pipe powder coating with Pedestal | 4' | X | 2' | 08 | 1 |
| 8 | 3D Printer Table Trolley 25 mm Pre Laminated Top 30" H Runner | 30" | X | 20" | | 1 |
| 9 | Stool with 1"X1" pipe powder coating with 18 mm pre laminated 24" H | | | | | 30 |
| 10 | Library Almirah Powder coating 30"X66" | | | | | 1 |
| 11 | Computer Chair | | | | | 3 |
| 12 | Teacher Chair | | | | | 1 |

Following items will be delivered in Phase -III:

List of Equipments under the four packages

| Package 1 : Electronics Development, Robotics, Internet of things and Sensors | | | | |
|--|----------------------------|---|--------------------|------------|
| Category | Name | Specification | Suggested Quantity | Type |
| Electronics Development | Arduino Uno or equivalent | <ul style="list-style-type: none"> • AT mega 328P-8 bit AVR family microcontroller, equivalent or better. • Operating Voltage: 5V • Digital I/O Pins:14 (of which 6 Provide PWM output) • PWM digital I/O Pins:6 • Accessories : Case shell enclosure, compatible USB cable (length- 6 inch or more) | 30 | Consumable |
| Electronics Development | Arduino Nano or equivalent | <ul style="list-style-type: none"> • AT mega 328P-8 bit AVR family microcontroller, equivalent or better. • Operating Voltage: 5V • Digital I/O Pins:14 (of which 6 Provide PWM output) • PWM digital I/O Pins:8 • Accessories : Compatible USB cable (length- 6 inch or more) | 10 | Consumable |
| Electronics Development | Arduino Mega or equivalent | <ul style="list-style-type: none"> • AT mega 2560P-8 bit AVR family microcontroller, | 10 | Consumable |

| | | | | |
|-------------------------|----------------------------------|--|----------------|--------------------------|
| | | <ul style="list-style-type: none"> equivalent or better. • Operating Voltage: 5V • Digital I/O Pins:54 (of which 6 provide PWM output) • PWM digital I/O Pins:16 • Accessories : Case Shell enclosure, Compatible USB cable (length- 6 inch or more) | | |
| Electronics Development | RaspberryPI3 Model B+ | <ul style="list-style-type: none"> • RASPBERRY PI 3 MODEL B+, equivalent or better • Accessories- Micro SD card- 32 GB, USB 3.0 cable (1 meter), HDMI to VGA-1 Meter, HDMI to VGA adapter, Case shell enclosure | 5 | Consumable |
| Electronics Development | Breadboards &Mini Breadboard | <ul style="list-style-type: none"> • Solderless 400 pin breadboard • Solderless 800 pin breadboard • Self- Adhesive Proto shield | 30 20 20 | Consumable |
| Electronics Development | General Purpose Solderable Board | <ul style="list-style-type: none"> • FR2A Grade Material (140x90mm) • FR2 A Grade Material (80x55mm) | 30 30 | Consumable Consumable |
| | Berg Strips | <ul style="list-style-type: none"> • Female Berg Strip, 2.54mm Pitch, 40 pin Single row, breakable pin • Male Berg Strip, 2.54mm Pitch, 40 pin Single row, breakable pin | 30 30 | Consumable Consumable |
| Electronics Development | 16x2 LCD display | • Dot matrix LCD display. 16 characters x2 lines. 12C | 20 | Consumable |
| Electronics Development | USB Cables | • USB cable Set (A to B mini, 12 inches or more) | 10 | Consumable |
| Electronics Development | USB Cables | • USB cable Set (Mini, 12 inches or more) | 10 | Consumable |
| Electronics Development | Battery | • 9-12V 2000 to 2500 mAh rechargeable battery with 2 chargers, Equivalent or better | 10 | Consumable |
| Electronics Development | Resistor Kit | <ul style="list-style-type: none"> • One kit contains-30 carbon film resistors of 20 different resistance values each , assorted, packaged together and labelled. • Wattage:0.125W to 1W • Values: 0Ω, 1.5Ω, 4.7Ω, 10Ω, 47Ω, 100Ω, 220Ω, 330Ω, 470Ω, 680Ω, 1kΩ, 2.2kΩ, 3.3kΩ, 4.7kΩ, 10kΩ, 22kΩ, 47kΩ, 100kΩ, 330kΩ, 1MΩ, | 20 | Consumable |

| | | | | |
|-------------------------|----------------------------------|--|----------|--------------------------|
| Electronics Development | Capacitor Kit | <ul style="list-style-type: none"> One kit contains-20 Electrolytic capacitors of 10 different capacitance values each. Assorted kit packaged together and labelled. Values: 10pF, 22pF, 100pF, 1nF, 10nF, 100nf, 1µF, 10uF, 100µF, 1000µF. | 20 | Consumable |
| Electronics Development | Linear Voltage Regulator | <ul style="list-style-type: none"> 7805, 7812, 7809 | 30 | Consumable |
| Electronics Development | Water Pump module | <ul style="list-style-type: none"> DC12V3W submersible water Pump | 4 | Consumable |
| Electronics Development | Piezoelectric Plate | <ul style="list-style-type: none"> Normal Copper based 4cm Diameter approx. | 30 | Consumable |
| Electronics Development | 8*8 LED Matrix Module | <ul style="list-style-type: none"> Max7219 Dot LED Matrix Module. MCU control LED Display Module. | 10 | Consumable |
| Electronics Development | Bluetooth Module | <ul style="list-style-type: none"> HC 05 Bluetooth module Voltage Rating :5V | 15 | Consumable |
| Electronics Development | 7 Segment Led Display | <ul style="list-style-type: none"> LED 4-Digit Display Module Voltage Rating:2.4V to 5.5V 4-Pin interface: VCC, Gnd, Data Clock | 20 | Consumable |
| Electronics Development | GSM | <ul style="list-style-type: none"> Sim900 GPRS Transfer board Micro Sim GSM Core TTL Port Module for Arduino | 4 | Consumable |
| Electronics Development | GPS | <ul style="list-style-type: none"> GY-NEO6MV2 new GPS module | 4 | Consumable |
| Electronics Development | Laser Diode Emitter | <ul style="list-style-type: none"> 650 nm 5mW Mini Laser Dot Diode Module | 10 | Consumable |
| Electronics Development | LDR Module | <ul style="list-style-type: none"> 5mm/12mm, Photosensitive LDR Light Sensor Module | 30 | Consumable |
| Electronics Development | Keypad | <ul style="list-style-type: none"> Universal 16 Key Switch Keypad | 10 | Consumable |
| Electronics Development | Joystick | <ul style="list-style-type: none"> 2-axis joystick with push button function | 10 | Consumable |
| Electronics Development | Active Buzzer | <ul style="list-style-type: none"> Small 5 volt Big 5 Volt | 40 40 | Consumable Consumable |
| Electronics Development | Motor Drive Module | <ul style="list-style-type: none"> L293D | 10 | Consumable |
| Electronics Development | Sound Playback Module | <ul style="list-style-type: none"> ISD1820 voice recording module or equivalent | 10 | Consumable |
| Electronics Development | DC Plastic Gear motor with Wheel | <ul style="list-style-type: none"> 12V, 150RPM, Side shaft BO (Battery operation) Motor | 40 | Consumable |
| Electronics Development | Node MCU | <ul style="list-style-type: none"> ESP 8266 12C, 1 wire Plug and Play | 6 | Consumable |
| Electronics Development | WeMosD1R2 | <ul style="list-style-type: none"> WeMosD1R2 with WiFi ESP 8266 Operating Voltage :5V | 6 | Consumable |

| | | | | |
|-------------------------|----------------------------------|--|----------|--------------------------|
| Electronics Development | Capacitor Kit | <ul style="list-style-type: none"> • One kit contains-20 Electrolytic capacitors of 10 different capacitance values each. • Assorted kit packaged together and labelled. • Values: 10pF, 22pF, 100pF, 1nF, 10nF, 100nf, 1μF, 10uF, 100μF, 1000μF. | 20 | Consumable |
| Electronics Development | Linear Voltage Regulator | <ul style="list-style-type: none"> • 7805, 7812, 7809 | 30 | Consumable |
| Electronics Development | Water Pump module | <ul style="list-style-type: none"> • DC12V3W submersible water Pump | 4 | Consumable |
| Electronics Development | Piezoelectric Plate | <ul style="list-style-type: none"> • Normal Copper based 4cm Diameter approx. | 30 | Consumable |
| Electronics Development | 8*8 LED Matrix Module | <ul style="list-style-type: none"> • Max7219 Dot LED Matrix Module. MCU control LED Display Module. | 10 | Consumable |
| Electronics Development | Bluetooth Module | <ul style="list-style-type: none"> • HC 05 Bluetooth module • Voltage Rating :5V | 15 | Consumable |
| Electronics Development | 7 Segment Led Display | <ul style="list-style-type: none"> • LED 4-Digit Display Module • Voltage Rating:2.4V to 5.5V • 4-Pin interface: • VCC, Gnd, Data Clock | 20 | Consumable |
| Electronics Development | GSM | <ul style="list-style-type: none"> • Sim900 GPRS Transfer board Micro Sim GSM Core TTL Port Module for Arduino | 4 | Consumable |
| Electronics Development | GPS | <ul style="list-style-type: none"> • GY-NEO6MV2 new GPS module | 4 | Consumable |
| Electronics Development | Laser Diode Emitter | <ul style="list-style-type: none"> • 650 nm 5mW Mini Laser Dot Diode Module | 10 | Consumable |
| Electronics Development | LDR Module | <ul style="list-style-type: none"> • 5mm/12mm, Photosensitive LDR Light Sensor Module | 30 | Consumable |
| Electronics Development | Keypad | <ul style="list-style-type: none"> • Universal 16 Key Switch Keypad | 10 | Consumable |
| Electronics Development | Joystick | <ul style="list-style-type: none"> • 2-axis joystick with push button function | 10 | Consumable |
| Electronics Development | Active Buzzer | <ul style="list-style-type: none"> • Small 5 volt • Big 5 Volt | 40 40 | Consumable Consumable |
| Electronics Development | Motor Drive Module | <ul style="list-style-type: none"> • L293D | 10 | Consumable |
| Electronics Development | Sound Playback Module | <ul style="list-style-type: none"> • ISD1820 voice recording module or equivalent | 10 | Consumable |
| Electronics Development | DC Plastic Gear motor with Wheel | <ul style="list-style-type: none"> • 12V, 150RPM, Side shaft BO (Battery operation) Motor | 40 | Consumable |
| Electronics Development | Node MCU | <ul style="list-style-type: none"> • ESP 8266 • 12C, 1 wire Plug and Play | 6 | Consumable |
| Electronics Development | WeMosD1R2 | <ul style="list-style-type: none"> • WeMosD1R2 with WiFi ESP 8266 • Operating Voltage :5V | 6 | Consumable |

| | | | | |
|-------------------------|----------------------------|--|--------------------|------------|
| Electronics Development | Vibrating Motor | <ul style="list-style-type: none"> • Weight: 10 Grams • Operating Voltage: 1.5 to 3V | 20 | Consumable |
| Electronics Development | Alligator Connectors | <ul style="list-style-type: none"> • Multi-Colour Alligator Connectors-12inch | 200 | Consumable |
| Electronics Development | Battery Clips With DC Jack | <ul style="list-style-type: none"> • 9-volt battery clips with DC jack | 40 | Consumable |
| Electronics Development | Hook-up wires | <ul style="list-style-type: none"> • Red & Black set 100 meters each | 4 | Consumable |
| Electronics Development | Jumper Cable | <ul style="list-style-type: none"> • Male-Male • Male-Female • Female-Female | 1000 600 400 | Consumable |
| Electronics Development | RGB LEDs | <ul style="list-style-type: none"> • Regular 5mm 3-5volt Range | 400 | Consumable |
| Electronics Development | RGB LEDs (Red) | <ul style="list-style-type: none"> • Regular 5mm 3-5volt Range | 1000 | Consumable |
| Electronics Development | RGB LEDs (Green) | <ul style="list-style-type: none"> • Regular 5mm 3-5volt Range | 1000 | Consumable |
| Electronics Development | RGB LEDs (Blue) | <ul style="list-style-type: none"> • Regular 5mm 3-5volt Range | 1000 | Consumable |
| Electronics Development | RGB LEDs (Yellow) | <ul style="list-style-type: none"> • Regular 5mm 3-5volt Range | 1000 | Consumable |
| Electronics Development | RGB LEDs (White) | <ul style="list-style-type: none"> • Regular 5mm 3-5volt Range | 1000 | Consumable |
| Electronics Development | Timer IC-LM 555 | <ul style="list-style-type: none"> • LM555 Timer IC • Voltage Range- 4.5V to 16V | 30 | Consumable |
| Electronics Development | Atmega16u2 | <ul style="list-style-type: none"> • 8-bit microcontroller Individual IC (DIP) • Voltage range:2.7V to 5.5V. • Operational Range: -40 C to +80 C | 10 | Consumable |
| Electronics Development | Diodes and Transistors Kit | <ul style="list-style-type: none"> • One Kit Contains-25 Assorted Basic Diodes of 4 different types each. • Types:NPN Transistor-2N3904, BC547NPN Transistor • -2N3906, BC557 Silicon Diode • -1N4148, Power Diode-1N4004/4001 • Equivalent or better. • Wattage: 1 W, Current rating 1A • Assorted Kit packaged together and labelled. | 3 | Consumable |
| Electronics Development | Button Switch set | <ul style="list-style-type: none"> • One Kit Contains-100 buttons of different types. • Types: Push, toggle, rotary, selector and slide switch • Assorted Kit packaged | 3 | Consumable |

| | | | | |
|------------------------------|--|---|----|------------|
| | | together and labelled. | | |
| Electronics Development | Capacitive Touch switch Module | <ul style="list-style-type: none"> • MPR 121 with 12C. • Voltage Range :2.5V to 3.6V DC. | 20 | Consumable |
| Electronics Development | Capacitive Touch Switch Module | <ul style="list-style-type: none"> • Digital Capacitive Touch Switch module-TTP223B • Voltage Range 2V to 5V DC | 10 | Consumable |
| Electronics Development | IR Sensors, Obstacle avoider Sensor Module | <ul style="list-style-type: none"> • LM 393 • Detection Distance: 2-30cm • Detection Angle: 30-40° | 20 | Consumable |
| Internet of Things & Sensors | Triple Axis Magnetometer | <ul style="list-style-type: none"> • 3-Axis Magneto Resistive Sensors • 12C Digital Interface • Integrated 12-bit ADC • Range of -8 to +8Gauss • 160 Hz Maximum o/p rate | 10 | Consumable |
| Internet of Things & Sensors | Humidity Sensor | <ul style="list-style-type: none"> • Operating Range: 20-95% RH • Temperature: 0-60 Celsius • Power Supply:1.5V AC (Max Sine) • Operating Frequency: 500Hz-2kHz | 10 | Consumable |
| Internet of Things & Sensors | MQ Series | • MQ-2 Smoke Detection | 3 | Consumable |
| | | • MQ-3 Alcohol- Ethanol Sensor | 3 | |
| | | • MQ-4 Methane Natural Gas Sensor | 3 | |
| | | • MQ-5 Methane Natural Gas Sensor | 3 | |
| | | • Q-5 Methane liquefied Gas Sensor | 3 | |
| | | • MQ-6 Liquefied Petroleum Gas Sensor | 3 | |
| | | • MQ-7 high Sensitivity CO Carbon Monoxide Sensor Detector | 3 | |
| | | • MQ-8 Hydrogen Gas Sensor | 3 | |
| Internet of Things & Sensors | Ultrasonic Sensor Module | • MQ-135 Air Quality Sensor | 3 | Consumable |
| | | • TSOP 1738 | 10 | |
| Internet of Things & Sensors | IR transmitter/ receiver | • Switching rate:38KHz | 40 | Consumable |
| | | • Voltage Rating :5V | | |
| Internet of Things & Sensors | Ultrasonic Sensor Module | <ul style="list-style-type: none"> • Working Voltage-DC 5V • Working Current-15mA | 40 | Consumable |

| | | | | |
|------------------------------|-----------------------------|---|----|------------|
| | HC-SR-04 or Compatible | <ul style="list-style-type: none"> • Working Frequency -40Hz • Range-1 cm to 4m • Effectual Angle- <15° • Measuring Angle-30° • Resolution – 0.3cm | | |
| Internet of Things & Sensors | Triple Axis Accelerometer | <ul style="list-style-type: none"> • 3-axis sensing • Small, Low profile Package • 4mm x 4 mm x 1.45 mm LFCSP • Low Power: 350 μA (typical) • Single-supply operation:1.8V to 3.6V • Temperature Stability | 10 | Consumable |
| Internet of Things & Sensors | PIR Motion Detector Module | <ul style="list-style-type: none"> • High digital pulse when motion detected • Low digital pulse when idle/no motion detected • Sensitivity range (up to 6m) • Power supply:5V-12V | 20 | Consumable |
| Internet of Things & Sensors | Pulse Rate Heart Sensor | <ul style="list-style-type: none"> • Pulse Rate Sensor Finger Based (finger or earlobe) Working voltage 3-5V | 4 | Consumable |
| Internet of Things & Sensors | Rely Module | <ul style="list-style-type: none"> • 5V10A-2 channel Relay Module. Compatible with Arduino. | 20 | Consumable |
| Internet of Things & Sensors | Rely Module | <ul style="list-style-type: none"> • 5V10A-1 channel Relay Module. Compatible with Arduino. | 20 | Consumable |
| Internet of Things & Sensors | Big Sound microphone module | <ul style="list-style-type: none"> • Large Electret capsule sound module | 10 | Consumable |
| Internet of Things & Sensors | Big Sound microphone module | <ul style="list-style-type: none"> • Large Electret capsule sound module | 10 | Consumable |
| Internet of Things & Sensors | Soil Moisture Sensor module | <ul style="list-style-type: none"> • FC – 28 with LM 293 comparator • Operating Voltage: 3.3V to 5C | 6 | Consumable |
| Internet of Things & Sensors | Touch Sensor | <ul style="list-style-type: none"> • Capacitive Touch Sensor • Module. TTP22x series. • Voltage Range: 2.4v to 5.5v | 6 | Consumable |
| Internet of Things & Sensors | Metal Touch Sensor module | <ul style="list-style-type: none"> • KY-036 or equivalent metal touch sensor module | 6 | Consumable |
| Internet of Things & Sensors | Rain Drop Sensor | <ul style="list-style-type: none"> • Rain Sensitive, Rain Drop Detection Sensor Module. Voltage Range: 3.3V to 5.5V • Size: 5mm x 40mm or equivalent. | 6 | Consumable |
| Internet of Things & Sensors | Flex Sensor | <ul style="list-style-type: none"> • Flex Sensor : Size- 2.2 inches | 6 | Consumable |

| | | | | |
|------------------------------|---|---|----|------------|
| Internet of Things & Sensors | Temperature Sensor | <ul style="list-style-type: none"> • LM 35 full range temperature Sensor. Voltage Range: 4V to 30V. Error: $\pm 0.5^{\circ}\text{C}$ | 6 | Consumable |
| Internet of Things & Sensors | Temperature Sensor | <ul style="list-style-type: none"> • DHT 11 • Voltage Range: 3V to 5V | 40 | Consumable |
| Internet of Things & Sensors | Force pressure Sensor | <ul style="list-style-type: none"> • Force sensitive resistor with a square, 1.75x1.5" sensing area | 4 | Consumable |
| Internet of Things & Sensors | Colour Recognition Sensor | <ul style="list-style-type: none"> • TCS 3200 colour Recognition Sensor | 4 | Consumable |
| Internet of Things & Sensors | Water Flow Sensor | <ul style="list-style-type: none"> • Arduino Compatible water flow sensor. 5V DC Input | 4 | Consumable |
| Internet of Things & Sensors | Sound Sensor | <ul style="list-style-type: none"> • Sound Sensor Module • Microphones module | 10 | Consumable |
| Internet of Things & Sensors | IR Sensor Array module for line Following | <ul style="list-style-type: none"> • 8 IR Sensor Array module for Line following • Operating Voltage: 5V | 10 | Consumable |
| Internet of Things & Sensors | Power Bank | <ul style="list-style-type: none"> • 10000 mAh 5V Power Bank | 5 | Consumable |
| Internet of Things & Sensors | RFID Reader Tags | <ul style="list-style-type: none"> • Current: 12-26mA/DC 3.3V • Idle Current: 10-13mA • Sleep Current < 80uA • Peak Current < 30mA • Operating Frequency: 13.56 MHz < 30mA • Read range between 20cm to 1m | 10 | Consumable |
| Internet of Things & Sensors | RF modules Tx & Rx 315 MHz Ask | <ul style="list-style-type: none"> • Frequency Range: 433.93/315 MHz • Supply voltage: 3-6V • Output: 4-16 Dbm • Low Power consumption • Easy Application | 10 | Consumable |
| Robotics | Stepper motor with driver board | 28BYJ-48ULN2003 5V Stepper Motor + ULN2003 Driver Board | 10 | Consumable |
| Robotics | DC motor | 12V DC Gear 150 RPM | 20 | Consumable |
| Robotics | Servo Motors | <ul style="list-style-type: none"> • Position Servo Angle Based , Metal Gear | 10 | Consumable |
| | | <ul style="list-style-type: none"> • Small Servo Metal Gear | 10 | |
| | | <ul style="list-style-type: none"> • Continuous Metal Gear Servo 360 | 10 | |
| | | <ul style="list-style-type: none"> • Small Servo Plastic Gear | 40 | |
| Robotics | 150 RPM BO | 150 RPM BO Motor | 10 | Consumable |

| | | | | |
|-------------------------------|---------------------------------------|---|----|------------|
| | Motor | | | |
| Robotics | L298P Motor Driver | L298P Moto Drive Shield or Relative Drive Shield | 10 | Consumable |
| Robotics | Servo Motor Tester | CCPM 3 channel Servo Tester | 4 | Consumable |
| DIY Kit | Robotics DIY Kit | Robotics DIY kit with programmable intelligent brain/brick | 3 | Equipment |
| DIY Kit | Mechanical (Modular) Construction kit | Metal/Plastic mechanical construction kits compatible with electronic equipment | 5 | Equipment |
| STEM Learning/Application Kit | Drone kit | Educational Purpose | 1 | Equipment |
| | Aerospace kit | | 1 | |
| | Automobile kit | | 1 | |
| | Bio Medical Kit | | 1 | |
| | Agri-Tech Kit | | 1 | |
| | Water/Sanitation Kit | | 1 | |
| | Bio Tech Kit | | 1 | |
| | Other Potential STEM Application Kit | | 1 | |

| Package 2 : Rapid Prototyping Tools | | | | |
|-------------------------------------|--------------------------|---|--------------------|-----------|
| Category | Name | Description | Suggested Quantity | Type |
| Rapid Prototyping Tools | 3D Printer kit and tools | <p>Printer type:</p> <p>FDM (Fused Deposition Modelling),</p> <p>Minimum dimensions:</p> <p>160mm*160mm</p> <p>Build size or 4 litre Build volume,</p> <p>Nozzle: 0.3mm to 0.4mm nozzle diameter, slicing software should be free or open source, LCD screen UI that display print metrics,</p> <p>Good Heated print Bed</p> <p>Material Compatibility – PLA, ABS and derivatives of PLA, Ninja flex</p> <p>Quality Anti-bacterial/ fungal cover.</p> <p>Repair Kit – with spare springs,</p> | 1 | Equipment |

| | | | | |
|-------------------------|--|--|-----|------------|
| | | Screws, keys, tweezers, etc. | | |
| Rapid Prototyping Tools | Dedicated UPS/ Power back up | Dedicated UPS/Power Back up with 2- hour battery backup. | 1 | Equipment |
| Rapid Prototyping Tools | Filament for 3D printer | Compatible 1000 grams filament in 5 different colours | 5 | Consumable |
| Rapid Prototyping Tools | Filament storage box | Compatible filament storage box | 5 | Consumable |
| Rapid Prototyping Tools | Set of Arts & Crafts Accessories- e.g. - stationary items and basic prototyping material | Cardboard | 5 | Consumable |
| | | Foam core boards | 5 | |
| | | 20 m spool of thick strings various colours | 5 | |
| | | Rubber band | 100 | |
| | | Popsicle sticks | 100 | |
| | | Wood glue- 500 ml | 2 | |

| Package 3: Mechanical, Electrical and Measurement Tools | | | | |
|---|-------------------------|--|---------------------------------|------------|
| Category | Name | Description | Suggested Quantity | Type |
| Mechanical Tools | Hacksaw Frame | Size: 12 inches | 1 | Equipment |
| Mechanical Tools | Hacksaw blades | Size: 12 inches | 10 | Consumable |
| Mechanical Tools | Mini Hacksaw Frame | Size: 6 inches | 1 | Equipment |
| Mechanical Tools | Mini Hacksaw blades | Size: 6 inches | 10 | Consumable |
| Mechanical Tools | Pliers: 4.5 inch size | <ul style="list-style-type: none"> • External Straight • Nose Circlip Plier • Long Nose Plier • Combination Mini Plier • Wire stripping Pliers • Bent nose Plier • Needle nose Pliers | 1 1 1 1 1 1 1 | Equipment |
| Mechanical Tools | Tweezer set | 6 PC Non-magnetic Tweezer set Size-6 Inches | 2 | Equipment |
| Mechanical Tools | Ball Pin Hammer | Ball Pein Hammer Weight-0.75kg | 1 | Equipment |
| Mechanical Tools | Steel Shaft Claw Hammer | Claw Hammer Steel Shaft Weight-0.75kg | 1 | Equipment |
| Mechanical Tools | C- Clamp | Metal Clamp:3-inch size | 4 | Equipment |
| Mechanical Tools | Allen Key Set | 10 Piece Ring imperial Allen hex key | 1 | Equipment |
| Mechanical Tools | Drill machine Set | Drill machine with accessories Hammer/Screw and Clockwise/anticlockwise modes. Power:500W Chuck capacity-1to10mm Drill Bits-Masonry Metal, Wood | 1 | Equipment |
| Mechanical | Drilling | Drill Press, Drill Holder and Rotary Tools, | | |

| | | | | |
|------------------|----------------------------------|--|---|-----------|
| Tools | Workstation | Compatible with Drilling machine provided | 1 | Equipment |
| Mechanical Tools | Spanner set | 12-piece combination spanner set Range-4mm to 30mm | 1 | Equipment |
| Mechanical Tools | Vice normal | Table top vice | 1 | Equipment |
| Mechanical Tools | Precision Screw Driver set | 6 piece Precision Screw driver set Types: PH0, PH1, Flat head-1.4mm 2.4mm, 3mm | 2 | Equipment |
| Mechanical Tools | Wrench | Adjustable Universal Wrench | 2 | Equipment |
| Mechanical Tools | Wire Strippers | Wire Stripper Cutter Plier With Spring -26*6*20cm (L*W*H) | 5 | Equipment |
| Mechanical Tools | Screwdriver | 40 pc Multi-Purpose Screwdriver set | 3 | Equipment |
| Mechanical Tools | Cordless Rotary Multi-tool set | Cordless Rotary multi-tool with all cutting, grinding polishing, engraving and drill bits Speed: Adjustable up to 30000 RPM Battery Type Li-ion Voltage/current range :8- 10V, 0-2A | 1 | Equipment |
| Mechanical Tools | Air Blower | 500w or more Variable speed blower | 1 | Equipment |
| Mechanical Tools | Drill Bit Set | High Quality 13 pcs HSS Drill bits Set for Wood, Iron, Aluminium, Plastic etc. | 1 | Equipment |
| Mechanical Tools | File set | 6 pc file set Working length - 6inch | 1 | Equipment |
| Mechanical Tools | Mini File Set | 6 pc mini file set Working length-3 inch | 1 | Equipment |
| Mechanical Tools | Flexible Cutting mat | A 3 Size with marked Pattern and Grids (18" X 12") | 1 | Equipment |
| Mechanical Tools | Plastic Storage Drawer/Organiser | Number of drawer:60 or equivalent Drawer size (l*w*d) (inch): | | Equipment |

| | | | | |
|------------------|---------------------------|---|----|------------|
| | | 2*2*5 | 1 | |
| Mechanical Tools | Pegboard | Peg board System to mount tools on wall with Size: 3ft* 2ft | 2 | Equipment |
| Electric Tools | Hot glue gun | Works with standard 0.5-inch glue sticks. Temperature-230 to 280 degree Celsius. | 4 | Equipment |
| Electric Tools | Digital oscilloscope | Minimum Bandwidth 50 Mhz Minimum number of channels:2 channels sample rate:1gsa/s With inbuilt waveform function generator | 1 | Equipment |
| Electric Tools | Soldering kit | <ul style="list-style-type: none"> • Variable Wattage of soldering iron 15-30 watts/230volts • Soldering iron Temperature Range: 280°C to 450°C • De-Soldering Pump, Soldering Flux • (Paste) 100 grams • De-soldering copper Braid (Solder Wick) 1.5m*2mm • Compatible Soldering tip-Bevel, Chisel, Conical-5 each per kit • Soldering Wire:20/22 AWG Soldering wire with fosin core flux (100 Grams) | 4 | Equipment |
| Electric Tools | Adapters | DC Power Adapter with 5V, 2A | 10 | consumable |
| Electric Tools | Adapters | DC Power Adapter with 12V, 2A | 10 | consumable |
| Electric Tools | Electric Screw Driver set | Multipurpose Electric screwdriver set. Accessories- Compatible bits Mode- Wireless Battery-LI-Ion 3.6V or equivalent with charging dock | 1 | Equipmen |
| Electric Tools | Dual | 1800 W Dual | 1 | Equipment |

| | | | | |
|---------------------|-----------------------------|---|---|------------|
| | Temperature Heat Gun | Temperature Heat Gun | | |
| Electric Tools | Soldering Helping Hand | Specification: Adjustable crocodile holding lamps/Clip. Soldering iron holder LED Light Magnifying lens | 4 | Equipment |
| Measurement Tools | Return measuring tape | Return Measuring tape 5M x 19MM | 2 | Equipment |
| Measurement Tools | Stainless Steel Rule | Stainless Steel 12"/150 mm Rule | 5 | Equipment |
| Measurement Tools | Digital Vernier Calliper | 150mm/6" digital Vernier Calliper | 2 | Equipment |
| Measurement Tools | Spirit Level | 12" Spirit Level | 1 | Equipment |
| Measurement Tools | Digital pen electric Tester | Voltage tester | 1 | Equipment |
| Measurement Tools | Digital Multi Meter | Digital Multi Meter Voltage Current Resistance-7functions+19 ranger to cover DC Voltage 200MV to 1kV AC Voltage 200V-750V, DC Current 200HA- 10A Resistance 200-2M Ohm and Transistor & diode test | 5 | Equipment |
| Biology Kit | DIY paper Microscope | DIY Paper microscope Magnification range-100*to 2000* | 5 | Consumable |
| Astronomy Equipment | Telescope | <ul style="list-style-type: none"> All glass Optical Components Altazimuth mount suitable for terrestrial and astronomical use Minimum 700mm focal length | 1 | Equipment |
| Textile Equipment | Sewing Kit | <ul style="list-style-type: none"> Semi- automatic sewing machine Straight stitch Consumables-2 set of | | |

| | | assorted needles and 10-colour spool set. | 1 | Equipment |
|--|---|---|--------------------|------------|
| Package 4 : Power Supply & Accessories and Safety Equipment | | | | |
| Category | Name | Specification | Suggested Quantity | Type |
| Power Supply & accessories | Glue Sticks | • 11 mm x 200mm Hot Melt Glue Stick | 100 | Consumable |
| Power Supply & accessories | Nuts and Bolts and Screw | • Specs-M4x12MM • M4X20MM M5X16MM • M5X25MM M6X20MM | 40 | Consumable |
| Power Supply & Accessories | Cable Tie | • Small Cable Tie Pack-Pack of 100 | 10 | Consumable |
| | | • Medium Cable Tie Pack, Pack of 100 | 10 | Consumable |
| | | • Big Cable Tie Pack, Pack of 100 | 10 | Consumable |
| Power Supply & Accessories | Sand Paper | • Grit Values – 80, 100, 120, 200, 300, 5 Nos of each | 10 | Consumable |
| Power Supply & Accessories | Power Strip Adaptors | Standard Quality Extension with 5Amp safety fuse. 5 or more sockets in each extension. 5-meter length of each extension. | 5 | Consumable |
| Power Supply & Accessories | Bulb Holders | Regular Hanging Bulb holder | 10 | Consumable |
| Power Supply & Accessories | Electric wires | Twisted Red black pair | 20 meters | Consumable |
| Power Supply & Accessories | USB to DC jack cable | USB to DC Jack Cable for Battery Bank | 10 | Consumable |
| Safety Equipment | First Aid Kit | Standard Medical First Aid Kit in portable container. | 2 | Consumable |
| Safety Equipment | Fire extinguisher (handy units) | Powder Type fire extinguisher 2KG | 2 | Consumable |
| Safety Equipment | Safety goggles (with/without LED torch) | Polycarbonate Safety goggles Clear lens with no tint | 30 | Consumable |
| Safety Equipment | Safety Gloves Pairs | Latex Coating Gloves (Medium Size) | 10 | Consumable |
| Safety equipment | Safety Mask | Filtering efficiency ranging 80 percent when tested against 0.3 micron sodium chloride particle | 20 | Consumable |

The HoS shall ensure that all the items as per the list given above are received by them in good working condition and are as per the specifications given.

After the receipt of items, the HoS shall fill the delivery challan in triplicate (Annexure-II). They shall retain the original copy with them in school and send one copy each to the representatives from IIT, Kanpur and to the Samagra Shiksha (HQ) through respective DURCC.

This is issued with the approval of SPD-SS.

Mohinder Pal
27/01/2021

(Mohinder Pal)
Deputy Director Education
Samagra Shiksha

Encl:-As above

Copy to:

1. PS to Secretary (Education)/Chairman EC-UEEM, Old Sectt. Delhi
2. PS to Director (Education)/Vice Chairman EC-UEEM, Old Sectt. Delhi
3. All DPOs, Samagra Shiksha
4. FCA-SS
5. Prof. S. Ganesh, Dean of Research and Development, Deptt. Of Computer Science & Engineering, Indian Institute of Technology Kanpur-208016
6. Dr. Amey Karkare, Deptt. Of Computer Science & Engineering, Indian Institute of Technology Kanpur-208016
7. Concerned HoS
8. IT In-charge with the request to upload on departmental website
9. All DURCCs

Mohinder Pal
27/01/2021

(Mohinder Pal)
Deputy Director Education
Samagra Shiksha

Annexure-I**List of 114 Schools for Setting up of RAA Lab**

| S. No | | District | School ID | Name of School with Id |
|--------------|----|-----------------|------------------|--|
| 1 | 1 | East | 1002005 | RSBV WEST VINOD NAGAR(1002005) |
| 2 | 2 | East | 1002197 | GBSSS TRILOKPURI BLK 27(1002197) |
| 3 | 3 | East | 1002025 | SKV SHARDA SEN RSKV BLK 20 TRILOKPURI(1002025) |
| 4 | 4 | East | 1002399 | RPVV I.P Extn. Patparganj(1002399) |
| 5 | 5 | East | 1002400 | SCHOOL OF EXCELLENCE KHICHRIPUR (1002400) |
| 6 | 6 | East | 1003002 | Govt SBV Rani Garden (1003002) |
| 7 | 7 | East | 1002034 | SKV (Janki Devi) Pocket-II, Mayur Vihar Ph- 1, Delhi-91 (1002034) |
| 8 | 8 | East | 1002181 | Mandawali-SBV, No. 3 |
| 9 | 9 | East | 1002007 | SBV EAST VINOD NAGAR (1002007) |
| 10 | 10 | East | 1002192 | RSBV No-1 Shakarpur (1002192) |
| | | | | |
| 11 | 1 | North East | 1104006 | Govt. Boys Sr. Sec. School No.1, Ghonda, Delhi, Sch Id. 1104006 |
| 12 | 2 | North East | 1104027 | Govt. Girls Sr. Sec. School No.2, Yamuna Vihar, B-Block, Delhi, Sch Id. 1104027 |
| | | | | |
| 13 | 1 | North | 1207230 | GGSS Mukundpur Delhi-84, School ID 1207230 |
| 14 | 2 | North | 1207032 | SV Lancer Road, Delhi-110054, School ID 1207032 |
| 15 | 3 | North | 1208092 | RPVV, Kishan Ganj, School ID- 1208092 |
| 16 | 4 | North | 1208013 | SKV, Gulabi Bagh, Delhi-110007, School ID- 1208013 |
| 17 | 5 | North | 1207016 | GBSSS Roop Nagar No.2, Delhi-110007, School ID-1207016 |
| | | | | |
| 18 | 1 | North West-A | 1309005 | SBV, BT Block Shalimar bagh (1309005) |
| 19 | 2 | North West-A | 1310407 | G Co-ED SSS, C-Block Holambi Kalan |
| 20 | 3 | North West-A | 1310041 | SKV Khera Khurd |
| 21 | 4 | North West-A | 1309268 | G-Co-ed SSS, Singhu |
| 22 | 5 | North West-A | 1309256 | SKV D-Block Jahangirpuri |
| 23 | 6 | North West-A | 1309260 | GGSSS, K-Block, Jahangirpuri |

Annexure-I**List of 114 Schools for Setting up of RAA Lab**

| S. No | | District | School ID | Name of School with Id |
|--------------|----|-----------------|------------------|---|
| 24 | 7 | North West-A | 1309269 | GBSSS, Palla Majra |
| 25 | 8 | North West-A | 1309267 | SKV, Bakhtawarpur |
| 26 | 9 | North West-A | 1310166 | MLGBSSS, Narela |
| 27 | 10 | North West-A | 1309004 | SV New Police Line (1309004) |
| 28 | 11 | North West-A | 1309280 | SBV Bhalaswa Village (1309280) |
| 29 | 12 | North West-A | 1310009 | Govt. Boys Sr. Sec. School badli (1310009) |
| 30 | 13 | North West-A | 1310008 | GBSSS, Pooth Khurd (1310008) |
| 31 | 14 | North West-A | 1310014 | GBSSS, Alipur (1310014) |
| 32 | 15 | North West-A | 1310409 | RPVV, Sector-A-10, Pkt-5, narela (1310409) |
| 33 | 16 | North West-A | 1310019 | GBSSS, Bawana (1310019) |
| 34 | 17 | North West-A | 1309279 | SKV, Plot No.5, A-Block, Jahangirpuri (1309279) |
| 35 | 1 | North West B | 1411008 | GSV FU BLOCK, PITAMPURA, 1411008 |
| 36 | 2 | North West B | 1411014 | GBSSS D BLOCK ASHOK VIHAR, 1411014 |
| 37 | 3 | North West B | 1412002 | GSBV K-1 MANGOLPURI, 1412002 |
| 38 | 4 | North West B | 1412290 | GCSV CO-ED SEC-22, ROHINI, 1412290 |
| 39 | 5 | North West B | 1412291 | RPVV - SECTOR-21, PHASE-II, ROHINI, 1412291 |
| 40 | 6 | North West B | 1413028 | GSKV QUTABGARH, 1413028 |
| 41 | 7 | North West B | 1413336 | GSV CO-ED SEC 4, ROHINI, 1413336 |
| 42 | 8 | North West B | 1412006 | GBSSS, BC Block Sultan Puri, Delhi |
| 43 | 9 | North West B | 1412033 | Govt. Co-ed SSS, Mangol Puri Kalan, Delhi |
| 44 | 10 | North West B | 1413333 | Rohini School of Excellence, Sector-17 |

Annexure-I**List of 114 Schools for Setting up of RAA Lab**

| S. No | | District | School ID | Name of School with Id |
|--------------|----|-----------------|------------------|--|
| 45 | 11 | North West B | 1413266 | Sawada(Ghevra) Colony, A-Block- SKV |
| 46 | 12 | North West B | 1412095 | Rani Khera-S(Co-ed)V |
| 47 | 13 | North West B | 1413027 | GSV SEC-8, ROHINI, 1413027 |
| 48 | 14 | North West B | 1412016 | Govt. Co-ed SSS, Sultan Pur Majara, Delhi |
| 49 | 15 | North West B | 1411043 | GGSSS RANI BAGH, 1411043 |
| 50 | 16 | North West B | 1413030 | SKV SECT-1, AVANTIKA, 1413030 |
| 51 | 17 | North West B | 1413069 | Rohini, Avantika, Sector 1-GGSSS |
| 52 | 18 | North West B | 1412093 | GSKV, Nithari, Delhi |
| 53 | 19 | North West B | 1411017 | GBSSS SU-Block, Pitam Pura, (1411017) |
| | | | | |
| 54 | 1 | West A & B | 1618016 | GOVT. CO-ED SS F-BLOCK VIKAS PURI, 1618016 |
| 55 | 2 | West A & B | 1618009 | SV KAKROLA, 1618009 |
| 56 | 3 | West A & B | 1618065 | GBSSS BLOCK A JANAK PURI, 1618065 |
| 57 | 4 | West A & B | 1516068 | G CO-ED SSS INDUSTRIAL ARIA, 1516068 |
| 58 | 5 | West A & B | 1618058 | GBSSS HASTSAL JANTA FLAT, 1618058 |
| 59 | 6 | West A & B | 1515001 | GSCO-ED SSS JAIDEV PARK, 1515001 |
| 60 | 7 | West A & B | 1514017 | SKV DIST. CENTER VIKAS PURI, 1514017 |
| 61 | 8 | West A & B | 1514110 | SBV CHAND NAGAR, 1514110 |
| 62 | 9 | West A & B | 1514112 | GBSSS CLOCK TOWER SITE 2, 1514112 |
| 63 | 10 | West A & B | 1617005 | GSKV RANHOLLA, 1617005 |
| 64 | 11 | West A & B | 1618002 | GSBV VIKAS PURI A-BLOCK, 1618002 |
| 65 | 12 | West A & B | 1516002 | GSBV Ramesh Nagar, 1516002 |
| | | | | |

Annexure-I**List of 114 Schools for Setting up of RAA Lab**

| S. No | | District | School ID | Name of School with Id |
|--------------|----|-----------------|------------------|---|
| 66 | 1 | South West-A | 1719001 | SV (Co-Ed) SSS Sec-12 R> K.Puram (1719001) |
| 67 | 2 | South West-A | 1719104 | Govt. Co-ed Sr. Sec. School, Sec - 5, R. K. Puram, New Delhi 1719104 |
| 68 | 3 | South West-A | 1720022 | SKV Naraina (1720022) |
| 69 | 4 | South West-A | 1720001 | Sarvodaya Bal Vidyalaya Delhi Cantt-10 |
| 70 | 5 | South West-A | 1720027 | Govt. Sarvodaya Bal Vidyalaya, Block-D, Janakpuri, New Delhi 1720027 |
| 71 | 6 | South West A | 1719022 | R.K. Puram, Sector 7, No.3-SV |
| 72 | 7 | South West A | 1719010 | Moti Bagh I-GBSSS |
| 73 | 8 | South West-A | 1720018 | Govt. Sarvodaya Kanya Vidyalaya, Delhi Cantt., New Delhi 1720018 |
| 74 | 9 | South West-A | 1720002 | Govt. Sarvodaya Bal Vidyalaya (1st Shift), Naraina, New Delhi 1720002 |
| 75 | 10 | south west-A | 1719027 | Govt Girls Sr. Sec. School No, Sarojini Nagar |
| 76 | 11 | south west-A | 1720030 | SKV Rajokari (1720030) |
| | | | | |
| 77 | 1 | South West B | 1822055 | SV Jafarpur (1822055) |
| 78 | 2 | South West B | 1821036 | Govt. Boys SSS Chhawla (1821036) |
| 79 | 3 | South West B | 1821282 | School of Excellence of Secondary, Sec-22 Dwarka (1821282) |
| 80 | 4 | South West B | 1821031 | Govt. Co-Ed SSS Sec 6 Site II Dwarka (1821031) |
| 81 | 5 | South West B | 1821203 | G.G.S.S.S. Sec 3 Dwarka 1821203 |
| 82 | 6 | South West B | 1821206 | Govt. Co-ed. Sr. Sec. School Sec 6(Site1)Dwarka (1821206) |
| 83 | 7 | South West B | 1821137 | Dwarka Sector-10, RPVV |
| 84 | 8 | South West B | 1821286 | Dwarka, Sec-5- RPVV |
| 85 | 9 | South West B | 1821285 | Dwarka, Sec-19- RPVV |
| 86 | 10 | South West B | 1821237 | Dwarka, Sector III(II Site)-GBSSS |

Annexure-I**List of 114 Schools for Setting up of RAA Lab**

| S. No | | District | School ID | Name of School with Id |
|--------------|----|-----------------|------------------|--|
| 87 | 11 | South West B | 1821037 | Govt. Co-Ed SSS Pochan Pur (1821037) |
| 88 | 12 | South West B | 1822007 | SV Shikarpur (1822007) |
| 89 | 13 | South West B | 1822033 | Govt. Co-Ed SSS, Kazipur (1822033) |
| 90 | 14 | South West B | 1822262 | SV Dichaon Kalan (1822262) |
| 91 | 15 | South West B | 1821242 | G.Co.Ed S.S.S. Sec 16 A Dwarka 1821242 |
| | | | | |
| 92 | 1 | South | 1923044 | GGSSS No-1 Sec-4 Dr.Amb.Ngr., 1923044 |
| 93 | 2 | South | 1923064 | SKV mandi Vill, 1923064 |
| 94 | 3 | South | 1923014 | SBV Fatehpur Beri , 1923014 |
| 95 | 4 | South | 1923069 | Khanpur, No.2-GBSSS |
| 96 | 5 | South | 1923011 | Dr. Ambedkar Nagar, Sector V-GBSSS (Shaheed Anushuya Prasad) |
| 97 | 6 | South | 1923013 | GBSSS,Begampur, 1923013 |
| 98 | 7 | South | 1923071 | SKV Pushp vihar, 1923071 |
| 99 | 8 | South | 1923042 | GSKV (Bachan Prasad Deoli) , New Delhi, 1923042 |
| 100 | 9 | South | 1923037 | SKV Chirag Delhi 1925056 |
| | | | | |
| 101 | 1 | South East | 1925003 | kautilya GSBV chirag enclave GK-1 , 1925003 |
| 102 | 2 | South East | 1925059 | SHK SBV Lajpat Nagar, 1925059 |
| 103 | 3 | South East | 1925056 | Govt. Sarvodaya Bal Vidyalaya - Tughlakabad Extn. New Delhi, 1925056 |
| 104 | 4 | South East | 1925431 | G.S.Co.ed JJ Colony Ph-3 , 1925431 |
| 105 | 5 | South East | 1925248 | Badarpur, No.3-GGSSS |
| 106 | 6 | South East | 1925430 | Kalkaji School of Excellence |
| 107 | 7 | South East | 1925040 | Tuglakabad Village-SKV |
| 108 | 8 | South East | 1925031 | Govt. Sarvodaya Kanya Vidyalaya (Rani Jhansi) - Railway Colony, Tughlakabad New Delhi, 1925031 |

Annexure-I**List of 114 Schools for Setting up of RAA Lab**

| S. No | | District | School ID | Name of School with Id |
|--------------|----|-----------------------|------------------|---|
| 109 | 9 | South East | 1924005 | Hari Nagar Ashram-GBSSS |
| 110 | 10 | South East | 1924003 | SV. Ali Ganj, 1924003 |
| 111 | 11 | South East | 1925433 | SKV new Friends Colony, 1925033 |
| | | | | |
| 112 | 1 | Central/ New Delhi | 2128020 | Govt. Sarvodaya Kanya Vidyalaya (Baba Ramdev) Prasad Nagar New Delhi, School ID 2128020 |
| 113 | 2 | Central/ New Delhi | 2026002 | Govt. Sarvodaya Vidyalaya, Kitchner Road, Malcha Marg, New Delhi, School ID 2026002 |
| 114 | 3 | Central/ New Delhi | 2026004 | SKV Pandra Road |

Annexure-II**Delivery Challan (RAA Lab)**

**List of Equipments under the four packages under Phase III for setting up of
RAA Labs under Major Component-Quality Interventions and Sub
Component- Funds for Quality (LEP, Innovation, Guidance etc.)**

| School Name: | | | | | |
|--|----------------------------|---|---------------------------|-------------|-----------------|
| Pin Code: | | UDISE Code: | | | |
| Name of the HoS | | Mobile Number: | | | |
| Package 1 : Electronics Development, Robotics, Internet of things and Sensors | | | | | |
| Category | Name | Specification | Suggested Quantity | Type | Received |
| Electronics Development | Arduino Uno or equivalent | <ul style="list-style-type: none"> • AT mega 328P-8 bit AVR family microcontroller, equivalent or better. • Operating Voltage: 5V • Digital I/O Pins:14 (of which 6 Provide PWM output) • PWM digital I/O Pins:6 • Accessories : Case shell enclosure, compatible USB cable (length- 6 inch or more) | 30 | Consumable | |
| Electronics Development | Arduino Nano or equivalent | <ul style="list-style-type: none"> • AT mega 328P-8 bit AVR family microcontroller, equivalent or better. • Operating Voltage: 5V • Digital I/O Pins:14 (of which 6 Provide PWM output) • PWM digital I/O Pins:8 • Accessories : Compatible USB cable (length- 6 inch or more) | 10 | Consumable | |

| Category | Name | Specification | Suggested Quantity | Type | Received |
|-------------------------|----------------------------------|--|--------------------|--------------------------|----------|
| Electronics Development | Arduino Mega or equivalent | <ul style="list-style-type: none"> • AT mega 2560P- 8 bit AVR family microcontroller, equivalent or better. • Operating Voltage: 5V • Digital I/O Pins:54 (of which 6 provide PWM output) • PWM digital I/O Pins:16 • Accessories : Case Shell enclosure, Compatible USB cable (length- 6 inch or more) | 10 | Consumable | |
| Electronics Development | RaspberryPi3 Model B+ | <ul style="list-style-type: none"> • RASPBERRY PI 3 MODEL B+, equivalent or better • Accessories- Micro SD card- 32 GB, USB 3.0 cable (1 meter), HDMI to VGA-1 Meter, HDMI to VGA adapter, Case shell enclosure | 5 | Consumable | |
| Electronics Development | Breadboards &Mini Breadboard | <ul style="list-style-type: none"> • Solderless 400 pin breadboard • Solderless 800 pin breadboard • Self- Adhesive Proto shield | 30 20 20 | Consumable | |
| Electronics Development | General Purpose Solderable Board | <ul style="list-style-type: none"> • FR2A Grade Material (140x90mm) • FR2 A Grade Material (80x55mm) | 30 30 | Consumable Consumable | |

| Category | Name | Specification | Suggested Quantity | Type | Received |
|-------------------------|------------------|--|--------------------|--------------------------|----------|
| | Berg Strips | <ul style="list-style-type: none"> • Female Berg Strip, 2.54mm Pitch, 40 pin Single row, breakable pin • Male Berg Strip, 2.54mm Pitch, 40 pin Single row, breakable pin | 30 30 | Consumable Consumable | |
| Electronics Development | 16x2 LCD display | • Dot matrix LCD display. 16 characters x2 lines. 12C | 20 | Consumable | |
| Electronics Development | USB Cables | • USB cable Set (A to B mini, 12 inches or more) | 10 | Consumable | |
| Electronics Development | USB Cables | • USB cable Set (Mini, 12 inches or more) | 10 | Consumable | |
| Electronics Development | Battery | • 9-12V 2000 to 2500 mAh rechargeable battery with 2 chargers, Equivalent or better | 10 | Consumable | |
| Electronics Development | Resistor Kit | <ul style="list-style-type: none"> • One kit contains- 30 carbon film resistors of 20 different resistance values each assorted, packaged together and labelled. • Wattage: 0.125W to 1W • Values: 0Ω, 1.5Ω, 4.7Ω, 10Ω, 47Ω, 100Ω, 220Ω, 330Ω, 470Ω, 680Ω, 1kΩ, 2.2kΩ, 3.3kΩ, 4.7kΩ, 10kΩ, 22kΩ, 47kΩ, 100kΩ, 330kΩ, 1MΩ, | 20 | Consumable | |

| Category | Name | Specification | Suggested Quantity | Type | Received |
|-------------------------|--------------------------|---|--------------------|------------|----------|
| Electronics Development | Capacitor Kit | <ul style="list-style-type: none"> • One kit contains- 20 Electrolytic capacitors of 10 different capacitance values each. • Assorted kit packaged together and labelled. • Values: 10pF, 22pF, 100pF, 1nF, 10nF, 100nf, 1µF, 10µF, 100µF, 1000µF. | 20 | Consumable | |
| Electronics Development | Linear Voltage Regulator | <ul style="list-style-type: none"> • 7805, 7812, 7809 | 30 | Consumable | |
| Electronics Development | Water Pump module | <ul style="list-style-type: none"> • DC12V3W submersible water Pump | 4 | Consumable | |
| Electronics Development | Piezoelectric Plate | <ul style="list-style-type: none"> • Normal Copper based 4cm Diameter approx. | 30 | Consumable | |
| Electronics Development | 8*8 LED Matrix Module | <ul style="list-style-type: none"> • Max7219 Dot LED Matrix Module. MCU control LED Display Module. | 10 | Consumable | |
| Electronics Development | Bluetooth Module | <ul style="list-style-type: none"> • HC 05 Bluetooth module • Voltage Rating :5V | 15 | Consumable | |
| Electronics Development | 7 Segment Led Display | <ul style="list-style-type: none"> • LED 4-Digit Display Module • Voltage Rating:2.4V to 5.5V • 4-Pin interface: • VCC, Gnd, Data Clock | 20 | Consumable | |
| Electronics Development | GSM | <ul style="list-style-type: none"> • Sim900 GPRS Transfer board Micro Sim GSM Core TTL Port Module for Arduino | 4 | Consumable | |

| Category | Name | Specification | Suggested Quantity | Type | Received |
|-------------------------|----------------------------------|---|--------------------|--------------------------|----------|
| Electronics Development | GPS | • GY-NEO6MV2 new GPS module | 4 | Consumable | |
| Electronics Development | Laser Diode Emitter | • 650 nm 5mW Mini Laser Dot Diode Module | 10 | Consumable | |
| Electronics Development | LDR Module | • 5mm/12mm, Photosensitive LDR Light Sensor Module | 30 | Consumable | |
| Electronics Development | Keypad | • Universal 16 Key Switch Keypad | 10 | Consumable | |
| Electronics Development | Joystick | • 2-axis joystick with push button function | 10 | Consumable | |
| Electronics Development | Active Buzzer | • Small 5 volt • Big 5 Volt | 40 40 | Consumable Consumable | |
| Electronics Development | Motor Drive Module | • L293D | 10 | Consumable | |
| Electronics Development | Sound Playback Module | • ISD1820 voice recording module or equivalent | 10 | Consumable | |
| Electronics Development | DC Plastic Gear motor with Wheel | • 12V, 150RPM, Side shaft BO (Battery operation) Motor | 40 | Consumable | |
| Electronics Development | Node MCU | • ESP 8266 • 12C, 1 wire Plug and Play | 6 | Consumable | |
| Electronics Development | WeMosD1R2 | • WeMosD1R2 with WiFi ESP 8266 • Operating Voltage :5V | 6 | Consumable | |
| Electronics Development | Vibrating Motor | • Weight: 10 Grams • Operating Voltage: 1.5 to 3V | 20 | Consumable | |
| Electronics Development | Alligator Connectors | • Multi-Colour Alligator Connectors-12inch | 200 | Consumable | |
| Electronics Development | Battery Clips With DC Jack | • 9-volt battery clips with DC jack | 40 | Consumable | |

| Category | Name | Specification | Suggested Quantity | Type | Received |
|-------------------------|----------------------------|---|--------------------|------------|----------|
| Electronics Development | Hook-up wires | <ul style="list-style-type: none"> • Red & Black set 100 meters each | 4 | Consumable | |
| Electronics Development | Jumper Cable | <ul style="list-style-type: none"> • Male-Male • Male-Female • Female-Female | 1000 600 400 | Consumable | |
| Electronics Development | RGB LEDs | <ul style="list-style-type: none"> • Regular 5mm 3-5volt Range | 400 | Consumable | |
| Electronics Development | RGB LEDs (Red) | <ul style="list-style-type: none"> • Regular 5mm 3-5volt Range | 1000 | Consumable | |
| Electronics Development | RGB LEDs (Green) | <ul style="list-style-type: none"> • Regular 5mm 3-5volt Range | 1000 | Consumable | |
| Electronics Development | RGB LEDs (Blue) | <ul style="list-style-type: none"> • Regular 5mm 3-5volt Range | 1000 | Consumable | |
| Electronics Development | RGB LEDs (Yellow) | <ul style="list-style-type: none"> • Regular 5mm 3-5volt Range | 1000 | Consumable | |
| Electronics Development | RGB LEDs (White) | <ul style="list-style-type: none"> • Regular 5mm 3-5volt Range | 1000 | Consumable | |
| Electronics Development | Timer IC-LM 555 | <ul style="list-style-type: none"> • LM555 Timer IC • Voltage Range-4.5V to 16V | 30 | Consumable | |
| Electronics Development | Atmega16u2 | <ul style="list-style-type: none"> • 8-bit microcontroller Individual IC (DIP) • Voltage range:2.7V to 5.5V. • Operational Range: -40 C to +80 C | 10 | Consumable | |
| Electronics Development | Diodes and Transistors Kit | <ul style="list-style-type: none"> • One Kit Contains-25 Assorted Basic Diodes of 4 different types each. • Types:NPN Transistor-2N3904, BC547NPN Transistor • -2N3906, BC557 Silicon Diode • -1N4148, Power Diode-1N4004/4001 • Equivalent or | 3 | Consumable | |

| | | | | | |
|------------------------------|--|--|----|------------|--|
| | | <p>better.</p> <ul style="list-style-type: none"> • Wattage: 1 W, Current rating 1A • Assorted Kit packaged together and labelled. | | | |
| Electronics Development | Button Switch set | <ul style="list-style-type: none"> • One Kit Contains-100 buttons of different types. • Types: Push, toggle, rotary, selector and slide switch • Assorted Kit packaged together and labelled. | 3 | Consumable | |
| Electronics Development | Capacitive Touch switch Module | <ul style="list-style-type: none"> • MPR 121 with 12C. • Voltage Range :2.5V to 3.6V DC. | 20 | Consumable | |
| Electronics Development | Capacitive Touch Switch Module | <ul style="list-style-type: none"> • Digital Capacitive Touch Switch module-TTP223B • Voltage Range 2V to 5V DC | 10 | Consumable | |
| Electronics Development | IR Sensors, Obstacle avoider Sensor Module | <ul style="list-style-type: none"> • LM 393 • Detection Distance: 2-30cm • Detection Angle: 30-40° | 20 | Consumable | |
| Internet of Things & Sensors | Triple Axis Magnetometer | <ul style="list-style-type: none"> • 3-Axis Magneto Resistive Sensors • 12C Digital Interface • Integrated 12-bit ADC • Range of -8 to +8Gauss • 160 Hz Maximum o/p rate | 10 | Consumable | |

| Category | Name | Specification | Suggested Quantity | Type | Received |
|------------------------------|-------------------------|---|---|------------|----------|
| Internet of Things & Sensors | Humidity Sensor | <ul style="list-style-type: none"> • Operating Range: 20-95% RH • Temperature: 0-60 Celsius • Power Supply:1.5V AC (Max Sine) • Operating Frequency: 500Hz- 2kHz | 10 | Consumable | |
| Internet of Things & Sensors | MQ Series | <ul style="list-style-type: none"> • MQ-2 Smoke Detection • MQ-3 Alcohol-Ethanol Sensor • MQ-4 Methane Natural Gas Sensor • MQ-5 Methane Natural Gas Sensor • Q-5 Methane liquefied Gas Sensor • MQ-6 Liquefied Petroleum Gas Sensor • MQ-7 high Sensitivity CO Carbon Monoxide Sensor Detector • MQ-8 Hydrogen Gas Sensor • MQ-135 Air Quality Sensor | 3 3 3 3 3 3 3 3 3 | Consumable | |
| Internet of Things & Sensors | IR transmitter/receiver | <ul style="list-style-type: none"> • TSOP 1738 • Switching rate:38KHz • Voltage Rating :5V | 10 | Consumable | |

| Category | Name | Specification | Suggested Quantity | Type | Received |
|------------------------------|---|---|--------------------|------------|----------|
| Internet of Things & Sensors | Ultrasonic Sensor Module HC-SR-04 or Compatible | <ul style="list-style-type: none"> • Working Voltage- DC 5V • Working Current- 15mA • Working Frequency -40Hz • Range-1 cm to 4m • Effectual Angle- <15° • Measuring Angle-30° • Resolution – 0.3cm | 40 | Consumable | |
| Internet of Things & Sensors | Triple Axis Accelerometer | <ul style="list-style-type: none"> • 3-axis sensing • Small, Low profile Package • 4mm x 4 mm x 1.45 mm LFCSP • Low Power: 350 µA (typical) • Single-supply operation:1.8V to 3.6V • Temperature Stability | 10 | Consumable | |
| Internet of Things & Sensors | PIR Motion Detector Module | <ul style="list-style-type: none"> • High digital pulse when motion detected • Low digital pulse when idle/no motion detected • Sensitivity range (up to 6m) • Power supply:5V-12V | 20 | Consumable | |
| Internet of Things & Sensors | Pulse Rate Heart Sensor | <ul style="list-style-type: none"> • Pulse Rate Sensor Finger Based (finger or earlobe) Working voltage 3-5V | 4 | Consumable | |
| Internet of Things & Sensors | Rely Module | <ul style="list-style-type: none"> • 5V10A-2 channel Relay Module. Compatible with Arduino. | 20 | Consumable | |

| Category | Name | Specification | Suggested Quantity | Type | Received |
|------------------------------|-----------------------------|---|--------------------|------------|----------|
| Internet of Things & Sensors | Rely Module | <ul style="list-style-type: none"> • 5V10A-1 channel Relay Module. Compatible with Arduino. | 20 | Consumable | |
| Internet of Things & Sensors | Big Sound microphone module | <ul style="list-style-type: none"> • Large Electret capsule sound module | 10 | Consumable | |
| Internet of Things & Sensors | Big Sound microphone module | <ul style="list-style-type: none"> • Large Electret capsule sound module | 10 | Consumable | |
| Internet of Things & Sensors | Soil Moisture Sensor module | <ul style="list-style-type: none"> • FC – 28 with LM 293 comparator • Operating Voltage: 3.3V to 5C | 6 | Consumable | |
| Internet of Things & Sensors | Touch Sensor | <ul style="list-style-type: none"> • Capacitive Touch Sensor • Module. TTP22x series. • Voltage Range: 2.4v to 5.5v | 6 | Consumable | |
| Internet of Things & Sensors | Metal Touch Sensor module | <ul style="list-style-type: none"> • KY-036 or equivalent metal touch sensor module | 6 | Consumable | |
| Internet of Things & Sensors | Rain Drop Sensor | <ul style="list-style-type: none"> • Rain Sensitive, Rain Drop Detection Sensor Module. Voltage Range: 3.3V to 5.5V • Size: 5mm x 40mm or equivalent. | 6 | Consumable | |
| Internet of Things & Sensors | Flex Sensor | <ul style="list-style-type: none"> • Flex Sensor : Size- 2.2 inches | 6 | Consumable | |
| Internet of Things & Sensors | Temperature Sensor | <ul style="list-style-type: none"> • LM 35 full range temperature Sensor. Voltage Range: 4V to 30V. Error: 0.5°c | 6 | Consumable | |
| Internet of Things & Sensors | Temperature Sensor | <ul style="list-style-type: none"> • DHT 11 • Voltage Range: 3V to 5V | 40 | Consumable | |
| Internet of Things & Sensors | Force pressure Sensor | <ul style="list-style-type: none"> • Force sensitive resistor with a square, 1.75x1.5" sensing area | 4 | Consumable | |

| Category | Name | Specification | Suggested Quantity | Type | Received |
|------------------------------|---|--|--------------------|------------|----------|
| Internet of Things & Sensors | Colour Recognition Sensor | <ul style="list-style-type: none"> • TCS 3200 colour Recognition Sensor | 4 | Consumable | |
| Internet of Things & Sensors | Water Flow Sensor | <ul style="list-style-type: none"> • Arduino Compatible water flow sensor. 5V DC Input | 4 | Consumable | |
| Internet of Things & Sensors | Sound Sensor | <ul style="list-style-type: none"> • Sound Sensor Module Microphones module | 10 | Consumable | |
| Internet of Things & Sensors | IR Sensor Array module for line Following | <ul style="list-style-type: none"> • 8 IR Sensor Array module for Line following • Operating Voltage:5V | 10 | Consumable | |
| Internet of Things & Sensors | Power Bank | <ul style="list-style-type: none"> • 10000 mAh5Volt Power Bank | 5 | Consumable | |
| Internet of Things & Sensors | RFID Reader Tags | <ul style="list-style-type: none"> • Current: 12-26mA/DC 3.3V • Idle Current: 10-13mA • Sleep Current<80uA • Peak Current <30mA • Operating Frequency: 13.56 MHz<30mA • Read range between 20cm to 1m | 10 | Consumable | |
| Internet of Things & Sensors | RF modules Tx & Rx 315 MHz Ask | <ul style="list-style-type: none"> • Frequency Range: 433.93/315 MHz • Supply voltage: 3-6V • Output: 4-16 Dbm • Low Power consumption • Easy Application | 10 | Consumable | |
| Robotics | Stepper motor with driver board | 28BYJ-48ULN20035V Stepper Motor + ULN2003Driver Board | 10 | Consumable | |

| Category | Name | Specification | Suggested Quantity | Type | Received |
|-------------------------------|--|--|--------------------------------------|------------|----------|
| Robotics | DC motor | 12V DC Gear 150 RPM | 20 | Consumable | |
| Robotics | Servo Motors | <ul style="list-style-type: none"> • Position Servo Angle Based Metal Gear • Small Servo Metal Gear • Continuous Metal Gear Servo 360 • Small Servo Plastic Gear | 10 10 10 40 | Consumable | |
| Robotics | 150 RPM BO Motor | 150 RPM BO Motor | 10 | Consumable | |
| Robotics | L298P Motor Driver | L298P Moto Drive Shield or Relative Drive Shield | 10 | Consumable | |
| Robotics | Servo Motor Tester | CCPM 3 channel Servo Tester | 4 | Consumable | |
| DIY Kit | Robotics DIY Kit | Robotics DIY kit with programmable intelligent brain/brick | 3 | Equipment | |
| DIY Kit | Mechanical (Modular) Construction kit | Metal/Plastic mechanical construction kits compatible with electronic equipment | 5 | Equipment | |
| STEM Learning/Application Kit | Drone kit Aerospace kit Automobile kit Bio Medical Kit Agri-Tech Kit Water/Sanitation Kit Bio Tech Kit Other Potential STEM Application Kit | Educational Purpose | 1 1 1 1 1 1 1 1 | Equipment | |

| Package 2 : Rapid Prototyping Tools | | | | | |
|-------------------------------------|--------------------------|--|--------------------|-----------|----------|
| Category | Name | Description | Suggested Quantity | Type | Received |
| Rapid Prototyping Tools | 3D Printer kit and tools | <p>Printer type:</p> <p>FDM (Fused Deposition Modelling),</p> <p>Minimum dimensions:</p> <p>160mm*160mm</p> <p>Build size or 4 litre Build volume,</p> <p>Nozzle: 0.3mm to 0.4mm nozzle diameter, slicing software should be free or open source, LCD screen UI that display print metrics,</p> <p>Good Heated print Bed</p> <p>Material Compatibility – PLA, ABS and derivatives of PLA, Ninja flex</p> <p>Quality Anti-bacterial/ fungal cover.</p> <p>Repair Kit – with spare springs, Screws, keys, tweezers, etc.</p> | 1 | Equipment | |

| Category | Name | Specification | Suggested Quantity | Type | Received |
|-------------------------|--|--|--------------------|------------|----------|
| Rapid Prototyping Tools | Dedicated UPS/ Power back up | Dedicated UPS/Power Back up with 2- hour battery backup. | 1 | Equipment | |
| Rapid Prototyping Tools | Filament for 3D printer | Compatible 1000 grams filament in 5 different colours | 5 | Consumable | |
| Rapid Prototyping Tools | Filament storage box | Compatible filament storage box | 5 | Consumable | |
| Rapid Prototyping Tools | Set of Arts & Crafts Accessories- e.g. - stationary items and basic prototyping material | Cardboard | 5 | Consumable | |
| | | Foam core boards | 5 | | |
| | | 20 m spool of thick strings various colours | 5 | | |
| | | Rubber band | 100 | | |
| | | Popsicle sticks | 100 | | |
| | | Wood glue- 500 ml | 2 | | |

| Package 3: Mechanical, Electrical and Measurement Tools | | | | | |
|--|-------------------------|--|---------------------------------|-------------|-----------------|
| Category | Name | Description | Suggested Quantity | Type | Received |
| Mechanical Tools | Hacksaw Frame | Size: 12 inches | 1 | Equipment | |
| Mechanical Tools | Hacksaw blades | Size: 12 inches | 10 | Consumable | |
| Mechanical Tools | Mini Hacksaw Frame | Size: 6 inches | 1 | Equipment | |
| Mechanical Tools | Mini Hacksaw blades | Size: 6 inches | 10 | Consumable | |
| Mechanical Tools | Pliers: 4.5 inch size | <ul style="list-style-type: none"> • External Straight • Nose Circlip Plier • Long Nose Plier • Combination Mini Plier • Wire stripping Pliers • Bent nose Plier • Needle nose Pliers | 1 1 1 1 1 1 1 | Equipment | |
| Mechanical Tools | Tweezer set | 6 PC Non-magnetic Tweezer set Size-6 Inches | 2 | Equipment | |
| Mechanical Tools | Ball Pin Hammer | Ball Pein Hammer Weight-0.75kg | 1 | Equipment | |
| Mechanical Tools | Steel Shaft Claw Hammer | Claw Hammer Steel Shaft Weight-0.75kg | 1 | Equipment | |
| Mechanical Tools | C- Clamp | Metal Clamp:3-inch size | 4 | Equipment | |
| Mechanical Tools | Allen Key Set | 10 Piece Ring imperial Allen hex key | 1 | Equipment | |
| Mechanical Tools | Drill machine Set | Drill machine with accessories Hammer/Screw and Clockwise/anticlockwise modes. Power:500W Chuck capacity-1to10mm Drill Bits-Masonry Metal, Wood | 1 | Equipment | |

| Category | Name | Specification | Suggested Quantity | Type | Received |
|------------------|--------------------------------|--|--------------------|-----------|----------|
| Mechanical Tools | Drilling Workstation | Drill Press, Drill Holder and Rotary Tools, Compatible with Drilling machine provided | 1 | Equipment | |
| Mechanical Tools | Spanner set | 12-piece combination spanner set Range-4mm to 30mm | 1 | Equipment | |
| Mechanical Tools | Vice normal | Table top vice | 1 | Equipment | |
| Mechanical Tools | Precision Screw Driver set | 6 piece Precision Screw driver set Types: PH0, PH1, Flat head-1.4mm 2.4mm, 3mm | 2 | Equipment | |
| Mechanical Tools | Wrench | Adjustable Universal Wrench | 2 | Equipment | |
| Mechanical Tools | Wire Strippers | Wire Stripper Cutter Plier With Spring - 26*6*20cm (L*W*H) | 5 | Equipment | |
| Mechanical Tools | Screwdriver | 40 pc Multi-Purpose Screwdriver set | 3 | Equipment | |
| Mechanical Tools | Cordless Rotary Multi-tool set | Cordless Rotary multi-tool with all cutting, grinding polishing, engraving and drill bits Speed: Adjustable up to 30000 RPM Battery Type Li-ion Voltage/current range :8- 10V, 0-2A | 1 | Equipment | |
| Mechanical Tools | Air Blower | 500w or more Variable speed blower | 1 | Equipment | |
| Mechanical Tools | Drill Bit Set | High Quality 13 pcs HSS Drill bits Set for Wood, Iron, Aluminium, Plastic etc. | 1 | Equipment | |

| Category | Name | Specification | Suggested Quantity | Type | Received |
|------------------|----------------------------------|--|--------------------|-----------|----------|
| Mechanical Tools | File set | 6 pc file set Working length -6inch | 1 | Equipment | |
| Mechanical Tools | Mini File Set | 6 pc mini file set Working length-3 inch | 1 | Equipment | |
| Mechanical Tools | Flexible Cutting mat | A 3 Size with marked Pattern and Grids (18" X 12") | 1 | Equipment | |
| Mechanical Tools | Plastic Storage Drawer/Organiser | Number of drawer:60 or equivalent Drawer size (l*w*d) (inch): 2*2*5 | 1 | Equipment | |
| Mechanical Tools | Pegboard | Peg board System to mount tools on wall with Size: 3fit* 2ft | 2 | Equipment | |
| Electric Tools | Hot glue gun | Works with standard 0.5-inch glue sticks. Temperature-230 to 280 degree Celsius. | 4 | Equipment | |
| Electric Tools | Digital oscilloscope | Minimum Bandwidth 50 Mhz Minimum number of channels:2 channels sample rate:1gsa/s With inbuilt waveform function generator | 1 | Equipment | |
| Electric Tools | Soldering kit | <ul style="list-style-type: none"> Variable Wattage of soldering iron 15-30 watts/230volts Soldering iron Temperature Range: 280°C to 450°C De-Soldering Pump, Soldering Flux (Paste) 100 grams De-soldering copper Braid (Solder Wick) 1.5m*2mm Compatible | 4 | Equipment | |

| | | | | | |
|-------------------|-----------------------------|---|----|------------|--|
| | | <p>Soldering tip-Bevel, Chisel, Conical-5 each per kit</p> <ul style="list-style-type: none"> Soldering Wire:20/22 AWG Soldering wire with fosin core flux (100 Grams) | | | |
| Electric Tools | Adapters | DC Power Adapter with 5V, 2A | 10 | consumable | |
| Electric Tools | Adapters | DC Power Adapter with 12V, 2A | 10 | consumable | |
| Electric Tools | Electric Screw Driver set | <p>Multipurpose Electric screwdriver set.</p> <p>Accessories- Compatible bits Mode- Wireless Battery-LI-Ion 3.6V or equivalent with charging dock</p> | 1 | Equipment | |
| Electric Tools | Dual Temperature Heat Gun | 1800 W Dual Temperature Heat Gun | 1 | Equipment | |
| Electric Tools | Soldering Helping Hand | <p>Specification: Adjustable crocodile holding lamps/Clip. Soldering iron holder LED Light</p> <p>Magnifying lens</p> | 4 | Equipment | |
| Measurement Tools | Return measuring tape | Return Measuring tape 5M x 19MM | 2 | Equipment | |
| Measurement Tools | Stainless Steel Rule | Stainless Steel 12"/150 mm Rule | 5 | Equipment | |
| Measurement Tools | Digital Vernier Calliper | 150mm/6" digital Vernier Calliper | 2 | Equipment | |
| Measurement Tools | Spirit Level | 12" Spirit Level | 1 | Equipment | |
| Measurement Tools | Digital pen electric Tester | Voltage tester | 1 | Equipment | |

| Category | Name | Specification | Suggested Quantity | Type | Received |
|---------------------|----------------------|--|--------------------|------------|----------|
| Measurement Tools | Digital Multi Meter | Digital Multi Meter Voltage Current Resistance-7functions+19 ranger to cover DC Voltage 200MV to 1kV AC Voltage 200V-750V, DC Current 200HA-10A Resistance 200-2M Ohm and Transistor & diode test | 5 | Equipment | |
| Biology Kit | DIY paper Microscope | DIY Paper microscope Magnification range-100*to 2000* | 5 | Consumable | |
| Astronomy Equipment | Telescope | <ul style="list-style-type: none"> All glass Optical Components Altazimuth mount suitable for terrestrial and astronomical use Minimum 700mm focal length | 1 | Equipment | |
| Textile Equipment | Sewing Kit | <ul style="list-style-type: none"> Semi- automatic sewing machine Straight stitch Consumables-2 set of assorted needles and 10-colour spool set. | 1 | Equipment | |

| Package 4 : Power Supply & Accessories and Safety Equipment | | | | | |
|--|---------------------------------|--|---------------------------|-------------|-----------------|
| Category | Name | Specification | Suggested Quantity | Type | Received |
| Power Supply & accessories | Glue Sticks | • 11 mm x 200mm Hot Melt Glue Stick | 100 | Consumable | |
| Power Supply & accessories | Nuts and Bolts and Screw | • Specs-M4x12MM • M4X20MM • M5X16MM • M5X25MM • M6X20MM | 40 | Consumable | |
| Power Supply & Accessories | Cable Tie | • Small Cable Tie Pack-Pack of 100 | 10 | Consumable | |
| | | • Medium Cable Tie Pack, Pack of 100 | 10 | Consumable | |
| | | • Big Cable Tie Pack, Pack of 100 | 10 | Consumable | |
| Power Supply & Accessories | Sand Paper | • Grit Values – 80, 100, 120, 200, 300, 5 Nos of each | 10 | Consumable | |
| Power Supply & Accessories | Power Strip Adaptors | Standard Quality Extension with 5Amp safety fuse. 5 or more sockets in each extension. 5-meter length of each extension. | 5 | Consumable | |
| Power Supply & Accessories | Bulb Holders | Regular Hanging Bulb holder | 10 | Consumable | |
| Power Supply & Accessories | Electric wires | Twisted Red black pair | 20 meters | Consumable | |
| Power Supply & Accessories | USB to DC jack cable | USB to DC Jack Cable for Battery Bank | 10 | Consumable | |
| Safety Equipment | First Aid Kit | Standard Medical First Aid Kit in portable container. | 2 | Consumable | |
| Safety Equipment | Fire extinguisher (handy units) | Powder Type fire extinguisher 2KG | 2 | Consumable | |

| Category | Name | Specification | Suggested Quantity | Type | Received |
|------------------|---|---|--------------------|------------|----------|
| Safety Equipment | Safety goggles (with/without LED torch) | Polycarbonate Safety goggles Clear lens with no tint | 30 | Consumable | |
| Safety Equipment | Safety Gloves Pairs | Latex Coating Gloves (Medium Size) | 10 | Consumable | |
| Safety equipment | Safety Mask | Filtering efficiency ranging 80 percent when tested against 0.3 micron sodium chloride particle | 20 | Consumable | |

It is certified that the above items supplied for RAA Labs under Rashtriya Avishkar Abhiyan by IIT Kanpur as per MoU signed between Samgara Shiksha and IIT Kanpur are delivered in good condition.

Delivery Date:

Time :

Signature of HoS
School Stamp

Signature of IIT, Kanpur Representative with
with Stamp.