GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI DIRECTORATE OF EDUCATION, PM-POSHAN BRANCH ROOM NO. 307, VIDYA SAMIKSHA KENDRA BOULEVARD ROAD, DELHI – 110054

No.F.DE.23(1056)/MDM/2025/1148-1156

Dated: 01 12 2025

CIRCULAR

Subject: Regarding uploading the testing reports of cooked Mid Day Meal.

The PM-POSHAN Branch under the Directorate of Education implements the Mid-Day Meal Scheme (PM POSHAN), a centrally sponsored scheme in partnership with State Governments and Union Territories. The scheme provides hot cooked meals to children studying in Bal-Vatika and Classes I–VIII in Government and Government Aided Schools.

At present, 33 kitchens operated by 31 NGOs/Service Providers supply hot cooked Mid-Day Meals to these schools. To ensure that the meals served meet the prescribed nutritional and safety standards in terms of protein, calorific value, and microbiological parameters, food samples are tested regularly and randomly through M/s FICCI Research and Analysis Centre, Plot No. 2-A, Sector-8, Dwarka, New Delhi–110077.

In continuation of the earlier circular on the above subject for reference of all stakeholders, the test reports for the month of October. 2025 are hereby enclosed for information and necessary reference.

SECTION OFFICER
PM-POSHAN

For information to:-

- 1. Secretary to Hon'ble Chief Minister (Delhi).
- 2. Secretary to Hon'ble Minister of Education (Delhi).
- 3. PS to Secretary (Education), Dte. of Education, Delhi.
- 4. PS to Director (Education), Dte. of Education, Delhi.
- 5. All DDEs (District), Dte. of Education, Delhi.
- 6. All DDEs (Zone), Dte. of Education, Delhi.
- 7. All HoSs, Dte. of Education, Delhi.
- 8. All NGOs/ Service Providers under PM-POSHAN Scheme.
- 9. System Analyst (IT), Dte. of Education, Delhi with the request to upload the reports on the department's website under Public Circular as stated above.



PLOT 2A, SECTOR-8, DWARKA, NEW DELHI-110077 Fax: 91-11-25360802 Tel: 91-11-45333500-510 E-mail : info@fraclabs.org, Website : www.fraclabs.org



TEST REPORT

*Issued To:

The Deputy Director of Education (PM-Poshan)

Directorate of education, government of NCT of Delhi ,Old Secretariat,Delhi-110054

ULR: TC527525000025927F

Reg. No

:FRAC/F/2510170120

"Your Ref. No

: TRF

*Letter/TRF Dated

: 17/10/2025

Date of Issue

Date of Sample Recd.

: 27/10/2025 : 17/10/2025

Date of Sampling

: 17/10/2025

Sample Condition

: Satisfactory

*Sample Packing

Sampling Nasco Bag

Date of Sample Booking

: 17/10/2025

Date of Start of Analysis

: 17/10/2025

27/10/2025

Date of Completion

*Sample Qty

: 350gm

*Batch No

Not Specified Not Specified

*Mfg Date *Exp. Date

Not Specified

*Sample Description: Dal Chawal

Specification Followed

: FSSAI (Food Products Standards and Food Additives) Regulations

Sampling Method

: FRAC/SOP/CHEM-MICRO/016 Sample drawn by FRAC representative

Sampled By

Food & Agricultural Products

Product Group *Name Of NPO

: Allied Integrated Society

*Name Of School/Kitchen *School ID

R.R.M.R.S.K.V Pooth Khurd Delhi-39

1310043

TEST RESULTS

| | | 1 11.14 | Result | Specification | Test Method |
|----------|--|-----------|----------|----------------|-----------------------------|
| S.No. | Parameters | Unit | Result | | |
| Chemica | I Test Parameters | TILL | | Not Specified | IS 4684:1975 |
| 1 | Fat | g/100g | 4.68 | | IS 7219:1973 |
| 2 | Protein (N x 6.25) | g/100g | 4.97 | Not Specified | IS 1656:2022 |
| 2 | PARTON AND THE PARTON NAMED IN COLUMN TO SERVICE AND THE PARTON NAMED IN | g/100g | 29.25 | Not Specified | |
| 3 | Total Carbohydrate | g/100g | 58,92 | Not Specified | IS 4684:1975 |
| 4 | Moisture | | 179 | Not Specified | FSSAI(LABELLING AND DISPLAY |
| 5 | Energy | Kcal/100g | 179 | | Reg, 2020 Page No.14 |
| Biologic | cal Test Parameters | | | T N. Consisted | IS 5402: 2012 |
| 6 | Total Plate Count | cfu/g | 1.2X10^3 | Not Specified | |
| 0 | 1 10-200 P. C. L. CONTROL CONT | cfu/g | <10 | Not Specified | IS 5887: Part 1: 1976 |
| 7 | Escherichia coli | /25g | Absent | Absent | IS 5887: Part 3: 1999 |
| Q | Salmonella | 1209 | 1,170 | | |

The sample conforms to the FSSAI (Food Products Standards and Food Additives) Regulations 2011. specifications mentioned above and is fit for human consumption only as per the above tested parameters.

End of Report



TM -Chemical

Authorised Signatory

Neelima Gupta OIC-Microbiology

* Indicates Information supplied by the Customer for which the laboratory has no control.

Page No.1 of

Sample(s) not drawn by FRAC, unless specified.

The result listed refers only to tested sample(s) and applicable parameters. Endorsement of product is neither inferred nor implied.

Sample(s) will be destroyed after fifteen days of the date of issue of test report unless otherwise specified, except for perishable sample, which would be destroyed immediately after issuance of report.

Test report shall not be reproduced except in full, without written approval from FRAC.

This test report in full or in part shall not be used for advertising or legal action.

FRAC will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports.

This is a computer generated document with electronic signature hence does not require manual signature. FRAC will ensure all corrective action as per our policy in case of any discrepancy in any sample tested, FRAC liability is limited to

the amount charged against the testing of the sample. Retesting charges will be applicable in case the results are reproducible

File No. DE.23 (10 Sayphiname 2020) Colling the say the day of the say of the





PLOT 2A, SECTOR-8, DWARKA, NEW DELHI-110077 Fax: 91-11-25360802 Tel: 91-11-45333500-510 E-mail: info@fraclabs.org, Website: www.fraclabs.org



TEST REPORT

*Issued To:

The Deputy Director of Education (PM-Poshan)

Directorate of education, government of NCT of Delhi ,Old Secretariat,Delhi-110054

ULR: TC527525000025761F

Reg. No

:FRAC/F/2510150174

*Your Ref. No

:TRF

*Letter/TRF Dated

: 15/10/2025

Date of Issue

: 25/10/2025

Date of Sample Recd.

: 15/10/2025

Date of Sampling

: 15/10/2025

Sample Condition

: Satisfactory

*Sample Packing

: Sampling Nasco Bag

Date of Sample Booking

: 15/10/2025

Date of Start of Analysis

15/10/2025

: 25/10/2025

Date of Completion

*Sample Qty

: 350gm

*Batch No

. Not Specified

: FRAC/SOP/CHEM-MICRO/016

"Mfg. Date "Exp. Date

Not Specified : Not Specified

Sampling Method Sampled By Product Group *Name of NPO

*Sample Description:

Specification Followed

*Name of School/Kitchen

Kadhi + Chawal

Sample drawn by FRAC representative : Food & Agricultural Products

2011.

: Allied Integrated Society : Kitchen/Khasra no.154-541/542,Main Road Pooth Khurd,Delhi-110039


: FSSAI (Food Products Standards and Food Additives) Regulations

TEST RESULTS

| | | | | | Test Method |
|----------|--------------------|-----------|----------|--|--|
| | | Unit | Result | Specification | Test Method |
| S.No. | Parameters | Oint | | | |
| hemica | I Test Parameters | | | Not Specified | IS 4684:1975 |
| Hermon | | g/100g | 4.55 | | IS 7219:1973 |
| 1 | Fat | g/100g | 5,29 | Not Specified | IS 1656:2022 |
| 2 | Protein (N x 6.25) | | 28.90 | Not Specified | V. S. I. M. H. |
| 3 | Total Carbohydrate | g/100g | 1200 | Not Specified | IS 4684:1975 |
| 3 | | g/100g | 58.97 | | FSSAI(LABELLING AND DISPLAY |
| 4 | Moisture | Kcal/100g | 177.71 | Not Specified | Reg, 2020 Page No.14 |
| 5 | Energy | Note 100g | | | Neg, 2020 1 ag |
| Riologic | al Test Parameters | | | Not Specified | IS 5402: 2012 |
| Biologic | Total Plate Count | cfu/g | 8.5X10^2 | | IS 5887: Part 1: 1976 |
| 6 | | cfu/g | <10 | Not Specified | |
| 7 | Escherichia coli | | Absent | Absent | IS 5887: Part 3: 1999 |
| • | Salmonella | /25g | Absent | A PARTICIPATION OF THE PARTICI | |

The sample conforms to the FSSAI (Food Products Standards and Food Additives) Regulations 2011. specifications mentioned above and is fit for human Remarks: consumption only as per the above tested parameters.

***End of Report'



DGM-Instrument

Authorised Signatory

Neelima Gupta OIC-Microbiology

Page No.1 of 1

Sample(s) not drawn by FRAC, unless specified. Note: 1.

The result listed refers only to tested sample(s) and applicable parameters. Endorsement of product is neither inferred nor implied. Sample(s) will be destroyed after fifteen days of the date of issue of test report unless otherwise specified, except for perishable sample, which would be destroyed immediately after issuance of report.

Test report shall not be reproduced except in full, without written approval from FRAC.

This test report in full or in part shall not be used for advertising or legal action. FRAC will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports.

This is a computer generated document with electronic signature hence does not require manual signature. FRAC will ensure all corrective action as per our policy in case of any discrepancy in any sample tested, FRAC liability is limited to the amount charged against the testing of the sample.

File No. DE 23(10) MDM 2025 Computers Ne d24496 bargeable basis.

Generated from eOffice by RAJESH KUMAR, PMP/MDM(ASO)-RAJESH, ASSISTANT SECTION OFFICER, EDUCATION DIRECTORATE on 01/12/2025 11:52 am





PLOT 2A, SECTOR-8, DWARKA, NEW DELHI-110077 Fax: 91-11-25360802 Tel: 91-11-45333500-510 E-mail: info@fraclabs.org, Website: www.fraclabs.org



TC-5275

TEST REPORT

*Issued To:

The Deputy Director of Education (PM-Poshan)

Directorate of education, government of NCT of Delhi ,Old Secretariat,Delhi-110054

ULR: TC527525000025928F

Reg. No

:FRAC/F/2510170121

"Your Ref. No

: TRF

*Letter/TRF Dated

: 17/10/2025

Date of Issue

: 27/10/2025

Date of Sample Recd.

: 17/10/2025

Date of Sampling

: 17/10/2025

Sample Condition

: Satisfactory

*Sample Packing

: Sampling Nasco Bag

Date of Sample Booking

: 17/10/2025

Date of Start of Analysis

: 17/10/2025

27/10/2025

Date of Completion

*Sample Qty

350gm

*Batch No

Not Specified Not Specified

*Mfg. Date *Exp. Date

Not Specified

Sampling Method

*Sample Description: **Dal Chawal**

FRAC/SOP/CHEM-MICRO/016

FSSAI (Food Products Standards and Food Additives) Regulations

Sampled By

Specification Followed

: Sample drawn by FRAC representative

Product Group

: Food & Agricultural Products

*Name Of NPO

: Arva Navyug Shiksha Samiti

*Name Of School/Kitchen

: S.K.V Khera Khurd Delhi-110082

*School ID

1310041

TEST RESULTS

| | | | | | - 1 38 -41- a al |
|------------|---------------------|-----------|----------|---|-----------------------------|
| S.No. | Parameters | Unit | Result | Specification | Test Method |
| e constant | al Test Parameters | | | | IS 4684:1975 |
| 4 | Fat | g/100g | 4.65 | Not Specified | |
| 1 | ACSM | g/100g | 4.94 | Not Specified | IS 7219:1973 |
| 2 | Protein (N x 6.25) | g/100g | 29.3 | Not Specified | IS 1656:2022 |
| 3 | Total Carbohydrate | | 58.94 | Not Specified | IS 4684:1975 |
| 4 | Moisture | g/100g | - 300 | 100 V | FSSAI(LABELLING AND DISPLAY |
| 5 | Energy | Kcal/100g | 178.81 | Not Specified | Reg, 2020 Page No.14 |
| Diologia | cal Test Parameters | | | | 10.5400.0040 |
| | 0. | cfu/g | 1.3X10^3 | Not Specified | IS 5402: 2012 |
| 6 | Total Plate Count | cfu/g | <10 | Not Specified | IS 5887: Part 1: 1976 |
| 7 | Escherichia coli | | | Absent | IS 5887: Part 3: 1999 |
| 8 | Salmonella | /25g | Absent | L | |

The sample conforms to the FSSAI (Food Products Standards and Food Additives) Regulations 2011, specifications mentioned above and is fit for human consumption only as per the above tested parameters.

End of Report



TM -Chemical

Authorised Signatory

Neelima Gupta OIC-Microbiology

* Indicates Information supplied by the Customer for which the laboratory has no control.

Page No.1 of 1

Note: 1. Sample(s) not drawn by FRAC, unless specified.

The result listed refers only to tested sample(s) and applicable parameters. Endorsement of product is neither inferred nor implied. Sample(s) will be destroyed after fifteen days of the date of issue of test report unless otherwise specified, except for perishable sample, which would be destroyed immediately after issuance of report.


Test report shall not be reproduced except in full, without written approval from FRAC.

This test report in full or in part shall not be used for advertising or legal action.

FRAC will not be held responsible for the authenticity of any photocopied, forged and cr partially presented test reports.

This is a computer generated document with electronic signature hence does not require manual signature. FRAC will ensure all corrective action as per our policy in case of any discrepancy in any sample tested, FRAC liability is limited to the amount charged against the testing of the sample.

Retesting charges will be applicable in case the results are reproducible









PLOT 2A, SECTOR-8, DWARKA, NEW DELHI-110077 Fax: 91-11-25360802 Tel: 91-11-45333500-510

E-mail: info@fraclabs.org, Website: www.fraclabs.org



TEST REPORT

*Issued To:

The Deputy Director of Education (PM-Poshan)

Directorate of education, government of NCT of Delhi ,Old Secretariat,Delhi-110054

ULR: TC527525000025765F

Fleg. No

: FRAC/F/2510150178

*Your Ref. No

:TRF

*Letter/TRF Dated

: 15/10/2025

Date of Issue

: 24/10/2025

Date of Sample Recd.

: 15/10/2025

Date of Sampling

: 15/10/2025

Sample Condition "Sample Packing

: Satisfactory Sampling Nasco Bag

Date of Sample Booking

: 15/10/2025

Date of Start of Analysis

: 15/10/2025

: 24/10/2025

Date of Completion

*Sample Qty

: 350am

FSSAI (Food Products Standards and Food Additives) Regulations

Not Specified

*Batch No *Mfg. Date

Not Specified

*Exp. Date

Not Specified

Sampling Method Sampled By Product Group

Sample drawn by FRAC representative

FRAC/SOP/CHEM-MICRO/016

*Name of NPO

*Sample Description: Vea Daliva

Specification Followed

: Food & Agricultural Products : Arya Navyug Shiksha Samiti

*Name of School/Kitchen

: Kitchen/Khars no.78,CH Dalel Singh Market,Holambi Khurd,Delhi-110082

TEST RESULTS

| | | Unit | Result | Specification | Test Method |
|----------|---------------------|-----------|----------|---------------|-----------------------------|
| S.No. | Parameters | Oint | 111110 | | |
| Chemica | I Test Parameters | | | Not Specified | IS 4684:1975 |
| 1 | Fat | g/100g | 4.52 | NVES 9 I F | IS 7219:1973 |
| | Protein (N x 6.25) | g/100g | 6.59 | Not Specified | |
| 2 | | g/100g | 38.08 | Not Specified | FSSAI 01.067:2022 |
| 3 | Total Carbohydrate | | 48.59 | Not Specified | IS 4684:1975 |
| 4 | Moisture | g/100g | | Not Specified | FSSAI(LABELLING AND DISPLAY |
| 5 | Energy | Kcal/100g | 219.36 | Not openied | Reg, 2020 Page No.14 |
| Riologic | cal Test Parameters | | | | IS 5402: 2012 |
| | Total Plate Count | cfu/g | 7.9X10^2 | Not Specified | |
| 6 | | cfu/g | <10 | Not Specified | IS 5887: Part 1; 1976 |
| 7 | Escherichia coli | | Absent | Absent | IS 5887: Part 3: 1999 |
| 8 | Salmonella | /25g | Absent | Absent | |

The sample conforms to the FSSAI (Food Products Standards and Food Additives) Regulations 2011. specifications mentioned above and is fit for human consumption only as per the above tested parameters

End of Report

Anil Kumar

TM -Chemical

Authorised Signatory

Neelima Gupta OIC-Microbiology

* Indicates Information supplied by the Customer for which the laboratory has no control.

Page No.1 of 1

Note: 1. Sample(s) not drawn by FRAC, unless specified.

The result listed refers only to tested sample(s) and applicable parameters. Endorsement of product is neither inferred nor implied. Sample(s) will be destroyed after fifteen days of the date of issue of test report unless otherwise specified, except for perishable sample, which would be destroyed immediately after issuance of report.

Test report shall not be reproduced except in full, without written approval from FRAC.

This test report in full or in part shall not be used for advertising or legal action. FRAC will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports.

This is a computer generated document with electronic signature hence does not require manual signature.

FRAC will ensure all corrective action as per our policy in case of any discrepancy in any sample tested, FRAC liability is limited to the amount charged against the testing of the sample.

File No. DE 23 1056 MORE 2025 Compares Well be applicable in case the results are reproducible. Generated from eOffice by RAJESH KUMAR, PMP/MDM(ASO)-RAJESH, ASSISTANT SECTION OFFICER, EDUCATION DIRECTORATE on 01/12/2025 11:52 am



2510150178-



PLOT 2A, SECTOR-8, DWARKA, NEW DELHI-110077 Fax: 91-11-25360802 Tel: 91-11-45333500-510 E-mail: info@fraclabs.org, Website: www.fraclabs.org



TC-5275

TEST REPORT

*Issued To:

The Deputy Director of Education (PM-Poshan)

Directorate of education, government of NCT of Delhi ,Old Secretariat,Delhi-110054

ULR: TC527525000025931F

Reg. No

:FRAC/F/2510170124

*Your Ref. No

: TRF

"Letter/TRF Dated

: 17/10/2025

Date of Issue

: 27/10/2025

Date of Sample Recd.

- 17/10/2025

Date of Sampling

: 17/10/2025

Sample Condition *Sample Packing Satisfactory : Sampling Nasco Bag

Date of Sample Booking

: 17/10/2025

Date of Start of Analysis

: 17/10/2025

Date of Completion

27/10/2025

FSSAI (Food Products Standards and Food Additives) Regulations

*Sample Qtv *Batch No

: 350gm

*Mfg Date

Not Specified Not Specified

Sampling Method Sampled By

*Sample Description:

Specification Followed

Aloo Puri

FRAC/SOP/CHEM-MICRO/016 Sample drawn by FRAC representative

*Exp. Date

Not Specified

Product Group *Name Of NPO : Food & Agricultural Products : Bal Vikas Sewa Sansthan

*Name Of School/Kitchen

Kitchen/Khasra no.11/24, Situtaed at Main Road, Gali no.5, Jagatpur Village, Delhi-110084

TEST RESULTS

| S.No. | Parameters | Unit | Result | Specification | Test Method |
|-------------|--------------------|-----------|----------|---------------------------------|------------------------------|
| 10001100001 | I Test Parameters | | | | |
| | | g/100g | 4.78 | Not Specified | IS 4684:1975 |
| 1 | Fat | g/100g | 6.52 | Not Specified | IS 7219:1973 |
| 2 | Protein (N x 6.25) | g/100g | 37.63 | Not Specified | FSSAI 01.067:2022 |
| 3 | Total Carbohydrate | | 48.93 | Not Specified | IS 4684:1975 |
| 4 | Moisture | g/100g | | The second part there is not to | FSSAI(LABELLING AND DISPLAY) |
| 5 | Energy | Kcal/100g | 219.62 | Not Specified | Reg, 2020 Page No.14 |
| Biologic | al Test Parameters | | | | |
| | Total Plate Count | cfu/g | 8.1X10^2 | Not Specified | IS 5402: 2012 |
| 6 | | cfu/g | <10 | Not Specified | IS 5887: Part 1: 1976 |
| 7 | Escherichia coli | | 1887 | Service - | IS 5887: Part 3: 1999 |
| 8 | Salmonella | /25g | Absent | Absent | 15 5557, 1 dit 5. 1666 |

The sample conforms to the FSSAI (Food Products Standards and Food Additives) Regulations 2011, specifications mentioned above and is fit for human Remarks: consumption only as per the above tested parameters.

End of Report



TM -Chemical

Authorised Signatory

Neelima Gupta OIC-Microbiology

* Indicates Information supplied by the Customer for which the laboratory has no control.

Note: 1. Sample(s) not drawn by FRAC, unless specified.

The result listed refers only to tested sample(s) and applicable parameters. Endorsement of product is neither inferred nor implied. Sample(s) will be destroyed after fifteen days of the date of issue of test report unless otherwise specified, except for perishable sample, which would be destroyed immediately after issuance of report.

Test report shall not be reproduced except in full, without written approval from FRAC.

This test report in full or in part shall not be used for advertising or legal action.

FRAC will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports.

This is a computer generated document with electronic signature hence does not require manual signature. FRAC will ensure all corrective action as per our policy in case of any discrepancy in any sample tested, FRAC liability is limited to

the amount charged against the testing of the sample. Retesting charges will be applicable in case the results are reproducible.





PLOT 2A, SECTOR-8, DWARKA, NEW DELHI-110077 Fax: 91-11-25360802 Tel: 91-11-45333500-510 E-mail: info@fraclabs.org, Website: www.fraclabs.org



TEST REPORT

*Issued To:

The Deputy Director of Education (PM-Poshan)

Directorate of education, government of NCT of Delhi ,Old Secretariat,Delhi-110054

ULR: TC527525000025989F

:FRAC/F/2510180051 Reg. No

: TRF *Your Ref. No

*Letter/TRF Dated : 18/10/2025

Date of Issue : 27/10/2025 18/10/2025 Date of Sample Recd. Date of Sampling : 18/10/2025

Sample Condition Satisfactory

Sampling Nasco Bag

350gm

Not Specified Not Specified

: Not Specified

Date of Sample Booking 18/10/2025

*Sample Packing

*Sample Qty

*Batch No

*Mfg. Date

*Exp. Date

Date of Start of Analysis : 18/10/2025 27/10/2025 Date of Completion

*Sample Description:

Specification Followed

Kadhi + Chawal

Sampling Method

: FSSAI (Food Products Standards and Food Additives) Regulations

FRAC/SOP/CHEM-MICRO/016

Sample drawn by FRAC representative

Sampled By Food & Agricultural Products Product Group

Bharat Ratan Dr. Bhim Rao Ambedkar Dalit Utthan Avom Shiksha Samiti *Name of NPO

: Kitchen/Khasra no.312,780/312,888/304 & 887/301, Village-Gharoli, Sapera Basti, Delhi-110096 *Name of School/Kitchen

TEST RESULTS

| S.No. | Parameters | Unit | Result | Specification | Test Method |
|----------|---------------------|-----------|----------|------------------------|---|
| SWORT | | | | | - |
| Chemica | I Test Parameters | | | | IS 4684:1975 |
| 1 | Fat | g/100g | 4.55 | Not Specified | 140 (88 (1986)) |
| 2 | Protein (N x 6.25) | g/100g | 5.08 | Not Specified | IS 7219:1973 |
| 2 | Total Carbohydrate | g/100g | 29.1 | Not Specified | IS 1656:2022 |
| 3 | | 9 9 | 59.04 | Not Specified | IS 4684:1975 |
| 4 | Moisture | g/100g | 188 | AARMOONI DESCRICTOR OF | FSSAI(LABELLING AND DISPLAY |
| 5 | Energy | Kcal/100g | 177.67 | Not Specified | Reg, 2020 Page No.14 |
| Biologic | cal Test Parameters | | | 457-32 | 10.5100.0040 |
| 6 | Total Plate Count | cfu/g | 1.2X10^3 | Not Specified | IS 5402: 2012 |
| - | | cfu/g | <10 | Not Specified | IS 5887: Part 1: 1976 |
| 1 | Escherichia coli | | Absent | Absent | IS 5887; Part 3: 1999 |
| 8 | Salmonella | /25g | Ausent | Abbent | 200 - 100 - |

The sample conforms to the FSSAI (Food Products Standards and Food Additives) Regulations 2011. specifications mentioned above and is fit for human consumption only as per the above tested parameters.

End of Report

Anil Kumar

TM -Chemical

Authorised Signatory

Neelima Gupta

OIC-Microbiology

* Indicates Information supplied by the Customer for which the laboratory has no control.

Page No.1 of 1

Note: 1. Sample(s) not drawn by FRAC, unless specified.

The result listed refers only to tested sample(s) and applicable parameters. Endorsement of product is neither inferred nor implied.

Sample(s) will be destroyed after fifteen days of the date of issue of test report unless otherwise specified, except for perishable sample, which would be destroyed immediately after issuance of report.

Test report shall not be reproduced except in full, without written approval from FRAC.

This test report in full or in part shall not be used for advertising or legal action. FRAC will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports.

This is a computer generated document with electronic signature hence does not require manual signature.

FRAC will ensure all corrective action as per our policy in case of any discrepancy in any sample tested, FRAC liability is limited to

Retesting charges will be applicable in case the results are reproducible. the amount charged against the testing of the sample.





PLOT 2A, SECTOR-8, DWARKA, NEW DELHI-110077 Fax: 91-11-25360802 Tel: 91-11-45333500-510 E-mail: info@fraclabs.org, Website: www.fraclabs.org



TC-5275

TEST REPORT

*Issued To:

The Deputy Director of Education (PM-Poshan)

Directorate of education, government of NCT of Delhi ,Old Secretariat,Delhi-110054

ULR: TC527525000026782F

Reg. No

:FRAC/F/2510300115

*Your Ref. No

:TRF

*Letter/TRF Dated

: 30/10/2025

Date of Issue

: 06/11/2025

Date of Sample Recd.

: 30/10/2025

Date of Sampling

: 30/10/2025

Sample Condition

: Satisfactory

*Sample Packing

: Sampling Nasco Bag

Date of Sample Booking

: 30/10/2025

Date of Start of Analysis

: 30/10/2025

Date of Completion

: 06/11/2025

*Sample Qty

350gm

*Batch No.

Not Specified

*IVIfg. Date

Not Specified

*Exp. Date

Not Specified

*Sample Description: Dal Chawal

Specification Followed

Sampling Method

: FRAC/SOP/CHEM-MICRO/016 : Sample drawn by FRAC representative

Sampled By

: Food & Agricultural Products

Product Group *Name Of NPO

Bhartiya Manav Kalyan Parishad

*Name Of School/Kitchen

Govt.Co-Ed Sec.School Teliwara, Shahdara

: FSSAI (Food Products Standards and Food Additives) Regulations

*School ID

: 1001151

TEST RESULTS

| S.No. | Parameters | Unit | Result | Specification | Test Method |
|----------|--------------------|-----------|----------|---------------|---|
| Chemica | al Test Parameters | | | | |
| 1 | Fat | g/100g | 4.81 | Not Specified | IS 4684:1975 |
| 2 | Protein (N x 6.25) | g/100g | 4.98 | Not Specified | IS 7219:1973 |
| 3 | Total Carbohydrate | g/100g | 29.04 | Not Specified | IS 1656:2022 |
| 4 | Moisture | g/100g | 58.92 | Not Specified | IS 4684:1975 |
| 5 | Energy | Kcal/100g | 179.37 | Not Specified | FSSAI(LABELLING AND DISPLAY Reg, 2020 Page No.14 |
| Biologic | al Test Parameters | | | | |
| 6 | Total Plate Count | cfu/g | 9.4X10^2 | Not Specified | IS 5402: 2012 |
| 7 | Escherichia coli | cfu/g | <10 | Not Specified | IS 5887: Part 1: 1976 |
| 8 | Salmonella | /25g | Absent | Absent | IS 5887: Part 3: 1999 |

The sample conforms to the FSSAI (Food Products Standards and Food Additives) Regulations 2011. specifications mentioned above and is fit for human consumption only as per the above tested parameters.

End of Report



Ritu Singh Dy. Director **Authorised Signatory**

Neelima Gupta OIC-Microbiology

Page No.1 of 1

* Indicates Information supplied by the Customer for which the laboratory has no control.

Note: Sample(s) not drawn by FRAC, unless specified.

The result listed refers only to tested sample(s) and applicable parameters. Endorsemen: of product is neither inferred nor implied.

Sample(s) will be destroyed after fifteen days of the date of issue of test report unless otherwise specified, except for perishable san which would be destroyed immediately after issuance of report.

Test report shall not be reproduced except in full, without written approval from FRAC.

This test report in full or in part shall not be used for advertising or legal action.

FRAC will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports.

This is a computer generated document with electronic signature hence does not require manual signature.

FRAC will ensure all corrective action as per our policy in case of any discrepancy in any sample tested, FRAC liability is limited to the amount charged against the testing of the sample.

Retesting charges will be applicable in case the results are reproducible

10. Duplicate copy will be issued on chargeable basis. File No. DE.23(1056)/MDM/2025 (Computer No. 244966)





PLOT 2A, SECTOR-8, DWARKA, NEW DELHI-110077 Fax: 91-11-25360802 Tel: 91-11-45333500-510 E-mail: info@fraclabs.org, Website: www.fraclabs.org



TEST REPORT

*Issued To:

The Deputy Director of Education (PM-Poshan)

Directorate of education, government of NCT of Delhi ,Old Secretariat,Delhi-110054

ULR: TC527525000025764F

Reg. No

:FRAC/F/2510150177

*Your Ref. No

:TRF

*Letter/TRF Dated

: 15/10/2025

Date of Issue

24/10/2025

Date of Sample Recd.

: 15/10/2025

Date of Sampling

: 15/10/2025

Sample Condition *Sample Packing

: Satisfactory Sampling Nasco Bag

Date of Sample Booking

15/10/2025

Date of Start of Analysis

: 15/10/2025

Date of Completion

: 24/10/2025

*Sample Qty

350am

*Eatch No

 Not Specified Not Specified

*Mfg. Date *Exp. Date

Not Specified

Sampled By Product Group *Name of NPO

*Sample Description:

Chhole + Chawal Specification Followed

Sampling Method

: FRAC/SOP/CHEM-MICRO/016 : Sample drawn by FRAC representative

Food & Agricultural Products

: Cancer Aid & Research Foundation

: FSSAI (Food Products Standards and Food Additives) Regulations

*Name of School/Kitchen

: Kitchen/Khasra no.774, Balbir Vihar, Phase-IV, Near Janta Hotel, Opposite Sector-20, Rohini, Delhi-110041

TEST RESULTS

| S.No. | Parameters | Unit | Result | Specification | Test Method |
|----------|--------------------|-----------|----------|---------------|--|
| Chemica | al Test Parameters | | | | - |
| 1 | Fat | g/100g | 4.55 | Not Specified | IS 4684:1975 |
| 2 | Protein (N x 6.25) | g/100g | 4.89 | Not Specified | IS 7219:1973 |
| 3 | Total Carbohydrate | g/100g | 29.51 | Not Specified | IS 1656:2022 |
| 4 | Moisture | g/100g | 58.84 | Not Specified | IS 4684:1975 |
| 5 | Energy | Kcal/100g | 178.55 | Not Specified | FSSAI(LABELLING AND DISPLAY) Reg, 2020 Page No.14 |
| Biologic | al Test Parameters | | | 40 -50 | - |
| 6 | Total Plate Count | cfu/g | 1.3X10^3 | Not Specified | IS 5402: 2012 |
| 7 | Escherichia coli | cfu/g | <10 | Not Specified | IS 5887: Part 1: 1976 |
| 8 | Salmonella | /25g | Absent | Absent | IS 5887: Part 3: 1999 |

The sample conforms to the FSSAI (Food Products Standards and Food Additives) Regulations 2011. specifications mentioned above and is fit for human Remarks: consumption only as per the above tested parameters.

End of Report



Note: 1.

TM -Chemical

Authorised Signatory

Neelima Gupta OIC-Microbiology

Page No.1 of 1

* Indicates Information supplied by the Customer for which the laboratory has no control.

Sample(s) not drawn by FRAC, unless specified. The result listed refers only to tested sample(s) and applicable parameters. Endorsement of product is neither inferred nor implied.

Sample(s) will be destroyed after fifteen days of the date of issue of test report unless otherwise specified, except for perishable sample which would be destroyed immediately after issuance of report.

Test report shall not be reproduced except in full, without written approval from FRAC.

This test report in full or in part shall not be used for advertising or legal action.

FRAC will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports.

This is a computer generated document with electronic signature hence does not require manual signature.

FRAC will ensure all corrective action as per our policy in case of any discrepancy in any sample tested, FRAC liability is limited to the amount charged against the testing of the sample. 8

Retesting charges will be applicable in case the results are reproducible.

File No. DE 23(1056) MDM 2025 (Computer No. 244966)



PLOT 2A, SECTOR-8, DWARKA, NEW DELHI-110077 Fax: 91-11-25360802 Tel: 91-11-45333500-510 E-mail: info@fraclabs.org, Website: www.fraclabs.org



TEST REPORT

*Issued To:

The Deputy Director of Education (PM-Poshan)

Directorate of education, government of NCT of Delhi ,Old Secretariat,Delhi-110054

ULR: TC527525000026635F

Reg. No

:FRAC/F/2510290073

*Your Ref. No

: TRF

*Letter/TRF Dated

: 29/10/2025

Date of Issue

: 05/11/2025

Date of Sample Recd.

: 29/10/2025

Date of Sampling

: 29/10/2025

Sample Condition

*Sample Packing

: Satisfactory

Date of Sample Booking

Sampling Nasco Bag

Date of Start of Analysis

29/10/2025 : 29/10/2025

Date of Completion

05/11/2025

*Sample Qty *Barch No

: 350gm

*Mfg. Date

Not Specified Not Specified

*Exp. Date

Not Specified

Sampled By Product Group

Sampling Method

Chole Chawal Specification Followed

*Sample Description:

Sample drawn by FRAC representative

FRAC/SOP/CHEM-MICRO/016

*Name Of NPO

Food & Agricultural Products Cancer Aid & Research Foundation

*Name Of School/Kitchen

: Geeta Sr.Sec. School No.-2 Sultan Puri-110086

FSSAI (Food Products Standards and Food Additives) Regulations

*School ID

1412246

2011

TEST RESULTS

| S.No. | Parameters | Unit | Result | Specification | Test Method |
|----------|--------------------|-----------|----------|---------------|--|
| Chemic | al Test Parameters | | 1000 | | - |
| 1 | Fat | g/100g | 4.51 | Not Specified | IS 4684:1975 |
| 2 | Protein (N x 6.25) | g/100g | 4.94 | Not Specified | IS 7219:1973 |
| 3 | Total Carbohydrate | g/100g | 29.39 | Not Specified | IS 1656:2022 |
| 4 | Moisture | g/100g | 58.95 | Not Specified | IS 4684:1975 |
| 5 | Energy | Kcal/100g | 177.91 | Not Specified | FSSAI(LABELLING AND DISPLAY) Reg, 2020 Page No.14 |
| Biologic | al Test Parameters | | | AND LINES. | |
| 6 | Total Plate Count | cfu/g | 9.4X10^2 | Not Specified | IS 5402: 2012 |
| 7 | Escherichia coli | cfu/g | <10 | Not Specified | IS 5887: Part 1: 1976 |
| 8 | Salmonella | /25g | Absent | Absent | IS 5887: Part 3: 1999 |

Remarks:

The sample conforms to the FSSAI (Food Products Standards and Food Additives) Regulations 2011. specifications mentioned above and is fit for human consumption only as per the above tested parameters

***End of Report**



Neelima Gupta OIC-Microbiology **Authorised Signatory**

Anil Kumar TM -Chemical

Page No.1 of 1

* Indicates Information supplied by the Customer for which the laboratory has no control.

Note: 1. Sample(s) not drawn by FRAC, unless specified.

The result listed refers only to tested sample(s) and applicable parameters. Endorsement of product is neither inferred nor implied Sample(s) will be destroyed after fifteen days of the date of issue of test report unless otherwise specified, except for perishable sample 3. which would be destroyed immediately after issuance of report.

Test report shall not be reproduced except in full, without written approval from FRAC.

This test report in full or in part shall not be used for advertising or legal action.

FRAC will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports.

This is a computer generated document with electronic signature hence does not require manual signature.

FRAC will ensure all corrective action as per our policy in case of any discrepancy in any sample tested, FRAC liability is limited to the amount charged against the testing of the sample.

Retesting charges will be applicable in case the results are reproducible.

Duplicate copy will be issued on chargeable basis.
 File No. DE.23(1056)/MDM/2025 (Computer No. 244966)





PLOT 2A, SECTOR-8, DWARKA, NEW DELHI-110077 Fax: 91-11-25360802 Tel: 91-11-45333500-510 E-mail: info@fraclabs.org, Website: www.fraclabs.org



TEST REPORT

*Issued To:

The Deputy Director of Education (PM-Poshan)

Directorate of education, government of NCT of Delhi ,Old Secretariat,Delhi-110054

ULR: TC527525000025803F

Reg. No

:FRAC/F/2510160028

*Your Ref. No

: TRF

*Letter/TRF Dated

: 16/10/2025

Date of Issue

: 25/10/2025

Date of Sample Recd.

: 16/10/2025

Date of Sampling

: 16/10/2025

Sample Condition

: Satisfactory

*Sample Packing

: Sampling Nasco Bag

Date of Sample Booking

: 16/10/2025

Date of Start of Analysis

Date of Completion

: 16/10/2025

: 25/10/2025

*Sample Qty

: 350gm Not Specified

*Batch No *Mfg. Date

Not Specified

*Exp. Date

: Not Specified

Sampled By Product Group

Sampling Method

Veg Daliya

*Sample Description:

Specification Followed

: FRAC/SOP/CHEM-MICRO/016 : Sample drawn by FRAC representative

: Food & Agricultural Products

*Name of NPO

: Cancer Aid & Research Foundation

: FSSAI (Food Products Standards and Food Additives) Regulations

*Name of School/Kitchen

: S.K.V., Pooth Kalan, Delhi-86

*School Id

1412027

2011

TEST RESULTS

| S.No. | Parameters | Unit | Result | Specification | Test Method |
|----------|--------------------|-----------|----------|---------------|--|
| Chemica | al Test Parameters | | | | |
| 1 | Fat | g/100g | 4.58 | Not Specified | IS 4684:1975 |
| 2 | Protein (N x 6.25) | g/100g | 6.78 | Not Specified | IS 7219:1973 |
| 3 | Total Carbohydrate | g/100g | 38.18 | Not Specified | FSSAI 01.067:2022 |
| 4 | Moisture | g/100g | 48.38 | Not Specified | IS 4684:1975 |
| 5 | Energy | Kcal/100g | 221.06 | Not Specified | FSSAI(LABELLING AND DISPLAY) Reg, 2020 Page No.14 |
| Biologic | al Test Parameters | | | | |
| 6 | Total Plate Count | cfu/g | 7.8X10^2 | Not Specified | IS 5402: 2012 |
| 7 | Escherichia coli | cfu/g | <10 | Not Specified | IS 5887: Part 1: 1976 |
| 8 | Salmonella | /25g | Absent | Absent | IS 5887: Part 3: 1999 |

Remarks:

The sample conforms to the FSSAI (Food Products Standards and Food Additives) Regulations 2011. specifications mentioned above and is fit for human consumption only as per the above tested parameters.

***End of Report'



DGM-Instrument

Authorised Signatory

Neelima Gupta OIC-Microbiology

* Indicates Information supplied by the Customer for which the laboratory has no control.

Page No.1 of 1

ote: 1 Sample(s) not drawn by FRAC, unless specified.

The result listed refers only to tested sample(s) and applicable parameters. Endorsement of product is neither inferred nor implied.

Sample(s) will be destroyed after fifteen days of the date of issue of test report unless otherwise specified, except for perishable sample, which would be destroyed immediately after issuance of report.

Test report shall not be reproduced except in full, without written approval from FRAC. This test report in full or in part shall not be used for advertising or legal action.

FRAC will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports.

This is a computer generated document with electronic signature hence does not require manual signature.

FRAC will ensure all corrective action as per our policy in case of any discrepancy in any sample tested, FRAC liability is limited to the amount charged against the testing of the sample. 10

Retesting charges will be applicable in case the results are reproducible.

Duplicate copy will be issued on chargeable basis.
 File No. DE.23(1056)/MDM/2025 (Computer No. 244966)





PLOT 2A, SECTOR-8, DWARKA, NEW DELHI-110077 Fax: 91-11-25360802 Tel: 91-11-45333500-510

E-mail: info@fraclabs.org, Website: www.fraclabs.org



TC-5275

TEST REPORT

*Issued To:

The Deputy Director of Education (PM-Poshan)

Directorate of education, government of NCT of Delhi ,Old Secretariat,Delhi-110054

ULR: TC527525000026781F

Reg. No

:FRAC/F/2510300114

*Your Ref. No.

: TRF

*Letter/TRF Dated

: 30/10/2025

Date of Issue

: 06/11/2025

Date of Sample Recd.

: 30/10/2025

Date of Sampling

: 30/10/2025

Sample Condition

: Satisfactory

*Sample Packing

: Sampling Nasco Bag

Date of Sample Booking

30/10/2025

Date of Start of Analysis

: 30/10/2025

Date of Completion

: 06/11/2025

*Sample Qty *Batch No

350gm

*Mfg. Date

Not Specified Not Specified

*Exp. Date

Not Specified

Sampling Method

*Sample Description:

: FRAC/SOP/CHEM-MICRO/016

Sampled By

Chole Chawal Specification Followed

Sample drawn by FRAC representative

: FSSAI (Food Products Standards and Food Additives) Regulations

Product Group

Food & Agricultural Products : Dalit Manav Utthan Sansthan

*Name Of NPO

*Name Of School/Kitchen *School ID

S.K.V Shastri Park Delhi-110053 : 1105021

2011

TEST RESULTS

| S.No. | Parameters | Unit | Result | Specification | Tool Made - 1 |
|----------|---------------------|-----------|----------|---------------|--|
| Chemic | al Test Parameters | 10 | | Specification | Test Method |
| 1 | Fat | g/100g | 4.59 | Not Specified | IS 4684:1975 |
| 2 | Protein (N x 6.25) | g/100g | 4.96 | Not Specified | IS 7219:1973 |
| 3 | Total Carbohydrate | g/100g | 29.28 | Not Specified | IS 1656:2022 |
| 4 | Moisture | g/100g | 58.94 | Not Specified | IS 4684:1975 |
| 5 | Energy | Kcal/100g | 178.27 | Not Specified | FSSAI(LABELLING AND DISPLAY) |
| Biologic | cal Test Parameters | | O AND | | Reg, 2020 Page No.14 |
| 6 | Total Plate Count | cfu/g | 1,0X10^3 | Not Specified | IS 5400, 0040 |
| 7 | Escherichia coli | cfu/g | <10 | Not Specified | IS 5402: 2012 |
| 8 | Salmonella | /25g | Absent | Absent | IS 5887: Part 1: 1976 IS 5887: Part 3: 1999 |

Remarks:

The sample conforms to the FSSAI (Food Products Standards and Food Additives) Regulations 2011, specifications mentioned above and is fit for human consumption only as per the above tested parameters.

***End of Report**



Ritu Singh Dy. Director **Authorised Signatory**

Neelima Gupta **OIC-Microbiology**

* Indicates Information supplied by the Customer for which the laboratory has no control. 1

Sample(s) not drawn by FRAC, unless specified.

Page No.1 of 1

The result listed refers only to tested sample(s) and applicable parameters. Endorsement of product is neither inferred nor implied. Sample(s) will be destroyed after fifteen days of the date of issue of test report unless othe wise specified, except for perishable sample(s) 3. which would be destroyed immediately after issuance of report.

Test report shall not be reproduced except in full, without written approval from FRAC. This test report in full or in part shall not be used for advertising or legal action.

FRAC will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports. This is a computer generated document with electronic signature hence does not require manual signature.

FRAC will ensure all corrective action as per our policy in case of any discrepancy in any sample tested, FRAC liability is limited to the amount charged against the testing of the sample.

Retesting charges will be applicable in case the results are reproducible.

10. Duplicate copy will be issued on chargeable basis. File No. DE.23(1056)/MDM/2025 (Computer No. 244966)

2510300114-1

Generated from eOffice by RAJESH KUMAR, PMP/MDM(ASO)-RAJESH, ASSISTANT SECTION OFFICER, EDUCATION DIRECTORATE on 01/12/2025 11:52 am



PLOT 2A, SECTOR-8, DWARKA, NEW DELHI-110077 Fax: 91-11-25360802 Tel: 91-11-45333500-510

E-mail: info@fraclabs.org, Website: www.fraclabs.org



TC-5275

TEST REPORT

*Issued To:

The Deputy Director of Education (PM-Poshan)

Directorate of education, government of NCT of Delhi ,Old Secretariat,Delhi-110054

ULR: TC527525000026927F

Reg. No

:FRAC/F/2510310087

*Your Ref. No

: TRF

*Letter/TRF Dated

: 31/10/2025

Date of Issue

: 07/11/2025

Date of Sample Recd.

Date of Sampling

: 31/10/2025

Sample Condition

: 31/10/2025

*Sample Packing

: Satisfactory

Date of Sample Booking

Sampling Nasco Bag 31/10/2025

Date of Start of Analysis

: 31/10/2025

Not Specified

Not Specified

Not Specified

Date of Completion

07/11/2025

*Sample Qty

*Batch No

*Mfg. Date

*Exp. Date

: 350gm

: FSSAI (Food Products Standards and Food Additives) Regulations

FRAC/SOP/CHEM-MICRO/016 Sample drawn by FRAC representative

Sampling Method Sampled By Product Group

Halwa Chana Specification Followed

Food & Agricultural Products

*Name Of NPO

Dalit Manay Utthan Sansthan

*Name Of School/Kitchen

*Sample Description:

: Kitchen/Khasra no.262, Village Karawal Nagar, Delhi-110094

TEST RESULTS

| S.No. | Parameters | Unit | Result | Specification | Test Method |
|----------|---------------------|-----------|----------|----------------|---|
| Chemic | al Test Parameters | | | - spoomedation | rest Metriod |
| 1 | Fat | g/100g | 4.97 | Not Specified | IS 4684:1975 |
| 2 | Protein (N x 6.25) | g/100g | 6.55 | Not Specified | IS 7219:1973 |
| 3 | Total Carbohydrate | g/100g | 37.34 | Not Specified | FSSAI 01.067;2022 |
| 4 | Moisture | g/100g | 48.95 | Not Specified | IS 4684:1975 |
| 5 | Energy | Kcal/100g | 220.29 | Not Specified | FSSAI(LABELLING AND DISPLAY Reg. 2020 Page No.14 |
| Biologic | cal Test Parameters | | | | 1.0g, 2020 Fage 110:14 |
| 6 | Total Plate Count | cfu/g | 7.9X10^2 | Not Specified | IS 5402: 2012 |
| 7 | Escherichia coli | cfu/g | <10 | Not Specified | IS 5887: Part 1: 1976 |
| 8 | Salmonella | /25g | Absent | Absent | IS 5887: Part 3: 1999 |

Remarks:

The sample conforms to the FSSAI (Food Products Standards and Food Additives) Regulations 2011. specifications mentioned above and is fit for human consumption only as per the above tested parameters.

End of Report



TM -Chemical

Authorised Signatory

Neelima Gupta **OIC-Microbiology**

* Indicates Information supplied by the Customer for which the laboratory has no control.

e: 1. Sample(s) not drawn by FRAC, unless specified.

2. The result listed refers only to tested sample(s) and applicable parameters. Endorsement of product is neither inferred nor implied.

Sample(s) will be destroyed after fifteen days of the date of issue of test report unless othe wise specified, except for perishable sam which would be destroyed immediately after issuance of report.

Test report shall not be reproduced except in full, without written approval from FRAC.

This test report in full or in part shall not be used for advertising or legal action.

FRAC will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports. 6.

This is a computer generated document with electronic signature hence does not require manual signature.

FRAC will ensure all corrective action as per our policy in case of any discrepancy in any sample tested, FRAC liability is limited to the amount charged against the testing of the sample.

Retesting charges will be applicable in case the results are reproducible. 10. Duplicate copy will be issued on chargeable basis.

File No. DE.23(1056)/MDM/2025 (Computer No. 244966)

Generated from eOffice by RAJESH KUMAR, PMP/MDM(ASO)-RAJESH, ASSISTANT SECTION OFFICER, EDUCATION DIRECTORATE on 01/12/2025 11:52 am



PLOT 2A, SECTOR-8, DWARKA, NEW DELHI-110077 Fax: 91-11-25360802 Tel: 91-11-45333500-510 E-mail: info@fraclabs.org, Website: www.fraclabs.org



TC-5275

TEST REPORT

*Issued To:

The Deputy Director of Education (PM-Poshan)

Directorate of education, government of NCT of Delhi ,Old Secretariat,Delhi-110054

: FRAC/SOP/CHEM-MICRO/016

: Sample drawn by FRAC representative

ULR: TC527525000025988F

Reg. No

:FRAC/F/2510180050

*Your Ref. No

:TRF

*Letter/TRF Dated

: 18/10/2025

Date of Issue

27/10/2025

Date of Sample Recd.

: 18/10/2025

Date of Sampling Sample Condition : 18/10/2025

*Sample Packing

: Satisfactory

Date of Sample Booking

Sampling Nasco Bag 18/10/2025

Date of Start of Analysis

: 18/10/2025

Date of Completion

27/10/2025

*Sample Qty

350am

*Batch No

Not Specified

*Mig. Date

Not Specified

*Exp. Date

Not Specified

Sampled By Product Group *Name of NPO

Sampling Method

Aloo + Puri

Food & Agricultural Products : Dalit Prahari

2011.

*Name of School/Kitchen

*Sample Description:

Specification Followed

: Kitchen/Property no.57, Sapera Basti, Village Gharoli, Delhi-110059

FSSAI (Food Products Standards and Food Additives) Regulations

TEST RESULTS

| S.No. | Parameters | Unit | Result | Specification | Test Method |
|----------|--------------------|-----------|----------|---------------|---|
| Chemic | al Test Parameters | | | | rest method |
| 1 | Fat | g/100g | 4.88 | Not Specified | IS 4684:1975 |
| 2 | Protein (N x 6.25) | g/100g | 6.45 | Not Specified | IS 7219:1973 |
| 3 | Total Carbohydrate | g/100g | 37.53 | Not Specified | FSSAI 01.067:2022 |
| 4 | Moisture | g/100g | 48.94 | Not Specified | IS 4684:1975 |
| 5 | Energy | Kcal/100g | 219.84 | Not Specified | FSSAI(LABELLING AND DISPLAY Reg, 2020 Page No.14 |
| Biologic | al Test Parameters | | 400 A | | 3, , 250, 1 |
| 6 | Total Plate Count | cfu/g | 8.0X10^2 | Not Specified | IS 5402: 2012 |
| 7 | Escherichia coli | cfu/g | <10 | Not Specified | IS 5887: Part 1: 1976 |
| 8 | Salmonella | /25g | Absent | Absent | IS 5887: Part 3: 1999 |

Remarks:

The sample conforms to the FSSAI (Food Products Standards and Food Additives) Regulations 2011, specifications mentioned above and is fit for human consumption only as per the above tested parameters

End of Report



Anil Kumar

TM -Chemical

Authorised Signatory

Neelima Gupta

OIC-Microbiology

Page No.1 of 1

* Indicates Information supplied by the Customer for which the laboratory has no control.

Note: 1. Sample(s) not drawn by FRAC, unless specified.

The result listed refers only to tested sample(s) and applicable parameters. Endorsement of product is neither inferred nor implied.

Sample(s) will be destroyed after fifteen days of the date of issue of test report unless otherwise specified, except for perishable sample which would be destroyed immediately after issuance of report.

Test report shall not be reproduced except in full, without written approval from FRAC.

This test report in full or in part shall not be used for advertising or legal action.

6. FRAC will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports.

This is a computer generated document with electronic signature hence does not require manual signature.

FRAC will ensure all corrective action as per our policy in case of any discrepancy in any sample tested, FRAC liability is limited to

10. Duplicate copy will be issued on chargeable basis. File No. DE.23(1056)/MDM/2025 (Computer No. 244966)

the amount charged against the testing of the sample. 13 Retesting charges will be applicable in case the results are reproducible.



2510180050-1

PLOT 2A, SECTOR-8, DWARKA, NEW DELHI-110077 Fax: 91-11-25360802 Tel: 91-11-45333500-510 E-mail: info@fraclabs.org, Website: www.fraclabs.org



TEST REPORT

*Issued To:

The Deputy Director of Education (PM-Poshan)

Directorate of education, government of NCT of Delhi ,Old Secretariat,Delhi-110054

ULR: TC527525000026036F

Reg. No

:FRAC/F/2510210045

*Your Ref. No

: TRF

*Letter/TRF Dated

: 21/10/2025

Date of Issue

: 28/10/2025

Date of Sample Recd. Date of Sampling

21/10/2025

Sample Condition

: 21/10/2025

*Sample Packing

: Satisfactory : Sampling Nasco Bag

Date of Sample Booking

: 21/10/2025

Date of Start of Analysis

: 21/10/2025

Date of Completion

: 28/10/2025

*Sample Qty

350am

*Batch No

Not Specified

*Mtig. Date

Not Specified

Sample drawn by FRAC representative

*Exp. Date

Not Specified

Product Group *Name Of NPO

Sampling Method

*Sample Description:

Specification Followed

Veg Daliya

Sampled By

Food & Agricultural Products : Ekta Shakti Foundation

FRAC/SOP/CHEM-MICRO/016

2011

*Name Of School/Kitchen

: Kitchen/Plot no.3&4, Matiala Extension, uttam Nagar, Delhi-110059

: FSSAI (Food Products Standards and Food Additives) Regulations

TEST RESULTS

| S.No. | Parameters | Unit | Result | Specification | Test Method |
|----------|---------------------|-----------|----------|--|---|
| Chemic | al Test Parameters | | | The state of the s | Test Wetflod |
| 1 | Fat | g/100g | 4.58 | Not Specified | IS 4684:1975 |
| 2 | Protein (N x 6.25) | g/100g | 6.51 | Not Specified | IS 7219:1973 |
| 3 | Total Carbohydrate | g/100g | 38.15 | Not Specified | FSSAI 01.067:2022 |
| 4 | Moisture | g/100g | 48.61 | Not Specified | IS 4684:1975 |
| 5 | Energy | Kcal/100g | 219.86 | Not Specified | FSSAI(LABELLING AND DISPLAY Reg, 2020 Page No.14 |
| Biologic | cal Test Parameters | | | | 110g, 2020 1 age 140.14 |
| 6 | Total Plate Count | cfu/g | 7.8X10^2 | Not Specified | IS 5402:2012 |
| 7 | Escherichia coli | cfu/g | <10 | Not Specified | IS 5887: Part 1: 1976 |
| 8 | Salmonella | /25g | Absent | Absent | IS 5887 Part 3: 1999 |

The sample conforms to the FSSAI (Food Products Standards and Food Additives) Regulations 2011, specifications mentioned above and is fit for human consumption only as per the above tested parameters

***End of Report**



OIC-Microbiology

Authorised Signatory

Anil Kumar TM -Chemical

Page No.1 of 1

* Indicates Information supplied by the Customer for which the laboratory has no control.

lote: 1. Sample(s) not drawn by FRAC, unless specified.

The result listed refers only to tested sample(s) and applicable parameters. Endorsement of product is neither inferred nor implied.

Sample(s) will be destroyed after fifteen days of the date of issue of test report unless otherwise specified, except for perishable sample, which would be destroyed immediately after issuance of report.

Test report shall not be reproduced except in full, without written approval from FRAC.

This test report in full or in part shall not be used for advertising or legal action.

FRAC will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports.

This is a computer generated document with electronic signature hence does not require manual signature.

FRAC will ensure all corrective action as per our policy in case of any discrepancy in any sample tested, FRAC liability is limited to the amount charged against the testing of the sample.

Retesting charges will be applicable in case the results are reproducible. Duplicate copy will be issued on chargeable basis.

File No. DE.23(1056)/MDM/2025 (Computer No. 244966)







PLOT 2A, SECTOR-8, DWARKA, NEW DELHI-110077 Fax: 91-11-25360802 Tel: 91-11-45333500-510 E-mail: info@fraclabs.org, Website: www.fraclabs.org



TEST REPORT

*Issued To:

The Deputy Director of Education (PM-Poshan)

Directorate of education, government of NCT of Delhi ,Old Secretariat,Delhi-110054

ULR: TC527525000026780F

:FRAC/F/2510300113

*Your Ref. No

:TRF

*Letter/TRF Dated

: 30/10/2025

Date of Issue

: 05/11/2025

Date of Sample Recd.

Date of Sampling

30/10/2025

Sample Condition

: 30/10/2025

: Satisfactory

*Sample Packing

Sampling Nasco Bag

Date of Sample Booking Date of Start of Analysis

30/10/2025

*Sample Qty

*Batch No

*Mfg. Date

*Exp. Date

: 30/10/2025

Not Specified

Not Specified

Not Specified

Date of Completion

: 05/11/2025

: 350am

Specification Followed Sampling Method

*Sample Description:

; FSSAI (Food Products Standards and Food Additives) Regulations

: FRAC/SOP/CHEM-MICRO/016

Sampled By Product Group

Chole Chawal

: Sample drawn by FRAC representative : Food & Agricultural Products

*Name Of NPO

Ghanshyam Sewa Samiti

*Name Of School/Kitchen

: S.K.V Vivek Vihar Delhi-110095

*School ID

: 1001022

| S.No. | Parameters | Unit | Result | Specification | Test Method |
|----------|---------------------|-----------|----------|---------------|---|
| Chemic | al Test Parameters | | | <u> </u> | - Tot metrica |
| 1 | Fat | g/100g | 4.55 | Not Specified | IS 4684:1975 |
| 2 | Protein (N x 6.25) | g/100g | 4.93 | Not Specified | IS 7219:1973 |
| 3 | Total Carbohydrate | g/100g | 29.36 | Not Specified | IS 1656:2022 |
| 4 | Moisture | g/100g | 58.95 | Not Specified | IS 4684:1975 |
| 5 | Energy | Kcal/100g | 178.11 | Not Specified | FSSAI(LABELLING AND DISPLAY Reg. 2020 Page No.14 |
| Biologic | cal Test Parameters | | | | |
| 6 | Total Plate Count | cfu/g | 1.2X10^3 | Not Specified | IS 5402: 2012 |
| 7 | Escherichia coli | cfu/g | <10 | Not Specified | IS 5887: Part 1: 1976 |
| 8 | Salmonella | /25g | Absent | Absent | IS 5887: Part 3: 1999 |

The sample conforms to the FSSAI (Food Products Standards and Food Additives) Regulations 2011. specifications mentioned above and is fit for human consumption only as per the above tested parameters.

***End of Report**



Note:

Anil Kumar

TM -Chemical

Authorised Signatory

Neelima Gupta **OIC-Microbiology**

* Indicates Information supplied by the Customer for which the laboratory has no control.

Sample(s) not drawn by FRAC, unless specified.

Page No.1 of 1

The result listed refers only to tested sample(s) and applicable parameters. Endorsement of product is neither inferred nor implied Sample(s) will be destroyed after fifteen days of the date of issue of test report unless otherwise specified, except for perishable sample, which would be destroyed immediately after issuance of report.

Test report shall not be reproduced except in full, without written approval from FRAC. This test report in full or in part shall not be used for advertising or legal action.

FRAC will not be held responsible for the authenticity of any photocopied, forged and or partial y presented test reports.

This is a computer generated document with electronic signature hence does not require manual signature.

FRAC will ensure all corrective action as per our policy in case of any discrepancy in any sample tested, FRAC liability is limited to the amount charged against the testing of the sample.

Retesting charges will be applicable in case the results are reproducible.

Duplicate copy will be issued on chargeable basis.
 File No. DE.23(1056)/MDM/2025 (Computer No. 244966)





PLOT 2A, SECTOR-8, DWARKA, NEW DELHI-110077 Fax: 91-11-25360802 Tel: 91-11-45333500-510 E-mail: info@fraclabs.org, Website: www.fraclabs.org



TEST REPORT

*Issued To:

The Deputy Director of Education (PM-Poshan)

Directorate of education, government of NCT of Delhi ,Old Secretariat,Delhi-110054

ULR: TC527525000025990F

Reg. No

:FRAC/F/2510180052

*Your Ref. No

:TRF

*Letter/TRF Dated

: 18/10/2025 : 27/10/2025

Date of Issue Date of Sample Recd.

: 18/10/2025

Date of Sampling Sample Condition

: 18/10/2025

*Sample Packing

: Satisfactory : Sampling Nasco Bag

Date of Sample Booking Date of Start of Analysis : 18/10/2025

: 18/10/2025

Not Specified

Not Specified

Not Specified

*Sample Oty

*Batch No

*Mig. Date

*Exp. Date

Date of Completion

: 27/10/2025

: 350gm

Specification Followed

*Sample Description

FSSAI (Food Products Standards and Food Additives) Regulations

2011

FRAC/SOP/CHEM-MICRO/016

Sampling Method Sampled By

Dal + Chawal

Sample drawn by FRAC representative

Product Group *Name of NPO

: Food & Agricultural Products Ghanshyam Sewa Samiti

: H.O.S R.S.K.V Patparganj Delhi-110091

*Name of School/Kitchen *School ID

: 1002031

TEST RESULTS

| S.No. | Parameters | Unit | Result | Specification | Test Method |
|----------|---------------------|-----------|----------|---------------|---|
| Chemic | al Test Parameters | | | | Test metrod |
| 1 | Fat | g/100g | 4.72 | Not Specified | IS 4684:1975 |
| 2 | Protein (N x 6.25) | g/100g | 4.95 | Not Specified | IS 7219:1973 |
| 3 | Total Carbohydrate | g/100g | 29.16 | Not Specified | IS 1656:2022 |
| 4 | Moisture | g/100g | 58.93 | Not Specified | IS 4684:1975 |
| 5 | Energy | Kcal/100g | 178.92 | Not Specified | FSSAI(LABELLING AND DISPLAY) Reg, 2020 Page No.14 |
| Biologic | cal Test Parameters | | - AND | 400 | 3, 2-21, 250, 110, 114 |
| 6 | Total Plate Count | cfu/g | 1.3X10^3 | Not Specified | IS 5402: 2012 |
| 7 | Escherichia coli | cfu/g | <10 | Not Specified | IS 5887: Part 1: 1976 |
| 8 | Salmonella | /25g | Absent | Absent | IS 5887: Part 3: 1999 |

The sample conforms to the FSSAI (Food Products Standards and Food Additives) Regulations 2011. specifications mentioned above and is fit for human consumption only as per the above tested parameters.

***End of Report**



Neelima Gupta

Authorised Signatory

Anil Kumar TM -Chemical

Page No.1 of 1

* Indicates Information supplied by the Customer for which the laboratory has no control.

Note: 1. Sample(s) not drawn by FRAC, unless specified.

The result listed refers only to tested sample(s) and applicable parameters. Endorsement of product is neither inferred nor implied.

Sample(s) will be destroyed after fifteen days of the date of issue of test report unless otherwise specified, except for perishable sample which would be destroyed immediately after issuance of report.

Test report shall not be reproduced except in full, without written approval from FRAC. This test report in full or in part shall not be used for advertising or legal action.

FRAC will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports.

This is a computer generated document with electronic signature hence does not require manual signature.

FRAC will ensure all corrective action as per our policy in case of any discrepancy in any sample tested, FRAC liability is limited to the amount charged against the testing of the sample 16

Retesting charges will be applicable in case the results are reproducible.

Duplicate copy will be issued on chargeable basis.
 File No. DE.23(1056)/MDM/2025 (Computer No. 244966)





PLOT 2A, SECTOR-8, DWARKA, NEW DELHI-110077 Fax: 91-11-25360802 Tel: 91-11-45333500-510

E-mail: info@fraclabs.org, Website: www.fraclabs.org



TC-5275

TEST REPORT

*Issued To:

The Deputy Director of Education (PM-Poshan)

Directorate of education, government of NCT of Delhi ,Old Secretariat,Delhi-110054

ULR: TC527525000026787F

Reg. No.

:FRAC/F/2510300120

*Your Ref. No

: TRF

*Letter/TRF Dated

: 30/10/2025

Date of Issue

: 06/11/2025

Date of Sample Recd.

: 30/10/2025

Date of Sampling

: 30/10/2025

Sample Condition

: Satisfactory

*Sample Packing

Sampling Nasco Bag

Date of Sample Booking

: 30/10/2025

Date of Start of Analysis

: 30/10/2025

Not Specified

Not Specified

Not Specified

Date of Completion

: 06/11/2025

*Sample Qty

*Batch No

*Mfg. Date

*Exp. Date

350gm

: FSSAI (Food Products Standards and Food Additives) Regulations

2011

Sampling Method

Halwa Chana Specification Followed

*Sample Description:

FRAC/SOP/CHEM-MICRO/016

Sampled By

Sample drawn by FRAC representative

Product Group

Food & Agricultural Products

*Name Of NPO

Ghanshyam Sewa Samiti

*Name Of School/Kitchen

: Kitchen/Plot no.39 Bebe nanki ji gurudwara dilshad garden,new delhi-110095

TEST RESULTS

| S.No. | Parameters | Unit | Result | Specification | Test Method |
|----------|---------------------|-----------|----------|---------------|---|
| Chemic | al Test Parameters | | | | Test Metriou |
| 1 | Fat | g/100g | 4.75 | Not Specified | IS 4684:1975 |
| 2 | Protein (N x 6.25) | g/100g | 6.54 | Not Specified | IS 7219:1973 |
| 3 | Total Carbohydrate | g/100g | 37.65 | Not Specified | FSSAI 01.067:2022 |
| 4 | Moisture | g/100g | 48.85 | Not Specified | IS 4684:1975 |
| 5 | Energy | Kcal/100g | 219.51 | Not Specified | FSSAI(LABELLING AND DISPLAY) Reg, 2020 Page No.14 |
| Biologic | cal Test Parameters | | | | 3, 222 1 230 110.1 7 |
| 6 | Total Plate Count | cfu/g | 8.5X10^2 | Not Specified | IS 5402: 2012 |
| 7 | Escherichia coli | cfu/g | <10 | Not Specified | IS 5887: Part 1: 1976 |
| 8 | Salmonella | /25g | Absent | Absent | IS 5887: Part 3: 1999 |

Remarks:

The sample conforms to the FSSAI (Food Products Standards and Food Additives) Regulations 2011, specifications mentioned above and is fit for human consumption only as per the above tested parameters.

***End of Report*



Ritu Singh Dy. Director Authorised Signatory

Neelima Gupta OIC-Microbiology

* Indicates Information supplied by the Customer for which the laboratory has no control. Note: 1.

Sample(s) not drawn by FRAC, unless specified.

Page No.1 of 1 The result listed refers only to tested sample(s) and applicable parameters. Endorsement of product is neither inferred nor implied.

Sample(s) will be destroyed after fifteen days of the date of issue of test report unless otherwise specified, except for perishable san which would be destroyed immediately after issuance of report.

Test report shall not be reproduced except in full, without written approval from FRAC.

This test report in full or in part shall not be used for advertising or legal action.

6. FRAC will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports.

This is a computer generated document with electronic signature hence does not require manual signature.

FRAC will ensure all corrective action as per our policy in case of any discrepancy in any sample tested, FRAC liability is limited to the amount charged against the testing of the sample. 17

Retesting charges will be applicable in case the results are reproducible.

Duplicate copy will be issued on chargeable basis.
 File No. DE.23(1056)/MDM/2025 (Computer No. 244966)





PLOT 2A, SECTOR-8, DWARKA, NEW DELHI-110077 Fax: 91-11-25360802 Tel: 91-11-45333500-510 E-mail: info@fraclabs.org, Website: www.fraclabs.org



TEST REPORT

*issued To:

The Deputy Director of Education (PM-Poshan)

Directorate of education, government of NCT of Delhi ,Old Secretariat,Delhi-110054

ULR: TC527525000025762F

Reg. No

:FRAC/F/2510150175

*Your Ref. No

:TRF

*Letter/TRF Dated

Date of Issue

: 15/10/2025

Date of Sample Recd.

: 25/10/2025

Date of Sampling

: 15/10/2025 : 15/10/2025

Sample Condition

: Satisfactory

*Sample Packing

Sampling Nasco Bag

Date of Sample Booking

: 15/10/2025

Date of Start of Analysis

: 15/10/2025

Date of Completion

: 25/10/2025

: FSSAI (Food Products Standards and Food Additives) Regulations *Sample Qty : 350gm

*Batch No

Not Specified

: FRAC/SOP/CHEM-MICRO/016

*Mfg. Date

Not Specified

Sampled By Product Group

Dal + Chawal Specification Followed

: Sample drawn by FRAC representative

2011.

: Food & Agricultural Products

*Exp. Date

: Not Specified

*Name of NPO

Sampling Method

*Sample Description:

: Guru Kirpa Women Society

*Name of School/Kitchen

: Kitchen/Khasra no.1058, Karala Village, Near Karala Stadium, Delhi-110081

TEST RESULTS

| S.No. | Parameters | Unit | Result | Specification | Test Method |
|----------|--------------------|-----------|----------|---------------|--|
| Chemica | al Test Parameters | | | | |
| 1 | Fat | g/100g | 4.61 | Not Specified | IS 4684:1975 |
| 2 | Protein (N x 6.25) | g/100g | 5.08 | Not Specified | IS 7219:1973 |
| 3 | Total Carbohydrate | g/100g | 29.13 | Not Specified | IS 1656:2022 |
| 4 | Moisture | g/100g | 59.01 | Not Specified | IS 4684:1975 |
| 5 | Energy | Kcal/100g | 178.33 | Not Specified | FSSAI(LABELLING AND DISPLAY) Reg, 2020 Page No.14 |
| Biologic | al Test Parameters | | | | |
| 6 | Total Plate Count | cfu/g | 9.0X10^2 | Not Specified | IS 5402: 2012 |
| 7 | Escherichia coli | cfu/g | <10 | Not Specified | IS 5887: Part 1: 1976 |
| 8 | Salmonella | /25g | Absent | Absent | IS 5887: Part 3: 1999 |

Remarks:

The sample conforms to the FSSAI (Food Products Standards and Food Additives) Regulations 2011. specifications mentioned above and is fit for human consumption only as per the above tested parameters.

***End of Report



ote: 1.

Vishal Jhelum DGM-Instrument Authorised Signatory

Neelima Gupta **OIC-Microbiology**

* Indicates Information supplied by the Customer for which the laboratory has no control.

Sample(s) not drawn by FRAC, unless specified. The result listed refers only to tested sample(s) and applicable parameters. Endorsement of procuct is neither inferred nor implied.

Page No.1 of 1

Sample(s) will be destroyed after fifteen days of the date of issue of test report unless otherwise specified, except for perishable sample, which would be destroyed immediately after issuance of report.

Test report shall not be reproduced except in full, without written approval from FRAC.

This test report in full or in part shall not be used for advertising or legal action.


FRAC will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports.

This is a computer generated document with electronic signature hence does not require manual signature.

FRAC will ensure all corrective action as per our policy in case of any discrepancy in any sample tested, FRAC liability is limited to the amount charged against the testing of the sample. 18

Retesting charges will be applicable in case the results are reproducible.

Duplicate copy will be issued on chargeable basis.
 File No. DE.23(1056)/MDM/2025 (Computer No. 244966)



PLOT 2A, SECTOR-8, DWARKA, NEW DELHI-110077 Fax: 91-11-25360802 Tel: 91-11-45333500-510 E-mail: info@fraclabs.org, Website: www.fraclabs.org



TEST REPORT

*Issued To:

The Deputy Director of Education (PM-Poshan)

Directorate of education, government of NCT of Delhi ,Old Secretariat,Delhi-110054

ULR: TC527525000026640F

Reg. No

:FRAC/F/2510290078

*Your Ref. No

: TRF

*Letter/TRF Dated

: 29/10/2025

Date of Issue

: 05/11/2025

Date of Sample Recd.

: 29/10/2025

Date of Sampling

Sample Condition

: 29/10/2025

*Sample Packing

Satisfactory

Date of Sample Booking

Sampling Nasco Bag

Date of Start of Analysis

29/10/2025

: 29/10/2025

Date of Completion

: 05/11/2025

*Sample Qty

350gm

*Batch No

 Not Specified Not Specified

*Mfg. Date *Exp. Date

Not Specified

Dal Chawai Specification Followed

2011

Sampling Method

*Sample Description

FRAC/SOP/CHEM-MICRO/016

Sampled By

Sample drawn by FRAC representative

Product Group *Name Of NPO

Food & Agricultural Products Guru Kirpa Women Society

*Name Of School/Kitchen

G.G.S.S.S F-Block Sultanpuri , Delhi-86

: FSSAI (Food Products Standards and Food Additives) Regulations

*School ID

1412089

TEST RESULTS

| S.No. | Parameters | Unit | Result | Specification | Test Method |
|----------|--------------------|-----------|----------|------------------------|---|
| Chemic | al Test Parameters | | | | |
| 1 | Fat | g/100g | 4.84 | Not Specified | IS 4684:1975 |
| 2 | Protein (N x 6.25) | g/100g | 4.98 | Not Specified | IS 7219:1973 |
| 3 | Total Carbohydrate | g/100g | 29.01 | Not Specified | IS 1656:2022 |
| 4 | Moisture | g/100g | 58.93 | Not Specified | IS 4684:1975 |
| 5 | Energy | Kcal/100g | 179.52 | Not Specified | FSSAI(LABELLING AND DISPLAY Reg, 2020 Page No.14 |
| Biologic | al Test Parameters | | TO AREA | AND THE REAL PROPERTY. | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 |
| 6 | Total Plate Count | cfu/g | 1.3X10^3 | Not Specified | IS 5402: 2012 |
| 7 | Escherichia coli | cfu/g | <10 | Not Specified | IS 5887: Part 1: 1976 |
| 8 | Salmonella | /25g | Absent | Absent | IS 5887: Part 3: 1999 |

Remarks: The sample conforms to the FSSAI (Food Products Standards and Food Additives) Regulations; 2011. specifications mentioned above and is fit for human consumption only as per the above tested parameters.

***End of Report**



Neelima Gupta

OIC-Microbiology * Indicates Information supplied by the Customer for which the laboratory has no control. **Authorised Signatory**

Anil Kumar TM -Chemical

Page No.1 of 1

lote: 1. Sample(s) not drawn by FRAC, unless specified.

The result listed refers only to tested sample(s) and applicable parameters. Endorsement of product is neither inferred nor implied. Sample(s) will be destroyed after fifteen days of the date of issue of test report unless otherwise specified, except for perishable sample which would be destroyed immediately after issuance of report.

Test report shall not be reproduced except in full, without written approval from FRAC. This test report in full or in part shall not be used for advertising or legal action.

FRAC will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports.

This is a computer generated document with electronic signature hence does not require manual signature.

FRAC will ensure all corrective action as per our policy in case of any discrepancy in any sample tested, FRAC liability is limited to the amount charged against the testing of the sample.

10. Duplicate copy will be issued on chargeable basis. File No. DE.23(1056)/MDM/2025 (Computer No. 244966)

19 Retesting charges will be applicable in case the results are reproducible.





PLOT 2A, SECTOR-8, DWARKA, NEW DELHI-110077 Fax: 91-11-25360802 Tel: 91-11-45333500-510 E-mail: info@fraclabs.org, Website: www.fraclabs.org



TEST REPORT

*Issued To:

The Deputy Director of Education (PM-Poshan)

Directorate of education, government of NCT of Delhi ,Old Secretariat,Delhi-110054

ULR: TC527525000025929F

Reg. No

:FRAC/F/2510170122

*Your Ref. No

: TRF

*Letter/TRF Dated

: 17/10/2025

Date of Issue

27/10/2025

Date of Sample Recd.

: 17/10/2025

Date of Sampling

: 17/10/2025

Sample Condition

: Satisfactory

*Sample Packing

*Sample Qtv

*Batch No

*Mfg. Date

*Exp. Date

: Sampling Nasco Bag

Date of Sample Booking Date of Start of Analysis

: 17/10/2025

: 17/10/2025

Not Specified

Not Specified

Not Specified

Date of Completion

27/10/2025

350gm

FSSAI (Food Products Standards and Food Additives) Regulations

Sampling Method

*Sample Description:

Sampled By

Kadhi Chawal Specification Followed

FRAC/SOP/CHEM-MICRO/016

Sample drawn by FRAC representative

Product Group *Name Of NPO

Food & Agricultural Products Guru Kirpa Women Society

*Name Of School/Kitchen

: S.K.V Kanjhawala Delhi-110081

*School ID

: 1413025

TEST RESULTS

| S.No. | Parameters | Unit | Result | Specification | Test Method |
|----------|---------------------|-----------|------------------------|---------------|---|
| Chemic | al Test Parameters | | | | Tool motifod |
| 1 | Fat | g/100g | 4.58 | Not Specified | IS 4684:1975 |
| 2 | Protein (N x 6.25) | g/100g | 5.04 | Not Specified | IS 7219:1973 |
| 3 | Total Carbohydrate | g/100g | 29.16 | Not Specified | IS 1656:2022 |
| 4 | Moisture | g/100g | 59.03 | Not Specified | IS 4684:1975 |
| 5 | Energy | Kcal/100g | 178.02 | Not Specified | FSSAI(LABELLING AND DISPLAY Reg. 2020 Page No.14 |
| Biologic | cal Test Parameters | | 500 / / / / / / | AND FREE | |
| 6 | Total Plate Count | cfu/g | 1.1X10^3 | Not Specified | IS 5402: 2012 |
| 7 | Escherichia coli | cfu/g | <10 | Not Specified | IS 5887: Part 1: 1976 |
| 8 | Salmonella | /25g | Absent | Absent | IS 5887: Part 3: 1999 |

The sample conforms to the FSSAI (Food Products Standards and Food Additives) Regulations 2011, specifications mentioned above and is fit for human consumption only as per the above tested parameters.

End of Report



Anil Kumar

TM -Chemical

Authorised Signatory

Neelima Gupta OIC-Microbiology

Page No.1 of 1

* Indicates Information supplied by the Customer for which the laboratory has no control.

Note: 1. Sample(s) not drawn by FRAC, unless specified.

The result listed refers only to tested sample(s) and applicable parameters. Endorsement of product is neither inferred nor implied. Sample(s) will be destroyed after fifteen days of the date of issue of test report unless otherwise specified, except for perishable sample, which would be destroyed immediately after issuance of report.

Test report shall not be reproduced except in full, without written approval from FRAC.

This test report in full or in part shall not be used for advertising or legal action.

FRAC will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports.

This is a computer generated document with electronic signature hence does not require manual signature.

FRAC will ensure all corrective action as per our policy in case of any discrepancy in any sample tested, FRAC liability is limited to the amount charged against the testing of the sample. 20

Retesting charges will be applicable in case the results are reproducible. 10. Duplicate copy will be issued on chargeable basis. File No. DE.23(1056)/MDM/2025 (Computer No. 244966)





PLOT 2A, SECTOR-8, DWARKA, NEW DELHI-110077 Fax: 91-11-25360802 Tel: 91-11-45333500-510 E-mail: info@fraclabs.org, Website: www.fraclabs.org



TEST REPORT

*Issued To:

The Deputy Director of Education (PM-Poshan)

Directorate of education, government of NCT of Delhi ,Old Secretariat,Delhi-110054

ULR: TC527525000025802F

Reg. No

:FRAC/F/2510160027

*Your Ref. No

:TRF

*Letter/TRF Dated

: 16/10/2025

Date of Issue Date of Sample Recd.

: 25/10/2025

Date of Sampling

: 16/10/2025

Sample Condition

: 16/10/2025

*Sample Packing

: Satisfactory : Sampling Nasco Bag

Date of Sample Booking

: 16/10/2025

Date of Start of Analysis

: 16/10/2025

Date of Completion

: 25/10/2025

*Sample Qty

: 350gm

*Batch No

· Not Specified

*M'g. Date *Exp. Date

Not Specified Not Specified

Sampled By Product Group

Sampling Method

*Sample Description:

Specification Followed

: FRAC/SOP/CHEM-MICRO/016

: Sample drawn by FRAC representative

2011.

: Food & Agricultural Products

*Name of NPO

Veg Daliya

: Guru Kirpa Women Society

*Name of School/Kitchen

: Govt. Co-ed, Sc. Sec. School D-Block, Sultanpuri, Delhi-86

: FSSAI (Food Products Standards and Food Additives) Regulations

*School Id

TEST RESULTS

| S.No. | Parameters | Unit | Result | Specification | Test Method |
|----------|--------------------|-----------|----------|---------------|--|
| Chemic | al Test Parameters | 100 | | | |
| 1 | Fat | g/100g | 4.55 | Not Specified | IS 4684:1975 |
| 2 | Protein (N x 6.25) | g/100g | 6.79 | Not Specified | IS 7219:1973 |
| 3 | Total Carbohydrate | g/100g | 39.39 | Not Specified | FSSAI 01.067:2022 |
| 4 | Moisture | g/100g | 47.24 | Not Specified | IS 4684:1975 |
| 5 | Energy | Kcal/100g | 225.67 | Not Specified | FSSAI(LABELLING AND DISPLAY) Reg, 2020 Page No.14 |
| Biologic | al Test Parameters | | | | • |
| 6 | Total Plate Count | cfu/g | 8.0X10^2 | Not Specified | IS 5402: 2012 |
| 7 | Escherichia coli | cfu/g | <10 | Not Specified | IS 5887: Part 1: 1976 |
| 8 | Salmonella | /25g | Absent | Absent | IS 5887: Part 3: 1999 |

The sample conforms to the FSSAI (Food Products Standards and Food Additives) Regulations 2011. specifications mentioned above and is fit for human Remarks: consumption only as per the above tested parameters.

***End of Report"



Authorised Signatory

Neelima Gupta OIC-Microbiology

* Indicates Information supplied by the Customer for which the laboratory has no control.

Page No.1 of 1

Sample(s) not drawn by FRAC, unless specified.

The result listed refers only to tested sample(s) and applicable parameters. Endorsement of product is neither inferred nor implied. Sample(s) will be destroyed after fifteen days of the date of issue of test report unless otherwise specified, except for perishable sample, which would be destroyed immediately after issuance of report.

Test report shall not be reproduced except in full, without written approval from FRAC. This test report in full or in part shall not be used for advertising or legal action.

FRAC will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports. This is a computer generated document with electronic signature hence does not require manual signature.

FRAC will ensure all corrective action as per our policy in case of any discrepancy in any sample tested, FRAC liability is limited to the amount charged against the testing of the sample 21

Retesting charges will be applicable in case the results are reproducible.

10. Duplicate copy will be issued on chargeable basis. File No. DE.23(1056)/MDM/2025 (Computer No. 244966)





PLOT 2A, SECTOR-8, DWARKA, NEW DELHI-110077 Fax: 91-11-25360802 Tel: 91-11-45333500-510 E-mail : info@fraclabs.org, Website : www.fraclabs.org



TEST REPORT

*Issued To:

The Deputy Director of Education (PM-Poshan)

Directorate of education, government of NCT of Delhi ,Old Secretariat,Delhi-110054

ULR: TC527525000025336F

Reg. No

:FRAC/F/2510130115

*Your Ref. No

*Letter/TRF Dated

: 13/10/2025

Date of Issue

21/10/2025 : 13/10/2025

Date of Sample Recd. Date of Sampling

: 13/10/2025

Sample Condition *Sample Packing

: Satisfactory

Date of Sample Booking

: Sampling Nasco Bag 13/10/2025

Date of Start of Analysis

: 13/10/2025

Date of Completion

21/10/2025

: FSSAI (Food Products Standards and Food Additives) Regulations

*Sample Qty *Batch No

: 350gm Not Specified

Sampling Method

FRAC/SOP/CHEM-MICRO/016

* Vlfg. Date

Not Specified

Sampled By

Dal Chawai

Sample drawn by FRAC representative

*Exp. Date

Not Specified

Product Group *Name Of NPO

Food & Agricultural Products Hope Health Care Organization

*Name Of School/Kitchen

*Sample Description:

Specification Followed

: Kitchen/34/10,Plot no.485,Satyam Vihar,Phase-2,Near Rajiv Ratan Avas,Baprolla,Delhi-110043

TEST RESULTS

| S.No. | Parameters | Unit | Result | 0 10 1 | |
|----------|--------------------|-----------|----------|---------------|-----------------------------|
| Chemic | al Test Parameters | | Result | Specification | Test Method |
| 1 | Fat | g/100g | | | |
| 2 | Protein (N x 6.25) | | 4.63 | Not Specified | IS 4684:1975 |
| 3 | | g/100g | 4.98 | Not Specified | IS 7219:1973 |
|) | Total Carbohydrate | g/100g | 29.12 | Not Specified | IS 1656:2022 |
| 4 | Moisture | g/100g | 58.92 | Not Specified | |
| 5 | Energy | Kcal/100g | 178.07 | | IS 4684:1975 |
| | | | 170.07 | Not Specified | FSSAI(LABELLING AND DISPLAY |
| Biologic | al Test Parameters | | | | Reg, 2020 Page No.14 |
| 6 | Total Plate Count | cfu/g | 1.4X10^3 | | |
| 7 | Escherichia coli | | | Not Specified | IS 5402: 2012 |
| 8 | Salmonella | cfu/g | <10 | Not Specified | IS 5887: Part 1: 1976 |
| | damonena | /25g | Absent | Absent | IS 5887: Part 3: 1999 |

The sample conforms to the FSSAI (Food Products Standards and Food Additives) Regulations 2011, specifications mentioned above and is fit for human consumption only as per the above tested parameters.

End of Report

Note: 1.

Remarks:

Shiva Kant Dwivedi

G.M. (Quality & Technical)

Authorised Signatory

Neelima Gupta OIC-Microbiology

Indicates Information supplied by the Customer for which the laboratory has no control.

Sample(s) not drawn by FRAC, unless specified.

The result listed refers only to tested sample(s) and applicable parameters. Endorsement of product is neither inferred nor implied. Page No.1 of 1

Sample(s) will be destroyed after fifteen days of the date of issue of test report unless otherwise specified, except for perishable sample, which would be destroyed immediately after issuance of report. Test report shall not be reproduced except in full, without written approval from FRAC. This test report in full or in part shall not be used for advertising or legal action.

FRAC will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports.

This is a computer generated document with electronic signature hence does not require manual signature.

FRAC will ensure all corrective action as per our policy in case of any discrepancy in any sample tested, FRAC liability is limited to the amount charged against the testing of the sample. 22

Retesting charges will be applicable in case the results are reproducible.

10. Duplicate copy will be issued on chargeable basis. File No. DE.23(1056)/MDM/2025 (Computer No. 244966)





PLOT 2A, SECTOR-8, DWARKA, NEW DELHI-110077 Fax: 91-11-25360802 Tel: 91-11-45333500-510 E-mail : info@fraclabs.org, Website : www.fraclabs.org



TEST REPORT

*Issued To:

The Deputy Director of Education (PM-Poshan)

Directorate of education, government of NCT of Delhi ,Old Secretariat,Delhi-110054

ULR: TC527525000025581F

Reg. No

:FRAC/F/2510140235

*Your Ref. No

:TRF

*Letter/TRF Dated

Date of Issue

: 14/10/2025

Date of Sample Recd.

22/10/2025 : 14/10/2025

Date of Sampling

: 14/10/2025

Sample Condition

: Satisfactory

'Sample Packing

Date of Sample Booking

: Sampling Nasco Bag

Date of Start of Analysis

14/10/2025

: 14/10/2025

Date of Completion

22/10/2025

: FSSAI (Food Products Standards and Food Additives) Regulations 2011

*Sample Qty *Batch No

: 350gm

Sampling Method Sampled By

Halwa Chana

FRAC/SOP/CHEM-MICRO/016

*IVIfg. Date

Not Specified Not Specified

Product Group

: Sample drawn by FRAC representative

*IExp. Date

Not Specified

*Name Of NPO

Food & Agricultural Products : Hope Health Care Organization

*Name Of School/Kitchen

*Sample Description:

Specification Followed

: Govt. Girls Sr. Sec. School Baprola, New Delhi-110043

*School ID

: 1617030

TEST RESULTS

| S.No. | Parameters | Unit | Result | 1 | |
|----------|---------------------|------------|----------|---------------|-----------------------------|
| Chemic | cal Test Parameters | - Oilik | Result | Specification | Test Method |
| 1 | Fat | 1 000 | | | |
| 2 | Protein (N x 6.25) | g/100g | 4.87 | Not Specified | IS 4684:1975 |
| 3 | | g/100g | 6.59 | Not Specified | |
| | Total Carbohydrate | g/100g | 37.33 | Not Specified | IS 7219:1973 |
| 4 | Moisture | g/100g | 48.96 | (| FSSAI 01.067:2022 |
| 5 | Energy | Kcal/100g | | Not Specified | IS 4684:1975 |
| | | ikcai/100g | 219.51 | Not Specified | FSSAI(LABELLING AND DISPLAY |
| Biologic | cal Test Parameters | | | | Reg, 2020 Page No.14 |
| 6 | Total Plate Count | cfu/g | 0.074040 | | |
| 7 | Escherichia coli | | 8.0X10^2 | Not Specified | IS 5402: 2012 |
| В | Salmonella | cfu/g | <10 | Not Specified | IS 5887: Part 1: 1976 |
| 50 | Cambriella | /25g | Absent | Absent | IS 5887: Part 3: 1999 |

Remarks:

The sample conforms to the FSSAI (Food Products Standards and Food Additives) Regulations 2011. specifications mentioned above and is fit for human consumption only as per the above tested parameters.

***End of Report**



Shiva Kant Dwivedi G.M. (Quality & Technical) Authorised Signatory

Neelima Gupta OIC-Microbiology

* Indicates Information supplied by the Customer for which the laboratory has no control. lote: 1. Sample(s) not drawn by FRAC, unless specified.

Page No.1 of 1 The result listed refers only to tested sample(s) and applicable parameters. Endorsement of product is neither inferred nor implied.

Sample(s) will be destroyed after fifteen days of the date of issue of test report unless otherwise specified, except for perishable sample, which would be destroyed immediately after issuance of report. Test report shall not be reproduced except in full, without written approval from FRAC.

This test report in full or in part shall not be used for advertising or legal action.

FRAC will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports.

This is a computer generated document with electronic signature hence does not require manual signature.

FRAC will ensure all corrective action as per our policy in case of any discrepancy in any sample tested, FRAC liability is limited to the amount charged against the testing of the sample.

Retesting charges will be applicable in case the results are reproducible

10. Duplicate copy will be issued on chargeable basis. File No. DE.23(1056)/MDM/2025 (Computer No. 244966)





PLOT 2A, SECTOR-8, DWARKA, NEW DELHI-110077 Fax: 91-11-25360802 Tel: 91-11-45333500-510 E-mail: info@fraclabs.org, Website: www.fraclabs.org



TC-5275

TEST REPORT

*Issued To:

The Deputy Director of Education (PM-Poshan)

Directorate of education, government of NCT of Delhi ,Old Secretariat,Delhi-110054

ULR: TC527525000025758F

Reg. No

:FRAC/F/2510150171

*Your Ref. No

: TRF

*Letter/TRF Dated

: 15/10/2025

Date of Issue

: 25/10/2025

Date of Sample Recd.

Date of Sampling

: 15/10/2025

Sample Condition

: 15/10/2025

*Sample Packing

: Satisfactory

Date of Sample Booking

: Sampling Nasco Bag : 15/10/2025

Date of Start of Analysis

: 15/10/2025

Date of Completion

: 25/10/2025

*Sample Qtv

: 350am

*Batch No

Not Specified

*Mfg. Date *Exp. Date

Not Specified Not Specified

Sampled By Product Group *Name of NPO : FRAC/SOP/CHEM-MICRO/016 : Sample drawn by FRAC representative

Food & Agricultural Products

: Hope Health Care Organization

*Name of School/Kitchen

*Sample Description:

Kadhi + Chawal Specification Followed

Sampling Method

: Govt(Co-Ed) S.S School Rajiv Ratan Awas Baprola Delhi-43

: FSSAI (Food Products Standards and Food Additives) Regulations

*School ID

1617255

2011.

TEST RESULTS

| S.No. | Parameters | Unit | Result | Specification | Test Method |
|----------|--------------------|-----------|----------|---------------|---|
| Chemic | al Test Parameters | | | | Tool method |
| 1 | Fat | g/100g | 4.41 | Not Specified | IS 4684:1975 |
| 2 | Protein (N x 6.25) | g/100g | 5.24 | Not Specified | IS 7219:1973 |
| 3 | Total Carbohydrate | g/100g | 28.86 | Not Specified | IS 1656:2022 |
| 4 | Moisture | g/100g | 59.24 | Not Specified | IS 4684:1975 |
| 5 | Energy | Kcal/100g | - 176.09 | Not Specified | FSSAI(LABELLING AND DISPLAY) Reg, 2020 Page No.14 |
| Biologic | al Test Parameters | | | | |
| 6 | Total Plate Count | cfu/g | 1.3X10^3 | Not Specified | IS 5402: 2012 |
| 7 | Escherichia coli | cfu/g | <10 | Not Specified | IS 5887: Part 1; 1976 |
| 8 | Salmonella | /25g | Absent | Absent | IS 5887: Part 3: 1999 |

The sample conforms to the FSSAI (Food Products Standards and Food Additives) Regulations 2011. specifications mentioned above and is fit for human consumption only as per the above tested parameters.

***End of Report*



Vishal Jhelum

Authorised Signatory

Neelima Gupta **OIC-Microbiology**

Page No.1 of 1

* Indicates Information supplied by the Customer for which the laboratory has no control.

Sample(s) not drawn by FRAC, unless specified.

The result listed refers only to tested sample(s) and applicable parameters. Endorsement of product is neither inferred nor implied. Sample(s) will be destroyed after fifteen days of the date of issue of test report unless otherwise specified, except for perishable sample, which would be destroyed immediately after issuance of report.

Test report shall not be reproduced except in full, without written approval from FRAC.

This test report in full or in part shall not be used for advertising or legal action.

FRAC will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports.

This is a computer generated document with electronic signature hence does not require manual signature.

FRAC will ensure all corrective action as per our policy in case of any discrepancy in any sample tested, FRAC liability is limited to the amount charged against the testing of the sample.

Retesting charges will be applicable in case the results are reproducible.

10. Duplicate copy will be issued on chargeable basis. File No. DE.23(1056)/MDM/2025 (Computer No. 244966)



2510150171-1



PLOT 2A, SECTOR-8, DWARKA, NEW DELHI-110077 Fax: 91-11-25360802 Tel: 91-11-45333500-510 E-mail: info@fraclabs.org, Website: www.fraclabs.org



TEST REPORT

*Issued To:

The Deputy Director of Education (PM-Poshan)

Directorate of education, government of NCT of Delhi ,Old Secretariat,Delhi-110054

ULR: TC527525000025987F

Reg. No

:FRAC/F/2510180049

*Your Ref. No

:TRF

*Letter/TRF Dated

: 18/10/2025

Date of Issue

27/10/2025

Date of Sample Recd.

: 18/10/2025

Date of Sampling

: 18/10/2025

Sample Condition

: Satisfactory

"Sample Packing

Date of Sample Booking

: Sampling Nasco Bag : 18/10/2025

Date of Start of Analysis

: 18/10/2025

Date of Completion

27/10/2025

*Sample Qty

350gm

2011

: FSSAI (Food Products Standards and Food Additives) Regulations

*Batch No

Not Specified

Sampled By

Puri + Sabji Specification Followed

> : FRAC/SOP/CHEM-MICRO/016 Sample drawn by FRAC representative

*Mfg. Date *Exp. Date

Not Specified Not Specified

Product Group *Name of NPO

Sampling Method

Food & Agricultural Products

: Hope Health Care Organization

*Name of School/Kitchen

*Sample Description:

: Govt. Girls Sr. Sec. School Mohan Garden, New Delhi-110059

*School ID

: 1618264

TEST RESULTS

| S.No. | Parameters | Unit | Result | Specification | |
|----------|--|-----------|---|---------------|---|
| Chemic | al Test Parameters | | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | Specification | Test Method |
| 1 | Fat | g/100g | 4.42 | Not Specified | |
| 2 | Protein (N x 6.25) | g/100g | 6.43 | Not Specified | IS 4684:1975 |
| 3 | Total Carbohydrate | g/100g | 37.97 | Not Specified | IS 7219:1973 |
| 4 | Moisture | g/100g | 48.97 | Not Specified | FSSAI 01.067:2022 |
| 5 | Energy | Kcal/100g | 217.38 | Not Specified | IS 4684:1975 |
| | | 9 | | Not Specified | FSSAI(LABELLING AND DISPLAY) Reg, 2020 Page No.14 |
| Biologic | al Test Parameters | | | | 1109, 2020 1 age 140.14 |
| 6 | Total Plate Count | cfu/g | 9.2X10^2 | Not Specified | IC 5400, 2040 |
| 7 | Escherichia coli | cfu/g | <10 | Not Specified | IS 5402: 2012 |
| 8 | Salmonella | /25g | Absent | Absent | IS 5887: Part 1: 1976 |
| | - A.———————————————————————————————————— | | | Absent | IS 5887: Part 3: 1999 |

Remarks:

The sample conforms to the FSSAI (Food Products Standards and Food Additives) Regulations 2011, specifications mentioned above and is fit for human consumption only as per the above tested parameters.

End of Report



Anil Kumar

TM -Chemical * Indicates Information supplied by the Customer for which the laboratory has no control. **Authorised Signatory**

Neelima Gupta **OIC-Microbiology**

Page No.1 of 1

Note: 1. Sample(s) not drawn by FRAC, unless specified.

The result listed refers only to tested sample(s) and applicable parameters. Endorsement of product is neither inferred nor implied. Sample(s) will be destroyed after fifteen days of the date of issue of test report unless otherwise specified, except for perishable sample.

which would be destroyed immediately after issuance of report. Test report shall not be reproduced except in full, without written approval from FRAC.

This test report in full or in part shall not be used for advertising or legal action.

FRAC will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports.


This is a computer generated document with electronic signature hence does not require manual signature.

FRAC will ensure all corrective action as per our policy in case of any discrepancy in any sample tested, FRAC liability is limited to

Retesting charges will be applicable in case the results are reproducible.

File No. DE 23 (1056) SMDM/2029 (ESHIPOTER NO. 224936) basis.







PLOT 2A, SECTOR-8, DWARKA, NEW DELHI-110077 Fax: 91-11-25360802 Tel: 91-11-45333500-510 E-mail: info@fraclabs.org, Website: www.fraclabs.org



TC-5275

TEST REPORT

*Issued To:

The Deputy Director of Education (PM-Poshan)

Directorate of education, government of NCT of Delhi ,Old Secretariat,Delhi-110054

ULR: TC527525000026039F

Reg. No

:FRAC/F/2510210048

*Your Ref. No

: TRF

*Letter/TRF Dated

: 21/10/2025

Date of Issue

28/10/2025

Date of Sample Recd.

: 21/10/2025

Date of Sampling

: 21/10/2025

Sample Condition

: Satisfactory

*Sample Packing

: Sampling Nasco Bag

Date of Sample Booking

: 21/10/2025

Date of Start of Analysis

: 21/10/2025

Date of Completion

: 28/10/2025

*Sample Qty

: 350gm

*Batch No. *Mfg. Date Not Specified Not Specified

*Exp. Date

Not Specified

*Sample Description:

Halwa Chana

Specification Followed

2011

FRAC/SOP/CHEM-MICRO/016

: Sample drawn by FRAC representative

Sampled By Product Group *Name Of NPO

Sampling Method

Food & Agricultural Products : Maitri Research & Development Foundation

FSSAI (Food Products Standards and Food Additives) Regulations

*Name Of School/Kitchen

: GSKV H-Block Sultapuri, Delhi-110086

*School ID

: 1412029

TEST RESULTS

| S.No. | Parameters | Unit | Result | Specification | Test Method |
|----------|--------------------|-----------|------------|---------------|---|
| Chemic | al Test Parameters | NA. | | 2000 | 900000000000000000000000000000000000000 |
| 1 | Fat | g/100g | 4.82 | Not Specified | IS 4684:1975 |
| 2 | Protein (N x 6.25) | g/100g | 6.53 | Not Specified | IS 7219:1973 |
| 3 | Total Carbohydrate | g/100g | 37.53 | Not Specified | FSSAI 01.067:2022 |
| 4 | Moisture | g/100g | 48.95 | Not Specified | IS 4684:1975 |
| 5 | Energy | Kcal/100g | 219.62 | Not Specified | FSSAI(LABELLING AND DISPLAY Reg. 2020 Page No.14 |
| Biologic | al Test Parameters | | The Later. | ACCUPATION. | 3, |
| 6 | Total Plate Count | cfu/g | 7.3X10^2 | Not Specified | IS 5402:2012 |
| 7 | Escherichia coli | cfu/g | <10 | Not Specified | IS 5887: Part 1: 1976 |
| 8 | Salmonella | /25g | Absent | Absent | IS 5887 Part 3: 1999 |

The sample conforms to the FSSAI (Food Products Standards and Food Additives) Regulations 2011, specifications mentioned above and is fit for human Remarks: consumption only as per the above tested parameters.

End of Report



Neelima Gupta OIC-Microbiology **Authorised Signatory**

Anil Kumar TM -Chemical

* Indicates Information supplied by the Customer for which the laboratory has no control.

Note: 1. Sample(s) not drawn by FRAC, unless specified.

Page No.1 of 1 The result listed refers only to tested sample(s) and applicable parameters. Endorsement of product is neither inferred nor implied.

Sample(s) will be destroyed after fifteen days of the date of issue of test report unless otherwise specified, except for perishable sample which would be destroyed immediately after issuance of report.

Test report shall not be reproduced except in full, without written approval from FRAC. This test report in full or in part shall not be used for advertising or legal action.


6. FRAC will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports.

This is a computer generated document with electronic signature hence does not require manual signature.

FRAC will ensure all corrective action as per our policy in case of any discrepancy in any sample tested, FRAC liability is limited to the amount charged against the testing of the sample.

Retesting charges will be applicable in case the results are reproducible.

Duplicate copy will be issued on chargeable basis.
 File No. DE.23(1056)/MDM/2025 (Computer No. 244966)





PLOT 2A, SECTOR-8, DWARKA, NEW DELHI-110077 Fax: 91-11-25360802 Tel: 91-11-45333500-510 E-mail: info@fraclabs.org, Website: www.fraclabs.org



TEST REPORT

*Issued To:

The Deputy Director of Education (PM-Poshan)

Directorate of education, government of NCT of Delhi ,Old Secretariat,Delhi-110054

ULR: TC527525000025763F

Reg. No

:FRAC/F/2510150176

*Your Ref. No

: TRF

*Letter/TRF Dated

: 15/10/2025

Date of Issue

Date of Sample Recd.

24/10/2025 : 15/10/2025

Date of Sampling

: 15/10/2025

Sample Condition

: Satisfactory

*Sample Packing

: Sampling Nasco Bag

Date of Sample Booking

: 15/10/2025

Date of Start of Analysis

: 15/10/2025

: 24/10/2025

Date of Completion

: FSSAI (Food Products Standards and Food Additives) Regulations

*Sample Qty

: 350gm

*Batch No

Not Specified

Sampling Method

*Sample Description:

Kadhi + Chawal Specification Followed

FRAC/SOP/CHEM-MICRO/016

*Mfg. Date

Not Specified

Sampled By

Sample drawn by FRAC representative

Product Group *Name of NPO Food & Agricultural Products

*Exp. Date

Not Specified

Maitri Research & Development Foundation

*Name of School/Kitchen

: Kitchen/A-1/4, Khasra no. 43/23/1, Mange Ram Park, Opposite Bank of Baroda, Pooth Kalan, Delhi-110086

TEST RESULTS

| S.No. | Parameters | Unit | Result | Specification | Test Method |
|----------|--------------------|-----------|----------|---------------|---|
| Chemic | al Test Parameters | | | | |
| 1 | Fat | g/100g | 4.61 | Not Specified | IS 4684:1975 |
| 2 | Protein (N x 6.25) | g/100g | 5.19 | Not Specified | IS 7219:1973 |
| 3 | Total Carbohydrate | g/100g | 28.90 | Not Specified | IS 1656:2022 |
| 4 | Moisture | g/100g | 59.02 | Not Specified | IS 4684:1975 |
| 5 | Energy | Kcal/100g | 177.85 | Not Specified | FSSAI(LABELLING AND DISPLAY) Reg, 2020 Page No.14 |
| Biologic | al Test Parameters | | | | |
| 6 | Total Plate Count | cfu/g | 1.6X10^3 | Not Specified | IS 5402: 2012 |
| 7 | Escherichia coli | cfu/g | <10 | Not Specified | IS 5887: Part 1: 1976 |
| 8 | Salmonella | /25g | Absent | Absent | IS 5887: Part 3: 1999 |

The sample conforms to the FSSAI (Food Products Standards and Food Additives) Regulations 2011. specifications mentioned above and is fit for human Remarks: consumption only as per the above tested parameters.

End of Report



TM -Chemical

Authorised Signatory

Neelima Gupta **OIC-Microbiology**

Page No.1 of 1

* Indicates Information supplied by the Customer for which the laboratory has no control.

Note: 1. Sample(s) not drawn by FRAC, unless specified.

The result listed refers only to tested sample(s) and applicable parameters. Endorsement of product is neither inferred nor implied.

Sample(s) will be destroyed after fifteen days of the date of issue of test report unless otherwise specified, except for perishable sample which would be destroyed immediately after issuance of report.

Test report shall not be reproduced except in full, without written approval from FRAC.

This test report in full or in part shall not be used for advertising or legal action.

FRAC will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports.

This is a computer generated document with electronic signature hence does not require manual signature.

FRAC will ensure all corrective action as per our policy in case of any discrepancy in any sample tested, FRAC liability is limited to the amount charged against the testing of the sample. the amount charged against the testing of the sample.

Retesting charges will be applicable in case the results are reproducible.

File No.1 DE 2340056012MDN0/2023 (Coinqued No. 22403660) ble basis.



PLOT 2A, SECTOR-8, DWARKA, NEW DELHI-110077 Fax: 91-11-25360802 Tel: 91-11-45333500-510 E-mail: info@fraclabs.org, Website: www.fraclabs.org



TEST REPORT

*Issued To:

The Deputy Director of Education (PM-Poshan)

Directorate of education, government of NCT of Delhi ,Old Secretariat,Delhi-110054

ULR: TC527525000026639F

Reg. No

:FRAC/F/2510290077

*Your Ref. No

: TRF

*Letter/TRF Dated

: 29/10/2025

Date of Issue

05/11/2025

Date of Sample Recd.

: 29/10/2025

Date of Sampling

: 29/10/2025

Sample Condition *Sample Packing

: Satisfactory

Date of Sample Booking

Sampling Nasco Bag

Date of Start of Analysis

: 29/10/2025

: 29/10/2025

Date of Completion

: 05/11/2025

*Sample Qty

: 350am

*Batch No

Not Specified

*Mfg. Date *Exp. Date

Not Specified : Not Specified

Sampling Method Sampled By

*Sample Description

Kadhi Chawal Specification Followed

FRAC/SOP/CHEM-MICRO/016

Sample drawn by FRAC representative

Food & Agricultural Products

Product Group Name Of NPO

Maitri Research & Development Foundation

*Name Of School/Kitchen

Sarvodaya Co-Ed Vidyalaya C-BK, Sultanpuri New Delhi-86

FSSAI (Food Products Standards and Food Additives) Regulations

*School ID

: 1412001

2011

TEST RESULTS

| S.No. | Parameters | Unit | Result | Specification | |
|----------|--------------------|-----------|------------|---------------|------------------------------|
| Chemic | al Test Parameters | | | Opecification | Test Method |
| 1 | Fat | g/100g | 4.44 | Not Specified | 10.000 |
| 2 | Protein (N x 6.25) | g/100g | 5.03 | Not Specified | IS 4684:1975 |
| 3 | Total Carbohydrate | g/100g | 29.30 | Not Specified | IS 7219:1973 |
| 4 | Moisture | g/100g | 59.02 | Not Specified | IS 1656:2022 IS 4684:1975 |
| 5 | Energy | Kcal/100g | 177.28 | Not Specified | FSSAI(LABELLING AND DISPLAY) |
| Biologic | al Test Parameters | | The second | | Reg, 2020 Page No.14 |
| 6 | Total Plate Count | cfu/g | 1.1X10^3 | Not Specified | IS 5402: 2012 |
| 7 | Escherichia coli | cfu/g | <10 | Not Specified | IS 5887: Part 1: 1976 |
| 8 | Salmonella | /25g | Absent | Absent | IS 5887: Part 1: 1976 |

Remarks:

The sample conforms to the FSSAI (Food Products Standards and Food Additives) Regulations 2011, specifications mentioned above and is fit for human consumption only as per the above tested parameters.

***End of Report**



Neelima Gupta OIC-Microbiology Authorised Signatory

Anil Kumar TM -Chemical

* Indicates Information supplied by the Customer for which the laboratory has no control.

lote: 1. Sample(s) not drawn by FRAC, unless specified.

Page No.1 of 1

The result listed refers only to tested sample(s) and applicable parameters. Endorsement of product is neither inferred nor implied. Sample(s) will be destroyed after fifteen days of the date of issue of test report unless otherwise specified, except for perishable sample which would be destroyed immediately after issuance of report. Test report shall not be reproduced except in full, without written approval from FRAC. This test report in full or in part shall not be used for advertising or legal action.

6.

FRAC will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports. This is a computer generated document with electronic signature hence does not require manual signature.

FRAC will ensure all corrective action as per our policy in case of any discrepancy in any sample tested, FRAC liability is limited to the amount charged against the testing of the sample. Retesting charges will be applicable in case the results are reproducible.

10. Duplicate copy will be issued on chargeable basis. File No. DE.23(1056)/MDM/2025 (Computer No. 244966)





PLOT 2A, SECTOR-8, DWARKA, NEW DELHI-110077 Fax: 91-11-25360802 Tel: 91-11-45333500-510 E-mail: info@fraclabs.org, Website: www.fraclabs.org



TEST REPORT

*Issued To:

The Deputy Director of Education (PM-Poshan)

Directorate of education, government of NCT of Delhi ,Old Secretariat,Delhi-110054

ULR: TC527525000025801F

Reg. No

:FRAC/F/2510160026

*Your Ref. No

:TRF

*Letter/TRF Dated

: 16/10/2025

Date of Issue

: 25/10/2025

Date of Sample Recd.

: 16/10/2025

Date of Sampling

: 16/10/2025

Sample Condition

: Satisfactory

*Sample Packing

Sampling Nasco Bag

Date of Sample Booking

: 16/10/2025

Date of Start of Analysis

: 16/10/2025

Date of Completion

: 25/10/2025

*Sample Qty

: 350gm

*Batch No

Not Specified

*Mfg. Date *Exp. Date

Not Specified Not Specified

Sampling Method

*Sample Description:

2011. : FRAC/SOP/CHEM-MICRO/016

Sampled By

Veg Daliya Specification Followed

: FSSAI (Food Products Standards and Food Additives) Regulations

: Sample drawn by FRAC representative

Product Group *Name of NPO : Food & Agricultural Products

*Name of School/Kitchen

: GSKV H-Block, Mangol Puri Delhi-83,

: Maitri Research & Development Foundation

*School Id

: 1412024

TEST RESULTS

| S.No. | Parameters | Unit | Result | Specification | Test Method |
|----------|---------------------|-----------|----------|-----------------|---|
| Chemic | al Test Parameters | | | | |
| 1 | Fat | g/100g | 4.54 | Not Specified | IS 4684:1975 |
| 2 | Protein (N x 6.25) | g/100g | 6.67 | Not Specified | IS 7219:1973 |
| 3 | Total Carbohydrate | g/100g | 38.42 | Not Specified | FSSAI 01.067:2022 |
| 4 | Moisture | g/100g | 48.29 | Not Specified | IS 4684:1975 |
| 5 | Energy | Kcal/100g | 221.22 | Not Specified | FSSAI(LABELLING AND DISPLAY Reg, 2020 Page No.14 |
| Biologic | cal Test Parameters | | | | |
| 6 | Total Plate Count | cfu/g | 7.4X10^2 | Not Specified | IS 5402: 2012 |
| 7 | Escherichia coli | cfu/g | <10 | Not Specified . | IS 5887: Part 1: 1976 |
| 8 | Salmonella | /25g | Absent | Absent | IS 5887; Part 3; 1999 |

The sample conforms to the FSSAI (Food Products Standards and Food Additives) Regulations 2011. specifications mentioned above and is fit for human Remarks: consumption only as per the above tested parameters.

***End of Report*



DGM-Instrument

Authorised Signatory

Neelima Gupta OIC-Microbiology

Page No.1 of 1

ote: 1. Sample(s) not drawn by FRAC, unless specified.

The result listed refers only to tested sample(s) and applicable parameters. Endorsement of product is neither inferred nor implied. Sample(s) will be destroyed after fifteen days of the date of issue of test report unless otherwise specified, except for perishable sample, which would be destroyed immediately after issuance of report.

Test report shall not be reproduced except in full, without written approval from FRAC. This test report in full or in part shall not be used for advertising or legal action.

* Indicates Information supplied by the Customer for which the laboratory has no control.

FRAC will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports.

This is a computer generated document with electronic signature hence does not require manual signature.

FRAC will ensure all corrective action as per our policy in case of any discrepancy in any sample tested, FRAC liability is limited to the amount charged against the testing of the sample 29 Retesting charges will be applicable in case the results are reproducible.

10. Duplicate copy will be issued on chargeable basis. File No. DE.23(1056)/MDM/2025 (Computer No. 244966)





PLOT 2A, SECTOR-8, DWARKA, NEW DELHI-110077 Fax: 91-11-25360802 Tel: 91-11-45333500-51

E-mail: info@fraclabs.org, Website: www.fraclabs.org



TC-5275

TEST REPORT

*Issued To:

The Deputy Director of Education (PM-Poshan)

Directorate of education, government of NCT of Delhi ,Old Secretariat,Delhi-110054

ULR: TC527525000026313F

Reg. No

:FRAC/F/2510240067

*Your Ref. No

:TRF

*Letter/TRF Dated

: 24/10/2025

Date of Issue

: 30/10/2025

Date of Sample Recd.

: 24/10/2025

Date of Sampling

: 24/10/2025

Sample Condition

*Sample Packing

: Satisfactory : Sampling Nasco Bag

Date of Sample Booking

: 24/10/2025

Date of Start of Analysis

: 24/10/2025

Date of Completion

30/10/2025

*Sample Qty

350gm

*Batch No *Mfg. Date

 Not Specified Not Specified

*Exp. Date

: Not Specified

*Sample Description:

Dal Chawal

Specification Followed

2011 FRAC/SOP/CHEM-MICRO/016

Sampling Method Sampled By

Sample drawn by FRAC representative

Food & Agricultural Products

Product Group *Name Of NPO

Manjeet Educational And Social Welfare Society

FSSAI (Food Products Standards and Food Additives) Regulations

*Name Of School/Kitchen

SKV School Tuglakabad Village New Delhi-44

*School ID

1925040

TEST RESULTS

| Test Parameters Fat Protein (N x 6.25) | g/100g | Result | Specification | Test Method |
|--|---|--------------|--|--|
| F-9. | g/100g | | | |
| Protein (N x 6 25) | | 4.83 | Not Consider | |
| 1 1 5 1 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | g/100g | 4.97 | Not Specified | IS 4684:1975 |
| Total Carbohydrate | | - 4 | Not Specified | IS 7219:1973 |
| Moisture | | 190000 00000 | | IS 1656:2022 |
| Energy | - | | | IS 4684:1975 |
| | Kcal/100g | 179.51 | Not Specified | FSSAI(LABELLING AND DISPLAY |
| Test Parameters | | | | Reg, 2020 Page No.14 |
| Total Plate Count | cfu/g | 1.3X10^3 | Not Specified | IS 5402: 2012 |
| Escherichia coli | cfu/g | <10 | A STATE OF THE STA | |
| Salmonella | | | Production of Charles and Con- | IS 5887: Part 1: 1976 IS 5887: Part 3: 1999 |
| T | Moisture Energy Sest Parameters Sotal Plate Count Scherichia coli | Moisture | Moisture g/100g 58.91 | Total Carbohydrate g/100g 29.04 Not Specified Moisture g/100g 58.91 Not Specified Energy Kcal/100g 179.51 Not Specified est Parameters otal Plate Count cfu/g 1.3X10^3 Not Specified scherichia coli cfu/g <10 |

Remarks:

The sample conforms to the FSSAI (Food Products Standards and Food Additives) Regulations 2011. specifications mentioned above and is fit for human consumption only as per the above tested parameters.

End of Report



Anil Kumar

TM -Chemical

Authorised Signatory

Neelima Gupta OIC-Microbiology

* Indicates Information supplied by the Customer for which the laboratory has no control.

Note: 1. Sample(s) not drawn by FRAC, unless specified.

Page No.1 of 1

The result listed refers only to tested sample(s) and applicable parameters. Endorsement of product is neither inferred nor implied. Sample(s) will be destroyed after fifteen days of the date of issue of test report unless otherwise specified, except for perishable sa 3. which would be destroyed immediately after issuance of report.

Test report shall not be reproduced except in full, without written approval from FRAC.

This test report in full or in part shall not be used for advertising or legal action.

FRAC will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports. This is a computer generated document with electronic signature hence does not require manual signature.

FRAC will ensure all corrective action as per our policy in case of any discrepancy in any sample tested, FRAC liability is limited to the amount charged against the testing of the sample. 30

Retesting charges will be applicable in case the results are reproducible. 10. Duplicate copy will be issued on chargeable basis. File No. DE.23(1056)/MDM/2025 (Computer No. 244966)

2510240067



PLOT 2A, SECTOR-8, DWARKA, NEW DELHI-110077 Fax: 91-11-25360802 Tel: 91-11-45333500-51 E-mail: info@fraclabs.org, Website: www.fraclabs.org

TC-5275

TEST REPORT

*Issued To:

The Deputy Director of Education (PM-Poshan)

Directorate of education, government of NCT of Delhi ,Old Secretariat,Delhi-110054

ULR: TC527525000026314F

Reg. No

:FRAC/F/2510240068

*Your Ref. No

: TRF

*Letter/TRF Dated

Date of Issue

: 24/10/2025

Date of Sample Recd.

: 30/10/2025

Date of Sampling

24/10/2025

: 24/10/2025

Sample Condition

: Satisfactory

*Sample Packing Date of Sample Booking

Sampling Nasco Bag

Date of Start of Analysis

: 24/10/2025

: 24/10/2025

Date of Completion

: 30/10/2025

2011

FSSAI (Food Products Standards and Food Additives) Regulations

*Sample Qty *Batch No

: 350gm Not Specified

FRAC/SOP/CHEM-MICRO/016

*Mfg Date

Not Specified

Sampled By

Sample drawn by FRAC representative

*Exp. Date

Product Group *Name Of NPO

Sampling Method

Kadhi Chawal Specification Followed

> Food & Agricultural Products Manjeet Educational And Social Welfare Society

Not Specified

*Name Of School/Kitchen

*Sample Description:

: Kitchen/Plot no.268, Jasola Village Behind Apollo Hospital, New Delhi-110025

TEST RESULTS

| S.No. | Parameters | Unit | Result | Specification | Test Method |
|----------|--------------------|-----------|----------|----------------|---|
| Chemica | al Test Parameters | | | | |
| 1 | Fat | g/100g | 4.55 | Not Specified | IS 4684:1975 |
| 2 | Protein (N x 6.25) | g/100g | 5.03 | Not Specified | IS 7219:1973 |
| 3 | Total Carbohydrate | g/100g | 29.21 | Not Specified | IS 1656:2022 |
| 4 | Moisture | g/100g | 59.05 | Not Specified | IS 4684:1975 |
| 5 | Energy | Kcal/100g | 177.91 | Not Specified | FSSAI(LABELLING AND DISPLAY Reg, 2020 Page No.14 |
| Biologic | al Test Parameters | | | ARC CONTRACTOR | |
| 6 | Total Plate Count | cfu/g | 1.6X10^3 | Not Specified | IS 5402: 2012 |
| 7 | Escherichia coli | cfu/g | <10 | Not Specified | IS 5887: Part 1: 1976 |
| 8 | Salmonella | /25g | Absent | Absent | IS 5887: Part 3: 1999 |

The sample conforms to the FSSAI (Food Products Standards and Food Additives) Regulations 2011. specifications mentioned above and is fit for human Remarks: consumption only as per the above tested parameters.

End of Report



Anil Kumar TM -Chemical **Authorised Signatory**

Neelima Gupta OIC-Microbiology

* Indicates Information supplied by the Customer for which the laboratory has no control.

Note: 1. Sample(s) not drawn by FRAC, unless specified.

2. The result listed refers only to tested sample(s) and applicable parameters. Endorsement of product is neither inferred nor implied.

3. Sample(s) will be destroyed after fifteen days of the date of issue of test report unless otherwise specified, except for perishable sar which would be destroyed immediately after issuance of report.

Test report shall not be reproduced except in full, without written approval from FRAC. This test report in full or in part shall not be used for advertising or legal action.

FRAC will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports. 6. This is a computer generated document with electronic signature hence does not require manual signature.

FRAC will ensure all corrective action as per our policy in case of any discrepancy in any sample tested, FRAC liability is limited to

the amount charged against the testing of the sample.

Retesting charges will be applicable in case the results are reproducible. 31 10. Duplicate copy will be issued on chargeable basis.

File No. DE.23(1056)/MDM/2025 (Computer No. 244966) Generated from eOffice by RAJESH KUMAR, PMP/MDM(ASO)-RAJESH, ASSISTANT SECTION OFFICER, EDUCATION DIRECTORATE on 01/12/2025 11:52 am

Page No.1 of 1



PLOT 2A, SECTOR-8, DWARKA, NEW DELHI-110077 Fax: 91-11-25360802 Tel: 91-11-45333500-510 E-mail: info@fraclabs.org, Website: www.fraclabs.org



TEST REPORT

*Issued To:

The Deputy Director of Education (PM-Poshan)

Directorate of education, government of NCT of Delhi ,Old Secretariat,Delhi-110054

ULR: TC527525000025583F

Reg. No

:FRAC/F/2510140237

*Your Ref. No

: TRF

*Letter/TRF Dated

: 14/10/2025

Date of Issue

: 22/10/2025

Date of Sample Recd.

: 14/10/2025

Date of Sampling

: 14/10/2025

Sample Condition

: Satisfactory

*Sample Packing

: Sampling Nasco Bag

Date of Sample Booking

: 14/10/2025

Date of Start of Analysis

: 14/10/2025

Date of Completion

: 22/10/2025

*Sample Qtv

: 350gm

*Batch No

Not Specified Not Specified

*Mfg. Date *Exp. Date

Not Specified

Sampled By Product Group

Sampling Method

*Sample Description:

Specification Followed

Aalu Puri

: FRAC/SOP/CHEM-MICRO/016 Sample drawn by FRAC representative

Food & Agricultural Products

*Name Of NPO

Micro Education & Social Welfare Society

*Name Of School/Kitchen

: Govt. Sarvodaya Bal Vidyalaya Dichaon Kalan, New Delhi-110043

FSSAI (Food Products Standards and Food Additives) Regulations

*School ID

: 1822015

TEST RESULTS

| S.No. | Parameters | Unit | Result | Specification | Test Method |
|----------|--------------------|-----------|----------|---------------|---|
| Chemic | al Test Parameters | | | | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, |
| 1 | Fat | g/100g | 4.84 | Not Specified | IS 4684:1975 |
| 2 | Protein (N x 6.25) | g/100g | 6.45 | Not Specified | IS 7219:1973 |
| 3 | Total Carbohydrate | g/100g | 37.54 | Not Specified | FSSAI 01,067:2022 |
| 4 | Moisture | g/100g | 48.94 | Not Specified | IS 4684:1975 |
| 5 | Energy | Kcal/100g | 219.52 | Not Specified | FSSAI(LABELLING AND DISPLAY Reg. 2020 Page No.14 |
| Biologic | al Test Parameters | | | | |
| 6 | Total Plate Count | cfu/g | 8.2X10^2 | Not Specified | IS 5402: 2012 |
| 7 | Escherichia coli | cfu/g | <10 | Not Specified | IS 5887: Part 1: 1976 |
| 8 | Salmonella | /25g | Absent | Absent | IS 5887; Part 3: 1999 |

Remarks: The sample conforms to the FSSAI (Food Products Standards and Food Additives) Regulations 2011. specifications mentioned above and is fit for human consumption only as per the above tested parameters.

***End of Report**



Shiva Kant Dwivedi

G.M. (Quality & Technical)

Authorised Signatory

Neelima Gupta OIC-Microbiology

* Indicates Information supplied by the Customer for which the laboratory has no control.

lote: 1. Sample(s) not drawn by FRAC, unless specified.

Page No.1 of 1

The result listed refers only to tested sample(s) and applicable parameters. Endorsement of product is neither inferred nor implied. Sample(s) will be destroyed after fifteen days of the date of issue of test report unless otherwise specified, except for perishable sample which would be destroyed immediately after issuance of report.

Test report shall not be reproduced except in full, without written approval from FRAC.

This test report in full or in part shall not be used for advertising or legal action.

FRAC will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports.

This is a computer generated document with electronic signature hence does not require manual signature.

FRAC will ensure all corrective action as per our policy in case of any discrepancy in any sample tested, FRAC liability is limited to the amount charged against the testing of the sample. 32

Retesting charges will be applicable in case the results are reproducible.

Duplicate copy will be issued on chargeable basis.
 File No. DE.23(1056)/MDM/2025 (Computer No. 244966)





PLOT 2A, SECTOR-8, DWARKA, NEW DELHI-110077 Fax: 91-11-25360802 Tel: 91-11-45333500-510 E-mail: info@fraclabs.org, Website: www.fraclabs.org



TEST REPORT

*Issued To:

The Deputy Director of Education (PM-Poshan)

Directorate of education, government of NCT of Delhi ,Old Secretariat,Delhi-110054

ULR: TC527525000025338F

Rea. No

:FRAC/F/2510130117

*Your Ref. No

: TRF

*Letter/TRF Dated

: 13/10/2025

Date of Issue

21/10/2025

Date of Sample Recd. Date of Sampling

: 13/10/2025

Sample Condition

: 13/10/2025

: Satisfactory

*Sample Packing

: Sampling Nasco Bag

Date of Sample Booking

13/10/2025

Date of Start of Analysis

: 13/10/2025

21/10/2025

Date of Completion

*Sample Qty *Batch No

350gm

*Mfg. Date

Not Specified Not Specified

*Exp. Date

Not Specified

Specification Followed

Dal Chawal

*Sample Description:

Sampling Method

FRAC/SOP/CHEM-MICRO/016

Sample drawn by FRAC representative

Product Group

Food & Agricultural Products

*Name Of NPO

Sampled By

: Micro Education & Social Welfare Society

: FSSAI (Food Products Standards and Food Additives) Regulations

*Name Of School/Kitchen

: Kitchen/Khasra no.14/12, Deepak Vihar, Najafgarh Nangloi Road, Near Udasin Ashram, Delhi-110043

TEST RESULTS

| S.No. | Parameters | Unit | Result | Specification | Test Method |
|----------|---------------------|-----------|---|---------------|---|
| Chemic | al Test Parameters | | | | 7 |
| 1 | Fat | g/100g | 4.62 | Not Specified | IS 4684:1975 |
| 2 | Protein (N x 6.25) | g/100g | 4.96 | Not Specified | IS 7219:1973 |
| 3 | Total Carbohydrate | g/100g | 29.24 | Not Specified | IS 1656:2022 |
| 4 | Moisture | g/100g | 58.95 | Not Specified | IS 4684:1975 |
| 5 | Energy | Kcal/100g | 178.38 | Not Specified | FSSAI(LABELLING AND DISPLAY Reg, 2020 Page No.14 |
| Biologic | cal Test Parameters | | THE RESERVE TO SERVE | | |
| 6 | Total Plate Count | cfu/g | 1.5X10^3 | Not Specified | IS 5402: 2012 |
| 7 | Escherichia coli | cfu/g | <10 | Not Specified | IS 5887: Part 1: 1976 |
| 8 | Salmonella | /25g | Absent | Absent | IS 5887: Part 3: 1999 |

The sample conforms to the FSSAI (Food Products Standards and Food Additives) Regulations 2011, specifications mentioned above and is fit for human consumption only as per the above tested parameters

End of Report



Shiva Kant Dwivedi

G.M. (Quality & Technical)

Authorised Signatory

Neelima Gupta OIC-Microbiology

Page No.1 of 1

Indicates Information supplied by the Customer for which the laboratory has no control. Note: 1. Sample(s) not drawn by FRAC, unless specified.

The result listed refers only to tested sample(s) and applicable parameters. Endorsement of product is neither inferred nor implied Sample(s) will be destroyed after fifteen days of the date of issue of test report unless otherwise specified, except for perishable sample, which would be destroyed immediately after issuance of report.

Test report shall not be reproduced except in full, without written approval from FRAC.

This test report in full or in part shall not be used for advertising or legal action.

FRAC will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports. This is a computer generated document with electronic signature hence does not require manual signature.

FRAC will ensure all corrective action as per our policy in case of any discrepancy in any sample tested, FRAC liability is limited to the amount charged against the testing of the sample. the amount charged against the testing of the sample.

Retesting charges will be applicable in case the results are reproducible.

File No. DE.23(1056) MDM/2025 (Computer No. 244966) basis.





PLOT 2A, SECTOR-8, DWARKA, NEW DELHI-110077 Fax: 91-11-25360802 Tel: 91-11-45333500-510 E-mail: info@fraclabs.org, Website: www.fraclabs.org



TC-5275

TEST REPORT

*Issued To:

The Deputy Director of Education (PM-Poshan)

Directorate of education, government of NCT of Delhi ,Old Secretariat,Delhi-110054

ULR: TC527525000025759F

Reg. No

:FRAC/F/2510150172

*Your Ref. No.

: TRF

*Letter/TRF Dated

: 15/10/2025

Date of Issue

: 25/10/2025

Date of Sample Recd.

: 15/10/2025

Date of Sampling

: 15/10/2025

Sample Condition

: Satisfactory

*Sample Packing

: Sampling Nasco Bag

Date of Sample Booking

: 15/10/2025

Date of Start of Analysis

: 15/10/2025

Date of Completion

: 25/10/2025

*Sample Qty

: 350gm Not Specified

*Batch No *Mfg. Date

Not Specified

*Exp. Date

Not Specified

Specification Followed

Kadhi + Chawal

*Sample Description:

2011.

Sampling Method

: FRAC/SOP/CHEM-MICRO/016

Sampled By

: Sample drawn by FRAC representative

Product Group *Name of NPO : Food & Agricultural Products : Micro Education & Social Welfare Society

*Name of School/Kitchen

: Govt.Sarvodaya Kanya Vidyalaya Nilothi, Delhi-110041

: FSSAI (Food Products Standards and Food Additives) Regulations

*School ID

1617026

TEST RESULTS

| S.No. | Parameters | Unit | Result | Specification | Test Method |
|----------|--------------------|-----------|----------|---------------|---|
| Chemica | I Test Parameters | | | | |
| 1 | Fat | g/100g | 4.46 | Not Specified | IS 4684:1975 |
| 2 | Protein (N x 6.25) | g/100g | 5.31 | Not Specified | IS 7219:1973 |
| 3 | Total Carbohydrate | g/100g | 29.16 | Not Specified | IS 1656:2022 |
| 4 | Moisture | g/100g | 58.94 | Not Specified | IS 4684:1975 |
| 5 | Energy | Kcal/100g | 178.02 | Not Specified | FSSAI(LABELLING AND DISPLAY) Reg, 2020 Page No.14 |
| Biologic | al Test Parameters | | | | |
| 6 | Total Plate Count | cfu/g | 9.2X10^2 | Not Specified | IS 5402: 2012 |
| 7 | Escherichia coli | cfu/g | <10 | Not Specified | IS 5887: Part 1: 1976 |
| 8 | Salmonella | /25g | Absent | Absent | IS 5887: Part 3: 1999 |

Remarks: The sample conforms to the FSSAI (Food Products Standards and Food Additives) Regulations 2011. specifications mentioned above and is fit for human consumption only as per the above tested parameters.

***End of Report*



ote: 1.

Vishal Jhelum

Authorised Signatory

Neelima Gupta **OIC-Microbiology**

Page No.1 of 1

* Indicates Information supplied by the Customer for which the laboratory has no control.

Sample(s) not drawn by FRAC, unless specified.

The result listed refers only to tested sample(s) and applicable parameters. Endorsement of product is neither inferred nor implied. Sample(s) will be destroyed after fifteen days of the date of issue of test report unless otherwise specified, except for perishable sample,

which would be destroyed immediately after issuance of report.

Test report shall not be reproduced except in full, without written approval from FRAC.

This test report in full or in part shall not be used for advertising or legal action.

FRAC will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports.

This is a computer generated document with electronic signature hence does not require manual signature.

FRAC will ensure all corrective action as per our policy in case of any discrepancy in any sample tested, FRAC liability is limited to the amount charged against the testing of the sample. 34

Retesting charges will be applicable in case the results are reproducible.

File No. DE.23(1056)/MDM/2025 (Computer No. 244966)





PLOT 2A, SECTOR-8, DWARKA, NEW DELHI-110077 Fax: 91-11-25360802 Tel: 91-11-45333500-510 E-mail: info@fraclabs.org, Website: www.fraclabs.org



TEST REPORT

*Issued To:

The Deputy Director of Education (PM-Poshan)

Directorate of education, government of NCT of Delhi ,Old Secretariat,Delhi-110054

ULR: TC527525000026037F

Reg. No

:FRAC/F/2510210046

*Your Ref. No

:TRF

*Letter/TRF Dated

: 21/10/2025

Date of Issue

: 28/10/2025

Date of Sample Recd.

: 21/10/2025

Date of Sampling

: 21/10/2025

Sample Condition *Sample Packing

: Satisfactory Sampling Nasco Bag

Date of Sample Booking : 21/10/2025

Date of Start of Analysis

: 21/10/2025

Date of Completion

28/10/2025

*Sample Oty *Batch No

: 350gm Not Specified

*Mfg. Date

Not Specified

*Exp. Date

Not Specified

Specification Followed

*Sample Description:

Sampling Method

: FRAC/SOP/CHEM-MICRO/016

Sampled By

Veg Daliya

Sample drawn by FRAC representative

Product Group

: Food & Agricultural Products

*Name Of NPO

: Micro Education & Social Welfare Society

*Name Of School/Kitchen

: School Of Excellence Dwarka Sec-22, New Delhi -110077

: FSSAI (Food Products Standards and Food Additives) Regulations

*School ID

: 1821282

TEST RESULTS

| S.No. | Parameters | Unit | Result | Specification | Test Method |
|----------|---------------------|-----------|----------|--|---|
| Chemic | al Test Parameters | MA | | | |
| 1 | Fat | g/100g | 4.62 | Not Specified | IS 4684:1975 |
| 2 | Protein (N x 6.25) | g/100g | 6.55 | Not Specified | IS 7219:1973 |
| 3 | Total Carbohydrate | g/100g | 37.98 | Not Specified | FSSAI 01.067;2022 |
| 4 | Moisture | g/100g | 48.66 | Not Specified | IS 4684:1975 |
| 5 | Energy | Kcal/100g | 219.7 | Not Specified | FSSAI(LABELLING AND DISPLAY) Reg, 2020 Page No.14 |
| Biologic | cal Test Parameters | | THE ANN | A 19 19 19 19 19 19 19 19 19 19 19 19 19 | |
| 6 | Total Plate Count | cfu/g | 7.5X10^2 | Not Specified | IS 5402:2012 |
| 7 | Escherichia coli | cfu/g | <10 | Not Specified | IS 5887: Part 1: 1976 |
| 8 | Salmonella | /25g | Absent | Absent | IS 5887 Part 3: 1999 |

Remarks:

The sample conforms to the FSSAI (Food Products Standards and Food Additives) Regulations 2011, specifications mentioned above and is fit for human consumption only as per the above tested parameters.

***End of Report*



Neelima Gupta OIC-Microbiology Authorised Signatory

Anil Kumar TM -Chemical

* Indicates Information supplied by the Customer for which the laboratory has no control.

Page No.1 of 1

The result listed refers only to tested sample(s) and applicable parameters. Endorsement of product is neither inferred nor implied.

Sample(s) will be destroyed after fifteen days of the date of issue of test report unless otherwise specified, except for perishable sample. which would be destroyed immediately after issuance of report.

Test report shall not be reproduced except in full, without written approval from FRAC.

This test report in full or in part shall not be used for advertising or legal action.

FRAC will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports. This is a computer generated document with electronic signature hence does not require manual signature

FRAC will ensure all corrective action as per our policy in case of any discrepancy in any sample tested, FRAC liability is limited to the amount charged against the testing of the sample.

Retesting charges will be applicable in case the results are reproducible. 10. Duplicate copy will be issued on chargeable basis.

File No. DE.23(1056)/MDM/2025 (Computer No. 244966)

Note: 1. Sample(s) not drawn by FRAC, unless specified.

35

PLOT 2A, SECTOR-8, DWARKA, NEW DELHI-110077 Fax: 91-11-25360802 Tel: 91-11-45333500-510 E-mail: info@fraclabs.org, Website: www.fraclabs.org



TEST REPORT

*Issued To:

The Deputy Director of Education (PM-Poshan)

Directorate of education, government of NCT of Delhi ,Old Secretariat,Delhi-110054

ULR: TC527525000026041F

Reg. No

:FRAC/F/2510210050

*Your Ref. No

: TRF

*Letter/TRF Dated

: 21/10/2025

Date of Issue

: 28/10/2025

Date of Sample Recd.

: 21/10/2025

Date of Sampling

: 21/10/2025

Sample Condition

: Satisfactory

*Sample Packing Date of Sample Booking : Sampling Nasco Bag

Date of Start of Analysis

: 21/10/2025

: 21/10/2025

Date of Completion

28/10/2025

350gm

*Sample Qty *Barch No

Not Specified

*Mfg. Date

Not Specified

*Exp. Date

Not Specified

*Sample Description:

Halwa Chana

Specification Followed

2011

Sampling Method

FRAC/SOP/CHEM-MICRO/016

Sampled By

Sample drawn by FRAC representative Food & Agricultural Products

Product Group *Name Of NPO

: Moon Light

*Name Of School/Kitchen

: Govt Sarvodaya Kanya Vidyalaya Shiv Ram Park Nangloi

: FSSAI (Food Products Standards and Food Additives) Regulations

*School ID

: 1617222

TEST RESULTS

| S.No. | Parameters | Unit | Result | Specification | Test Method |
|----------|--------------------|------------|------------|------------------------|---|
| Chemic | al Test Parameters | The second | | - | |
| 1 | Fat | g/100g | 4.91 | Not Specified | IS 4684:1975 |
| 2 | Protein (N x 6.25) | g/100g | 6.49 | Not Specified | IS 7219:1973 |
| 3 | Total Carbohydrate | g/100g | 37.45 | Not Specified | FSSAI 01.067:2022 |
| 4 | Moisture | g/100g | 48.96 | Not Specified | IS 4684:1975 |
| 5 | Energy | Kcal/100g | 219.95 | Not Specified | FSSAI(LABELLING AND DISPLAY Reg, 2020 Page No.14 |
| Biologic | al Test Parameters | | Sim. Alle. | AND THE REAL PROPERTY. | |
| 6 | Total Plate Count | cfu/g | 7.3X10^2 | Not Specified | IS 5402:2012 |
| 7 | Escherichia coli | cfu/g | <10 | Not Specified | IS 5887: Part 1: 1976 |
| 8 | Salmonella | /25g | Absent | Absent | IS 5887 Part 3: 1999 |

The sample conforms to the FSSAI (Food Products Standards and Food Additives) Regulations 2011. specifications mentioned above and is fit for human Remarks: consumption only as per the above tested parameters.

***End of Report**



Neelima Gupta OIC-Microbiology Authorised Signatory

Anil Kumar

Page No.1 of 1

TM -Chemical

* Indicates Information supplied by the Customer for which the laboratory has no control.

Note: 1. Sample(s) not drawn by FRAC, unless specified.

The result listed refers only to tested sample(s) and applicable parameters. Endorsement of product is neither inferred nor implied.

Sample(s) will be destroyed after fifteen days of the date of issue of test report unless otherwise specified, except for perishable sample, which would be destroyed immediately after issuance of report.

Test report shall not be reproduced except in full, without written approval from FRAC.

This test report in full or in part shall not be used for advertising or legal action.

FRAC will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports.

This is a computer generated document with electronic signature hence does not require manual signature.

FRAC will ensure all corrective action as per our policy in case of any discrepancy in any sample tested, FRAC liability is limited to the amount charged against the testing of the sample. 36

Retesting charges will be applicable in case the results are reproducible. Duplicate copy will be issued on chargeable basis.

File No. DE.23(1056)/MDM/2025 (Computer No. 244966)



2510210050-1



PLOT 2A, SECTOR-8, DWARKA, NEW DELHI-110077 Fax: 91-11-25360802 Tel: 91-11-45333500-510 E-mail: info@fraclabs.org, Website: www.fraclabs.org



TEST REPORT

*Issued To:

The Deputy Director of Education (PM-Poshan)

Directorate of education, government of NCT of Delhi ,Old Secretariat,Delhi-110054

ULR: TC527525000025578F

Reg. No

:FRAC/F/2510140232

*Your Ref. No

:TRF

*Letter/TRF Dated

: 14/10/2025

Date of Issue

22/10/2025

Date of Sample Recd.

: 14/10/2025

Date of Sampling

: 14/10/2025

Sample Condition

: Satisfactory

*Sample Packing

Sampling Nasco Bag

Date of Sample Booking Date of Start of Analysis

14/10/2025

: 14/10/2025

Not Specified

Not Specified

Not Specified

Date of Completion

: 22/10/2025

*Sample Otv *Batch No

*Mfg. Date

*Exp. Date

350gm

2011

Sampling Method

FRAC/SOP/CHEM-MICRO/016

Sampled By

Halwa Chana Specification Followed

*Sample Description:

Sample drawn by FRAC representative

Product Group

Food & Agricultural Products

*Name Of NPO

: Moon Light

*Name Of School/Kitchen

: Kitchen/Plot no.C-6 & C-5, Kavita Colony, Nangloi, Delhi-110041

: FSSAI (Food Products Standards and Food Additives) Regulations

TEST RESULTS

| S.No. | Parameters | Unit | Result | Specification | Test Method |
|----------|--------------------|----------------------|-----------|---------------|---|
| Chemic | al Test Parameters | Tight and the second | | | |
| 1 | Fat | g/100g | 4.88 | Not Specified | IS 4684:1975 |
| 2 | Protein (N x 6.25) | g/100g | 6.55 | Not Specified | IS 7219:1973 |
| 3 | Total Carbohydrate | g/100g | 37.45 | Not Specified | FSSAI 01.067:2022 |
| 4 | Moisture | g/100g | 48.96 | Not Specified | IS 4684:1975 |
| 5 | Energy | Kcal/100g | 219.92 | Not Specified | FSSAI(LABELLING AND DISPLAY) Reg, 2020 Page No.14 |
| Biologic | al Test Parameters | | THE PARTY | | |
| 6 | Total Plate Count | cfu/g | 1.0X10^3 | Not Specified | IS 5402: 2012 |
| 7 | Escherichia coli | cfu/g | <10 | Not Specified | IS 5887: Part 1: 1976 |
| 8 | Salmonella | /25g | Absent | Absent | IS 5887: Part 3: 1999 |

The sample conforms to the FSSAI (Food Products Standards and Food Additives) Regulations 2011, specifications mentioned above and is fit for human consumption only as per the above tested parameters.

End of Report



Shiva Kant Dwivedi

G.M. (Quality & Technical)

Authorised Signatory

Neelima Gupta **OIC-Microbiology**

Page No.1 of 1

* Indicates Information supplied by the Customer for which the laboratory has no control.

Note: 1. Sample(s) not drawn by FRAC, unless specified.

The result listed refers only to tested sample(s) and applicable parameters. Endorsement of product is neither inferred nor implied.

Sample(s) will be destroyed after fifteen days of the date of issue of test report unless otherwise specified, except for perishable sample, which would be destroyed immediately after issuance of report.

Test report shall not be reproduced except in full, without written approval from FRAC.

This test report in full or in part shall not be used for advertising or legal action.

6. FRAC will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports.

This is a computer generated document with electronic signature hence does not require manual signature.

FRAC will ensure all corrective action as per our policy in case of any discrepancy in any sample tested, FRAC liability is limited to the amount charged against the testing of the sample 37

Retesting charges will be applicable in case the results are reproducible. 10. Duplicate copy will be issued on chargeable basis. File No. DE.23(1056)/MDM/2025 (Computer No. 244966)





PLOT 2A, SECTOR-8, DWARKA, NEW DELHI-110077 Fax: 91-11-25360802 Tel: 91-11-45333500-510 E-mail: info@fraclabs.org, Website: www.fraclabs.org



TEST REPORT

*Issued To:

The Deputy Director of Education (PM-Poshan)

Directorate of education, government of NCT of Delhi ,Old Secretariat,Delhi-110054

ULR: TC527525000025760F

Reg. No

:FRAC/F/2510150173

*Your Ref. No

:TRF

*Letter/TRF Dated

: 15/10/2025

Date of Issue

: 25/10/2025

Date of Sample Recd.

: 15/10/2025

Date of Sampling

15/10/2025

Sample Condition

: Satisfactory

*Sample Packing

: Sampling Nasco Bag

Date of Sample Booking : 15/10/2025

Date of Start of Analysis

: 15/10/2025

Date of Completion

: 25/10/2025

350gm

*Sample Qty *Batch No

Not Specified

*Mfg. Date *Exp. Date

Not Specified Not Specified

Sampled By Product Group

Sampling Method

*Sample Description:

Kadhi + Chawai Specification Followed

> : FRAC/SOP/CHEM-MICRO/016 : Sample drawn by FRAC representative

: FSSAI (Food Products Standards and Food Additives) Regulations

: Food & Agricultural Products

*Name of NPO

: Moon Light

2011.

*Name of School/Kitchen

: GSKV Ranhaula Delhi-110041

*School ID

: 1617005

TEST RESULTS

| S.No. | Parameters | Unit | Result | Specification | Test Method |
|----------|--------------------|-----------|----------|---------------|--|
| Chemica | al Test Parameters | | | | |
| 1 | Fat | g/100g | 4.52 | Not Specified | IS 4684:1975 |
| 2 | Protein (N x 6.25) | g/100g | 5.38 | Not Specified | IS 7219:1973 |
| 3 | Total Carbohydrate | g/100g | 28.69 | Not Specified | IS 1656:2022 |
| 4 | Moisture | g/100g | 59.24 | Not Specified | IS 4684:1975 |
| 5 | Energy | Kcal/100g | 176.96 | Not Specified | FSSAI(LABELLING AND DISPLAY) Reg, 2020 Page No.14 |
| Biologic | al Test Parameters | | | | |
| 6 | Total Plate Count | cfu/g | 1.2X10^3 | Not Specified | IS 5402: 2012 |
| 7 | Escherichia coli | cfu/g | <10 | Not Specified | IS 5887: Part 1: 1976 |
| 8 | Salmonella | /25g | Absent | Absent | IS 5887: Part 3: 1999 |

Remarks:

The sample conforms to the FSSAI (Food Products Standards and Food Additives) Regulations 2011. specifications mentioned above and is fit for human consumption only as per the above tested parameters.

***End of Report*



Vishal Jhelum **DGM-Instrument** * Indicates Information supplied by the Customer for which the laboratory has no control. Authorised Signatory

Neelima Gupta **OIC-Microbiology**

Page No.1 of 1

ote: 1. Sample(s) not drawn by FRAC, unless specified.

The result listed refers only to tested sample(s) and applicable parameters. Endorsement of product is neither inferred nor implied.

Sample(s) will be destroyed after fifteen days of the date of issue of test report unless otherwise specified, except for perishable sample, which would be destroyed immediately after issuance of report.

Test report shall not be reproduced except in full, without written approval from FRAC.

This test report in full or in part shall not be used for advertising or legal action.

FRAC will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports.

This is a computer generated document with electronic signature hence does not require manual signature.

FRAC will ensure all corrective action as per our policy in case of any discrepancy in any sample tested, FRAC liability is limited to 8. the amount charged against the testing of the sample. 38

Retesting charges will be applicable in case the results are reproducible.

File No. DE.23(1056)/MDM/2025 (Computer No. 244966) basis.





PLOT 2A, SECTOR-8, DWARKA, NEW DELHI-110077 Fax: 91-11-25360802 Tel: 91-11-45333500-510 E-mail: info@fraclabs.org, Website: www.fraclabs.org



TEST REPORT

*Issued To:

The Deputy Director of Education (PM-Poshan)

Directorate of education, government of NCT of Delhi ,Old Secretariat,Delhi-110054

ULR: TC527525000026638F

Reg. No

:FRAC/F/2510290076

*Your Ref. No

: TRF

*Letter/TRF Dated

: 29/10/2025

Date of Issue

Date of Sample Recd.

: 05/11/2025

Date of Sampling

: 29/10/2025

: 29/10/2025

Sample Condition *Sample Packing

: Satisfactory : Sampling Nasco Bag

Date of Sample Booking

: 29/10/2025

Date of Start of Analysis

: 29/10/2025

Date of Completion

: 05/11/2025

: 350gm

*Sample Qtv *Batch No

Not Specified

*Mfg. Date

Not Specified

*Exp. Date

: Not Specified

Sampling Method

Kadhi Chawal Specification Followed

FRAC/SOP/CHEM-MICRO/016

Sampled By

*Sample Description:

Sample drawn by FRAC representative

Product Group *Name Of NPO

Food & Agricultural Products : Moon Light

2011

*Name Of School/Kitchen

GGSSS No.1 Madipur New Delhi-110063

FSSAI (Food Products Standards and Food Additives) Regulations

*School ID

1515028

TEST RESULTS

| S.No. | Parameters | Unit | Result | Specification | Test Method |
|----------|--------------------|-----------|----------|---------------|---|
| Chemica | I Test Parameters | | | | |
| 1 | Fat | g/100g | 4.46 | Not Specified | IS 4684:1975 |
| 2 | Protein (N x 6.25) | g/100g | 5.07 | Nct Specified | IS 7219:1973 |
| 3 | Total Carbohydrate | g/100g | 29.18 | Nct Specified | IS 1656:2022 |
| 4 | Moisture | g/100g | 59.06 | Nct Specified | IS 4684:1975 |
| 5 | Energy | Kcal/100g | 177.14 | Nct Specified | FSSAI(LABELLING AND DISPLAY Reg, 2020 Page No.14 |
| Biologic | al Test Parameters | | TO All | | |
| 6 | Total Plate Count | cfu/g | 1.1X10^3 | Nct Specified | IS 5402: 2012 |
| 7 | Escherichia coli | cfu/g | <10 | Nct Specified | IS 5887: Part 1: 1976 |
| 8 | Salmonella | /25g | Absent | Absent | IS 5887: Part 3: 1999 |

The sample conforms to the FSSAI (Food Products Standards and Food Additives) Regulations 2011, specifications mentioned above and is fit for human consumption only as per the above tested parameters.

End of Report



OIC-Microbiology

Authorised Signatory

Anil Kumar TM -Chemical

* Indicates Information supplied by the Customer for which the laboratory has no control.

Page No.1 of 1

Sample(s) not drawn by FRAC, unless specified.

The result listed refers only to tested sample(s) and applicable parameters. Endorsement of product is neither inferred nor implied.

Sample(s) will be destroyed after fifteen days of the date of issue of test report unless otherwise specified, except for perishable sample which would be destroyed immediately after issuance of report.

Test report shall not be reproduced except in full, without written approval from FRAC. This test report in full or in part shall not be used for advertising or legal action.


FRAC will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports.

This is a computer generated document with electronic signature hence does not require manual signature.

FRAC will ensure all corrective action as per our policy in case of any discrepancy in any sample tested, FRAC liability is limited to the amount charged against the testing of the sample. 39

Retesting charges will be applicable in case the results are reproducible.

10. Duplicate copy will be issued on chargeable basis. File No. DE.23(1056)/MDM/2025 (Computer No. 244966)





PLOT 2A, SECTOR-8, DWARKA, NEW DELHI-110077 Fax: 91-11-25360802 Tel: 91-11-45333500-510 E-mail: info@fraclabs.org, Website: www.fraclabs.org



TEST REPORT

*Issued To:

The Deputy Director of Education (PM-Poshan)

Directorate of education, government of NCT of Delhi ,Old Secretariat,Delhi-110054

ULR: TC527525000025757F

Reg. No

:FRAC/F/2510150170

*Your Ref. No

:TRF

*Letter/TRF Dated

: 15/10/2025

Date of Issue

: 25/10/2025

Date of Sample Recd.

: 15/10/2025

Date of Sampling

: 15/10/2025

Sample Condition

: Satisfactory

*Sample Packing

: Sampling Nasco Bag

Date of Sample Booking Date of Start of Analysis : 15/10/2025

: 15/10/2025

: 25/10/2025

Date of Completion

350gm

*Sample Qtv *Batch No

Not Specified

*Mfg. Date *Exp. Date

Not Specified : Not Specified

Sampled By

: FRAC/SOP/CHEM-MICRO/016 : Sample drawn by FRAC representative

: Nav Prayas

2011.

Product Group *Name of NPO

Sampling Method

*Sample Description: Chhole + Chawal

Specification Followed

: Food & Agricultural Products

*Name of School/Kitchen

: G.G.S.S.S. Nangli Sakrawati New Delhi-110043

: FSSAI (Food Products Standards and Food Additives) Regulations

*School ID

1822245

TEST RESULTS

| S.No. | Parameters | Unit | Result | Specification | Test Method |
|----------|--------------------|-----------|----------|---------------|--|
| Chemica | al Test Parameters | | | | |
| 1 | Fat | g/100g | 4.51 | Not Specified | IS 4684:1975 |
| 2 | Protein (N x 6.25) | g/100g | 4.98 | Not Specified | IS 7219:1973 |
| 3 | Total Carbohydrate | g/100g | 29.44 | Not Specified | IS 1656:2022 |
| 4 | Moisture | g/100g | 58.86 | Not Specified | IS 4684:1975 |
| 5 | Energy | Kcal/100g | 178.27 | Not Specified | FSSAI(LABELLING AND DISPLAY) Reg, 2020 Page No.14 |
| Biologic | al Test Parameters | | | | |
| 6 | Total Plate Count | cfu/g | 1.0X10^3 | Not Specified | IS 5402: 2012 |
| 7 | Escherichia coli | cfu/g | <10 | Not Specified | IS 5887; Part 1: 1976 |
| 8 | Salmonella | /25g | Absent | Absent | IS 5887; Part 3: 1999 |

Remarks: The sample conforms to the FSSAI (Food Products Standards and Food Additives) Regulations 2011. specifications mentioned above and is fit for human consumption only as per the above tested parameters.

***End of Report**



Vishal Jhelum **DGM-Instrument** **Authorised Signatory**

Neelima Gupta OIC-Microbiology

Page No.1 of 1

* Indicates Information supplied by the Customer for which the laboratory has no control.

lote: 1. Sample(s) not drawn by FRAC, unless specified.

The result listed refers only to tested sample(s) and applicable parameters. Endorsement of product is neither inferred nor implied. Sample(s) will be destroyed after fifteen days of the date of issue of test report unless otherwise specified, except for perishable sample, which would be destroyed immediately after issuance of report.

Test report shall not be reproduced except in full, without written approval from FRAC.

This test report in full or in part shall not be used for advertising or legal action.

FRAC will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports.

This is a computer generated document with electronic signature hence does not require manual signature.

FRAC will ensure all corrective action as per our policy in case of any discrepancy in any sample tested, FRAC liability is limited to the amount charged against the testing of the sample. 40

Retesting charges will be applicable in case the results are reproducible.

10. Duplicate copy will be issued on chargeable basis. File No. DE.23(1056)/MDM/2025 (Computer No. 244966)





PLOT 2A, SECTOR-8, DWARKA, NEW DELHI-110077 Fax: 91-11-25360802 Tel: 91-11-45333500-510 E-mail: info@fraclabs.org, Website: www.fraclabs.org



TC-5275

TEST REPORT

*Issued To:

The Deputy Director of Education (PM-Poshan)

Directorate of education, government of NCT of Delhi ,Old Secretariat,Delhi-110054

ULR: TC527525000025582F

Rec. No

:FRAC/F/2510140236

*Your Ref. No

: TRF

*Letter/TRF Dated

: 14/10/2025

Date of Issue

: 22/10/2025

Date of Sample Recd.

: 14/10/2025

Date of Sampling

: 14/10/2025

Sample Condition

: Satisfactory

*Sample Packing

: Sampling Nasco Bag

Date of Sample Booking : 14/10/2025

Date of Start of Analysis : 14/10/2025

Date of Completion

22/10/2025

*Sample Qtv

350gm

*Batch No

Not Specified

*Mfg. Date *Exp. Date Not Specified Not Specified

Sampling Method Sampled By

: FRAC/SOP/CHEM-MICRO/016

Halwa Chana Specification Followed

Sample drawn by FRAC representative

Product Group *Name Of NPO : Food & Agricultural Products

*Sample Description:

: GGSSS Dichaon Kalan New Delhi 110043

: FSSAI (Food Products Standards and Food Additives) Regulations

*Name Of School/Kitchen *School ID

: 1822050

: Nav Prayas

2011.

TEST RESULTS

| S.No. | Parameters | Unit | Result | Specification | Test Method |
|----------|--------------------|-----------|-------------|---------------|---|
| Chemic | al Test Parameters | | | | |
| 1 | Fat | g/100g | 4.85 | Not Specified | IS 4684:1975 |
| 2 | Protein (N x 6.25) | g/100g | 6.51 | Not Specified | IS 7219:1973 |
| 3 | Total Carbohydrate | g/100g | 37.52 | Not Specified | FSSAI 01.067:2022 |
| 4 | Moisture | g/100g | 48.91 | Not Specified | IS 4684:1975 |
| 5 | Energy | Kcal/100g | 219.77 | Not Specified | FSSAI(LABELLING AND DISPLAY Reg, 2020 Page No.14 |
| Biologic | al Test Parameters | | The AMERICA | ASS TO LAND | |
| 6 | Total Plate Count | cfu/g | 7.9X10^2 | Not Specified | IS 5402: 2012 |
| 7 | Escherichia coli | cfu/g | <10 | Not Specified | IS 5887: Part 1: 1976 |
| 8 | Salmonella | /25g | Absent | Absent | IS 5887: Part 3: 1999 |

The sample conforms to the FSSAI (Food Products Standards and Food Additives) Regulations 2011. specifications mentioned above and is fit for human Remarks: consumption only as per the above tested parameters.

***End of Report**



Shiva Kant Dwivedi

G.M. (Quality & Technical)

Authorised Signatory

Neelima Gupta OIC-Microbiology

* Indicates Information supplied by the Customer for which the laboratory has no control.

lote: 1. Sample(s) not drawn by FRAC, unless specified. Page No.1 of 1

The result listed refers only to tested sample(s) and applicable parameters. Endorsement of product is neither inferred nor implied. Sample(s) will be destroyed after fifteen days of the date of issue of test report unless otherwise specified, except for perishable sample, which would be destroyed immediately after issuance of report.

Test report shall not be reproduced except in full, without written approval from FRAC.

This test report in full or in part shall not be used for advertising or legal action.

FRAC will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports.

This is a computer generated document with electronic signature hence does not require manual signature.

FRAC will ensure all corrective action as per our policy in case of any discrepancy in any sample tested, FRAC liability is limited to the amount charged against the testing of the sample. 41

Retesting charges will be applicable in case the results are reproducible. 10. Duplicate copy will be issued on chargeable basis. File No. DE.23(1056)/MDM/2025 (Computer No. 244966)





PLOT 2A, SECTOR-8, DWARKA, NEW DELHI-110077 Fax: 91-11-25360802 Tel: 91-11-45333500-510 E-mail: info@fraclabs.org, Website: www.fraclabs.org



TEST REPORT

*Issued To:

The Deputy Director of Education (PM-Poshan)

Directorate of education, government of NCT of Delhi ,Old Secretariat,Delhi-110054

ULR: TC527525000025334F

Reg. No.

:FRAC/F/2510130113

*Your Ref. No

: TRF

*Letter/TRF Dated

: 13/10/2025

Date of Issue

21/10/2025

Date of Sample Recd.

: 13/10/2025

Date of Sampling

: 13/10/2025

Sample Condition

: Satisfactory

*Sample Packing

Sampling Nasco Bag

Date of Sample Booking

13/10/2025

Date of Start of Analysis

: 13/10/2025

Date of Completion

21/10/2025

*Sample Qtv

350gm

*Batch No *Mfg. Date *Exp. Date Not Specified

Not Specified Not Specified

Sampled By Product Group

Kadhi Chawal Specification Followed

Sample drawn by FRAC representative

FRAC/SOP/CHEM-MICRO/016

: FSSAI (Food Products Standards and Food Additives) Regulations

*Name Of NPO

Sampling Method

*Sample Description:

Food & Agricultural Products

: Nav Prayas

*Name Of School/Kitchen

: Kitchen/Khasra no.11/8/2, Akash Vihar, Near Bakkarwala Choki, Nangloi Na afgarh Road, New Delhi-110041

TEST RESULTS

| S.No. | Parameters | Unit | Result | Specification | Test Method |
|----------|---------------------|-----------|----------|---------------|---|
| Chemic | al Test Parameters | - to | | | |
| 1 | Fat | g/100g | 4.52 | Not Specified | IS 4684:1975 |
| 2 | Protein (N x 6.25) | g/100g | 5.06 | Not Specified | IS 7219:1973 |
| 3 | Total Carbohydrate | g/100g | 29.19 | Not Specified | IS 1656:2022 |
| 4 | Moisture | g/100g | 59.02 | Not Specified | IS 4684:1975 |
| 5 | Energy | Kcal/100g | 177.68 | Not Specified | FSSAI(LABELLING AND DISPLAY Reg, 2020 Page No.14 |
| Biologic | cal Test Parameters | | TO AND | | |
| 6 | Total Plate Count | cfu/g | 9.9X10^2 | Not Specified | IS 5402: 2012 |
| 7 | Escherichia coli | cfu/g | <10 | Not Specified | IS 5887: Part 1: 1976 |
| 8 | Salmonella | /25g | Absent | Absent | IS 5887: Part 3: 1999 |

The sample conforms to the FSSAI (Food Products Standards and Food Additives) Regulations 2011, specifications mentioned above and is fit for human Remarks: consumption only as per the above tested parameters.

End of Report



Shiva Kant Dwivedi

G.M. (Quality & Technical)

Authorised Signatory

Neelima Gupta OIC-Microbiology

* Indicates Information supplied by the Customer for which the laboratory has no control. Note: 1. Sample(s) not drawn by FRAC, unless specified.

Page No.1 of 1 The result listed refers only to tested sample(s) and applicable parameters. Endorsement of product is neither inferred nor implied.

Sample(s) will be destroyed after fifteen days of the date of issue of test report unless otherwise specified, except for perishable sample, which would be destroyed immediately after issuance of report.

Test report shall not be reproduced except in full, without written approval from FRAC.

This test report in full or in part shall not be used for advertising or legal action.

FRAC will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports.


This is a computer generated document with electronic signature hence does not require manual signature.

FRAC will ensure all corrective action as per our policy in case of any discrepancy in any sample tested, FRAC liability is limited to

the amount charged against the testing of the sample. 42

Retesting charges will be applicable in case the results are reproducible.

10. Duplicate copy will be issued on chargeable basis. File No. DE:23(1056)/MDM/2025 (Computer No. 244966)





RESEARCH & ANALYSIS CENTRE

PLOT 2A, SECTOR-8, DWARKA, NEW DELHI-110077 Fax: 91-11-25360802 Tel: 91-11-45333500-510 E-mail: info@fraclabs.org, Website: www.fraclabs.org



TEST REPORT

*Issued To:

The Deputy Director of Education (PM-Poshan)

Directorate of education, government of NCT of Delhi ,Old Secretariat,Delhi-110054

ULR: TC527525000025799F

Reg. No

:FRAC/F/2510160024

*Your Ref. No

:TRF

*Letter/TRF Dated

: 16/10/2025

Date of Issue

Date of Sample Recd.

: 25/10/2025 : 16/10/2025

Date of Sampling

: 16/10/2025

Sample Condition

: Satisfactory

*Sample Packing

Sampling Nasco Bag

Date of Sample Booking Date of Start of Analysis : 16/10/2025

16/10/2025

Date of Completion

: 25/10/2025

*Sample Qty

: 350gm

*Batch No

Not Specified

*Mfg. Date *Exp. Date

Not Specified Not Specified

Sampled By Product Group : Sample drawn by FRAC representative

Sampling Method

*Sample Description: Veg Daliya

Specification Followed

: Food & Agricultural Products

: FRAC/SOP/CHEM-MICRO/016

*Name of NPO

: Nav Prayas

*Name of School/Kitchen

: Govt. Co-Ed Sarvodaya Vidyalaya Dichaon Kalan, New Delhi-110043

: FSSAI (Food Products Standards and Food Additives) Regulations

*School Id

: 1822262

TEST RESULTS

| S.No. | Parameters | Unit | Result | Specification | Test Method |
|----------|--------------------|-----------|----------|---------------|--|
| Chemica | al Test Parameters | | | | |
| 1 | Fat | g/100g | 4.63 | Not Specified | IS 4684:1975 |
| 2 | Protein (N x 6.25) | g/100g | 6.61 | Not Specified | IS 7219:1973 |
| 2 | Total Carbohydrate | g/100g | 37.84 | Not Specified | FSSAI 01.067:2022 |
| 3 | | g/100g | 48.66 | Not Specified | IS 4684:1975 |
| 5 | Moisture Energy | Kcal/100g | 219.47 | Not Specified | FSSAI(LABELLING AND DISPLAY) Reg, 2020 Page No.14 |
| Biologic | al Test Parameters | | | | |
| 6 | Total Plate Count | cfu/g | 7.6X10^2 | Not Specified | IS 5402: 2012 |
| 7 | Escherichia coli | cfu/g | <10 | Not Specified | IS 5887: Part 1: 1976 |
| 8 | Salmonella | /25g | Absent | Absent | IS 5887; Part 3: 1999 |

Remarks: The sample conforms to the FSSAI (Food Products Standards and Food Additives) Regulations 2011. specifications mentioned above and is fit for human consumption only as per the above tested parameters.

***End of Report*



lote: 1.

DGM-Instrument

Authorised Signatory

Neelima Gupta **OIC-Microbiology**

Page No.1 of 1

* Indicates Information supplied by the Customer for which the laboratory has no control.

Sample(s) not drawn by FRAC, unless specified.

The result listed refers only to tested sample(s) and applicable parameters. Endorsement of product is neither inferred nor implied.

Sample(s) will be destroyed after fifteen days of the date of issue of test report unless otherwise specified, except for perishable sample, which would be destroyed immediately after issuance of report.

Test report shall not be reproduced except in full, without written approval from FRAC.

This test report in full or in part shall not be used for advertising or legal action.

FRAC will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports.

This is a computer generated document with electronic signature hence does not require manual signature.

FRAC will ensure all corrective action as per our policy in case of any discrepancy in any sample tested, FRAC liability is limited to the amount charged against the testing of the sample.

Retesting charges will be applicable in case the results are reproducible. Duplicate copy will be issued on chargeable basis.

File No. DE.23(1056)/MDM/2025 (Computer No. 244966)

Generated from eOffice by RAJESH KUMAR, PMP/MDM(ASO)-RAJESH, ASSISTANT SECTION OFFICER, EDUCATION DIRECTORATE on 01/12/2025 11:52 am



2510160024-1



PLOT 2A, SECTOR-8, DWARKA, NEW DELHI-110077 Fax: 91-11-25360802 Tel: 91-11-45333500-510 E-mail: info@fraclabs.org, Website: www.fraclabs.org



TEST REPORT

*Issued To:

The Deputy Director of Education (PM-Poshan)

Directorate of education, government of NCT of Delhi ,Old Secretariat,Delhi-110054

ULR: TC527525000025800F

Reg. No

:FRAC/F/2510160025

*Your Ref. No

: TRF

*Letter/TRF Dated

: 16/10/2025

Date of Issue

: 25/10/2025

Date of Sample Recd.

: 16/10/2025

Date of Sampling

: 16/10/2025

Sample Condition

: Satisfactory

*Sample Packing

Sampling Nasco Bag

Date of Sample Booking Date of Start of Analysis

: 16/10/2025

: 16/10/2025

Date of Completion

: 25/10/2025

: 350gm

*Sample Qty *Batch No

· Not Specified

*Mfg. Date *Exp. Date

Not Specified : Not Specified

Sampled By Product Group

Sampling Method

Veg Daliya

: FRAC/SOP/CHEM-MICRO/016 : Sample drawn by FRAC representative

: Food & Agricultural Products

*Name of NPO

*Sample Description:

Specification Followed

: Poorvanchal Samaj Sewa Samiti

*Name of School/Kitchen

: Kerala Sr. Sec. School (Govt. Aided) M-Block, Vikaspuri New Delhi-110018

: FSSAI (Food Products Standards and Food Additives) Regulations

*School Id

TEST RESULTS

| S.No. | Parameters | Unit | Result | Specification | Test Method |
|----------|--------------------|-----------|----------|---------------|---|
| Chemica | al Test Parameters | | | | |
| 1 | Fat | g/100g | 4.52 | Not Specified | IS 4684:1975 |
| 2 | Protein (N x 6.25) | g/100g | 6.69 | Not Specified | IS 7219:1973 |
| 3 | Total Carbohydrate | g/100g | 39.22 | Not Specified | FSSAI 01.067:2022 |
| 4 | Moisture | g/100g | 47.34 | Not Specified | IS 4684:1975 |
| 5 | Energy | Kcal/100g | 224.32 | Not Specified | FSSAI(LABELLING AND DISPLAY Reg, 2020 Page No.14 |
| Biologic | al Test Parameters | | | | |
| 6 | Total Plate Count | cfu/g | 7.9X10^2 | Not Specified | IS 5402: 2012 |
| 7 | Escherichia coli | cfu/g | <10 | Not Specified | IS 5887: Part 1: 1976 |
| 8 | Salmonella | /25g | Absent | Absent | IS 5887: Part 3: 1999 |

The sample conforms to the FSSAI (Food Products Standards and Food Additives) Regulations 2011. specifications mentioned above and is fit for human consumption only as per the above tested parameters.

***Fnd of Report*



DGM-Instrument

Authorised Signatory

Neelima Gupta **OIC-Microbiology**

Page No.1 of 1

Sample(s) not drawn by FRAC, unless specified.

ote: 1. The result listed refers only to tested sample(s) and applicable parameters. Endorsement of product is neither inferred nor implied.

Sample(s) will be destroyed after fifteen days of the date of issue of test report unless otherwise specified, except for perishable sample, which would be destroyed immediately after issuance of report.

Test report shall not be reproduced except in full, without written approval from FRAC. This test report in full or in part shall not be used for advertising or legal action.

* Indicates Information supplied by the Customer for which the laboratory has no control.

FRAC will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports.


This is a computer generated document with electronic signature hence does not require manual signature.

FRAC will ensure all corrective action as per our policy in case of any discrepancy in any sample tested, FRAC liability is limited to the amount charged against the testing of the sample

Retesting charges will be applicable in case the results are reproducible. 10. Duplicate copy will be issued on chargeable basis. File No. DE.23(1056)/MDM/2025 (Computer No. 244966)







PLOT 2A, SECTOR-8, DWARKA, NEW DELHI-110077 Fax: 91-11-25360802 Tel: 91-11-45333500-510 E-mail: info@fraclabs.org, Website: www.fraclabs.org



TEST REPORT

*Issued To:

The Deputy Director of Education (PM-Poshan)

Directorate of education, government of NCT of Delhi ,Old Secretariat,Delhi-110054

ULR: TC527525000026636F

Reg. No

:FRAC/F/2510290074

*Your Ref. No

:TRF

*Letter/TRF Dated

: 29/10/2025

Date of Issue

: 05/11/2025

Date of Sample Recd.

: 29/10/2025

Date of Sampling

29/10/2025

Sample Condition

: Satisfactory

*Sample Packing

: Sampling Nasco Bag

Date of Sample Booking : 29/10/2025 Date of Start of Analysis

: 29/10/2025

Date of Completion

: 05/11/2025

: 350am

*Sample Qty *Batch No

Not Specified

*Mfg. Date *Exp. Date

Not Specified : Not Specified

Sample drawn by FRAC representative Food & Agricultural Products

FRAC/SOP/CHEM-MICRO/016

*Name Of NPO

Sampling Method

*Sample Description:

Specification Followed

Chole Chawal

Poorvanchal Samaj Sewa Sangh

*Name Of School/Kitchen

Govt Co-Ed Sr.Sec. School B-3 Paschim Vihar New Delhi-110063

FSSAI (Food Products Standards and Food Additives) Regulations

*School ID

Sampled By

Product Group

TEST RESULTS

| S.No. | Parameters | Unit | Result | Specification | Test Method |
|----------|--------------------|-----------|----------|---------------|--|
| Chemic | al Test Parameters | | | | |
| 1 | Fat | g/100g | 4.58 | Not Specified | IS 4684:1975 |
| 2 | Protein (N x 6.25) | g/100g | 4.95 | Not Specified | IS 7219:1973 |
| 3 | Total Carbohydrate | g/100g | 29.31 | Not Specified | IS 1656:2022 |
| 4 | Moisture | g/100g | 58.97 | Not Specified | IS 4684:1975 |
| 5 | Energy | Kcal/100g | 178.26 | Not Specified | FSSAI(LABELLING AND DISPLAY) Reg, 2020 Page No.14 |
| Biologic | al Test Parameters | | The Alle | | |
| 6 | Total Plate Count | cfu/g | 1.2X10^3 | Not Specified | IS 5402: 2012 |
| 7 | Escherichia coli | cfu/g | <10 | Not Specified | IS 5887: Part 1: 1976 |
| 8 | Salmonella | /25g | Absent | Absent | IS 5887: Part 3: 1999 |

Remarks: The sample conforms to the FSSAI (Food Products Standards and Food Additives) Regulations 2011, specifications mentioned above and is fit for human consumption only as per the above tested parameters.

***End of Report**



Neelima Gupta

Authorised Signatory

Anil Kumar TM -Chemical

Page No.1 of 1

* Indicates Information supplied by the Customer for which the laboratory has no control.

lote: 1. Sample(s) not drawn by FRAC, unless specified.

The result listed refers only to tested sample(s) and applicable parameters. Endorsement of product is neither inferred nor implied.

Sample(s) will be destroyed after fifteen days of the date of issue of test report unless otherwise specified, except for perishable sample which would be destroyed immediately after issuance of report.

Test report shall not be reproduced except in full, without written approval from FRAC. This test report in full or in part shall not be used for advertising or legal action.

FRAC will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports.

This is a computer generated document with electronic signature hence does not require manual signature.

FRAC will ensure all corrective action as per our policy in case of any discrepancy in any sample tested, FRAC liability is limited to the amount charged against the testing of the sample.

Retesting charges will be applicable in case the results are reproducible. 10. Duplicate copy will be issued on chargeable basis. File No. DE.23(1056)/MDM/2025 (Computer No. 244966)

45



2510290074-1



PLOT 2A, SECTOR-8, DWARKA, NEW DELHI-110077 Fax: 91-11-25360802 Tel: 91-11-45333500-510 E-mail: info@fraclabs.org, Website: www.fraclabs.org



TEST REPORT

*Issued To:

The Deputy Director of Education (PM-Poshan)

Directorate of education, government of NCT of Delhi ,Old Secretariat,Delhi-110054

ULR: TC527525000025335F

Reg. No

:FRAC/F/2510130114

*Your Ref. No

:TRF

*Letter/TRF Dated

: 13/10/2025

Date of Issue

21/10/2025

Date of Sample Recd.

: 13/10/2025

Date of Sampling

: 13/10/2025

Sample Condition

: Satisfactory

*Sample Packing

Sampling Nasco Bag

Date of Sample Booking

13/10/2025

Date of Start of Analysis

: 13/10/2025

Date of Completion

21/10/2025

*Sample Qtv *Batch No

350gm Not Specified

*Mfg. Date *Exp. Date Not Specified Not Specified

Sampled By Product Group *Name Of NPO

Sampling Method

Dal Chawal

*Sample Description:

Specification Followed

: FRAC/SOP/CHEM-MICRO/016 : Sample drawn by FRAC representative

: Food & Agricultural Products

Poorvanchal Samaj Sewa Sangh

*Name Of School/Kitchen

: Kitchen/Khasra no.39/15, Plot no.1-A,1-B, Plot no.2, Nilothi Extension, New Delhi-110084

: FSSAI (Food Products Standards and Food Additives) Regulations

TEST RESULTS

| S.No. | Parameters | Unit | Result | Specification | Test Method |
|----------|--------------------|-----------|----------|---------------|---|
| Chemica | al Test Parameters | | | | 200000000000000000000000000000000000000 |
| 1 | Fat | g/100g | 4.61 | Not Specified | IS 4684:1975 |
| 2 | Protein (N x 6.25) | g/100g | 4.95 | Not Specified | IS 7219:1973 |
| 3 | Total Carbohydrate | g/100g | 29.17 | Not Specified | IS 1656;2022 |
| 4 | Moisture | g/100g | 58.96 | Not Specified | IS 4684:1975 |
| 5 | Energy | Kcal/100g | 177.97 | Not Specified | FSSAI(LABELLING AND DISPLAY Reg. 2020 Page No.14 |
| Biologic | al Test Parameters | | | 7 772 - 1 | |
| 6 | Total Plate Count | cfu/g | 1.3X10^3 | Not Specified | IS 5402: 2012 |
| 7 | Escherichia coli | cfu/g | <10 | Not Specified | IS 5887: Part 1: 1976 |
| 8 | Salmonella | /25g | Absent | Absent | IS 5887; Part 3: 1999 |

The sample conforms to the FSSAI (Food Products Standards and Food Additives) Regulations 2011, specifications mentioned above and is fit for human Remarks: consumption only as per the above tested parameters.

End of Report



Note:

Shiva Kant Dwivedi

G.M. (Quality & Technical)

Authorised Signatory

Neelima Gupta **OIC-Microbiology**

* Indicates Information supplied by the Customer for which the laboratory has no control.

1. Sample(s) not drawn by FRAC, unless specified.

2. The result listed refers only to tested sample(s) and applicable parameters. Endorsement of product is neither inferred nor implied. 1.

Page No.1 of 1

Sample(s) will be destroyed after fifteen days of the date of issue of test report unless otherwise specified, except for perishable sample, which would be destroyed immediately after issuance of report.

Test report shall not be reproduced except in full, without written approval from FRAC. This test report in full or in part shall not be used for advertising or legal action.

FRAC will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports.

This is a computer generated document with electronic signature hence does not require manual signature.

FRAC will ensure all corrective action as per our policy in case of any discrepancy in any sample tested, FRAC liability is limited to the amount charged against the testing of the sample.

Retesting charges will be applicable in case the results are reproducible.

Duplicate copy will be issued on chargeable basis.
 File No. DE.23(1056)/MDM/2025 (Computer No. 244966)





PLOT 2A, SECTOR-8, DWARKA, NEW DELHI-110077 Fax: 91-11-25360802 Tel: 91-11-45333500-51

E-mail: info@fraclabs.org, Website: www.fraclabs.org



TEST REPORT

*Issued To:

The Deputy Director of Education (PM-Poshan)

Directorate of education, government of NCT of Delhi ,Old Secretariat,Delhi-110054

ULR: TC527525000026312F

Reg. No

:FRAC/F/2510240066

*Your Ref. No

: TRF

*Lefter/TRF Dated

: 24/10/2025

Date of Issue

Date of Sample Recd.

: 30/10/2025

Date of Sampling

: 24/10/2025

Sample Condition

: 24/10/2025 : Satisfactory

*Sample Packing

Sampling Nasco Bag

Date of Sample Booking

: 24/10/2025

Date of Start of Analysis

: 24/10/2025

Date of Completion

: 30/10/2025

*Sample Oty

350gm

*Batch No *Mfg Date . Not Specified Not Specified

*Exp. Date

Not Specified

Sampling Method Sampled By Product Group *Name Of NPO

*Sample Description:

Dal Chawal Specification Followed

FRAC/SOP/CHEM-MICRO/016

Sample drawn by FRAC representative

Food & Agricultural Products

Rao Raghubir Singh Sewa Samiti

*Name Of School/Kitchen

: Aruna Asaf Ali GSKV School Tuglakabad Extn.New Delhi-110019

FSSAI (Food Products Standards and Food Additives) Regulations

*School ID

1925061

TEST RESULTS

| S.No. | Parameters | Unit | Result | Specification | Test Method |
|----------|---------------------|-----------|----------|---------------|---|
| Chemic | al Test Parameters | | | | |
| 1 | Fat | g/100g | 4.69 | Not Specified | IS 4684:1975 |
| 2 | Protein (N x 6.25) | g/100g | 4.93 | Not Specified | IS 7219:1973 |
| 3 | Total Carbohydrate | g/100g | 29.42 | Not Specified | IS 1656:2022 |
| 4 | Moisture | g/100g | 58.75 | Not Specified | IS 4684:1975 |
| 5 | Energy | Kcal/100g | 179.61 | Not Specified | FSSAI(LABELLING AND DISPLAY) Reg, 2020 Page No.14 |
| Biologic | cal Test Parameters | | | | |
| 6 | Total Plate Count | cfu/g | 9.9X10^2 | Not Specified | IS 5402: 2012 |
| 7 | Escherichia coli | cfu/g | <10 | Not Specified | IS 5887: Part 1: 1976 |
| 8 | Salmonella | /25g | Absent | Absent | IS 5887: Part 3: 1999 |

Remarks:

The sample conforms to the FSSAI (Food Products Standards and Food Additives) Regulations 2011. specifications mentioned above and is fit for human consumption only as per the above tested parameters.

End of Report



Anil Kumar

TM -Chemical

Authorised Signatory

Neelima Gupta OIC-Microbiology

* Indicates Information supplied by the Customer for which the laboratory has no control.

Note: 1. Sample(s) not drawn by FRAC, unless specified.

The result listed refers only to tested sample(s) and applicable parameters. Endorsement of product is neither inferred nor implied. Sample(s) will be destroyed after fifteen days of the date of issue of test report unless otherwise specified, except for perishable sa which would be destroyed immediately after issuance of report.

Test report shall not be reproduced except in full, without written approval from FRAC.

This test report in full or in part shall not be used for advertising or legal action.

FRAC will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports. 6. This is a computer generated document with electronic signature hence does not require manual signature.

FRAC will ensure all corrective action as per our policy in case of any discrepancy in any sample tested, FRAC liability is limited to

the amount charged against the testing of the sample. Retesting charges will be applicable in case the results are reproducible. 47


10. Duplicate copy will be issued on chargeable basis.

File No. DE.23(1056)/MDM/2025 (Computer No. 244966)



Page No.1 of 1

2510240066-1





PLOT 2A, SECTOR-8, DWARKA, NEW DELHI-110077 Fax: 91-11-25360802 Tel: 91-11-45333500-510 E-mail: info@fraclabs.org, Website: www.fraclabs.org



TEST REPORT

*Issued To:

The Deputy Director of Education (PM-Poshan)

Directorate of education, government of NCT of Delhi ,Old Secretariat,Delhi-110054

ULR: TC527525000025337F

Rea. No

:FRAC/F/2510130116

*Your Ref. No

: TRF

*Letter/TRF Dated

: 13/10/2025

Date of Issue

21/10/2025

Date of Sample Recd.

: 13/10/2025

Date of Sampling

: 13/10/2025

Sample Condition

*Sample Packing

: Satisfactory

Date of Sample Booking

Sampling Nasco Bag : 13/10/2025

Date of Start of Analysis

: 13/10/2025

Date of Completion

: 21/10/2025

*Sample Qty *Batch No

350gm Not Specified

Not Specified

: FSSAI (Food Products Standards and Food Additives) Regulations

*Mfg. Date *Exp. Date

Not Specified

Sampled By Product Group

Sampling Method

*Sample Description:

Chole Chawal Specification Followed

> Sample drawn by FRAC representative Food & Agricultural Products

FRAC/SOP/CHEM-MICRO/016

*Name Of NPO

Ray Welfare Trust

*Name Of School/Kitchen

: Kitchen/Khasra no.154/15,Main Nangloi Road,Najafgarh,Near Udasim Ashram,Delhi-110043

TEST RESULTS

| S.No. | Parameters | Unit | Result | Specification | Test Method |
|----------|---------------------|-----------|----------|---------------|---|
| Chemic | al Test Parameters | | | | |
| 1 | Fat | g/100g | 4.65 | Not Specified | IS 4684:1975 |
| 2 | Protein (N x 6.25) | g/100g | 4.99 | Not Specified | IS 7219:1973 |
| 3 | Total Carbohydrate | g/100g | 29.21 | Not Specified | IS 1656:2022 |
| 4 | Moisture | g/100g | 58.93 | Not Specified | IS 4684:1975 |
| 5 | Energy | Kcal/100g | 178.65 | Not Specified | FSSAI(LABELLING AND DISPLAY Reg, 2020 Page No.14 |
| Biologic | cal Test Parameters | | 70 4110 | | |
| 6 | Total Plate Count | cfu/g | 1.2X10^3 | Not Specified | IS 5402: 2012 |
| 7 | Escherichia coli | cfu/g | <10 | Not Specified | IS 5887: Part 1: 1976 |
| 8 | Salmonella | /25g | Absent | Absent | IS 5887: Part 3: 1999 |

The sample conforms to the FSSAI (Food Products Standards and Food Additives) Regulations 2011, specifications mentioned above and is fit for human Remarks: consumption only as per the above tested parameters.

End of Report



Note:

Shiva Kant Dwivedi

G.M. (Quality & Technical)

Authorised Signatory

Neelima Gupta OIC-Microbiology

* Indicates Information supplied by the Customer for which the laboratory has no control. Sample(s) not drawn by FRAC, unless specified.

Page No.1 of 1 The result listed refers only to tested sample(s) and applicable parameters. Endorsement of product is neither inferred nor implied.

Sample(s) will be destroyed after fifteen days of the date of issue of test report unless otherwise specified, except for perishable sample, which would be destroyed immediately after issuance of report.

Test report shall not be reproduced except in full, without written approval from FRAC.

This test report in full or in part shall not be used for advertising or legal action.

FRAC will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports.

This is a computer generated document with electronic signature hence does not require manual signature.

FRAC will ensure all corrective action as per our policy in case of any discrepancy in any sample tested, FRAC liability is limited to the amount charged against the testing of the sample.

Retesting charges will be applicable in case the results are reproducible.

10. Duplicate copy will be issued on chargeable basis. File No. DE.23(1056)/MDM/2025 (Computer No. 244966)





PLOT 2A, SECTOR-8, DWARKA, NEW DELHI-110077 Fax: 91-11-25360802 Tel: 91-11-45333500-510 E-mail: info@fraclabs.org, Website: www.fraclabs.org



TEST REPORT

*Issued To:

The Deputy Director of Education (PM-Poshan)

Directorate of education, government of NCT of Delhi ,Old Secretariat,Delhi-110054

ULR: TC527525000025804F

Reg. No

:FRAC/F/2510160029

*Your Ref. No

:TRF

*Letter/TRF Dated

: 16/10/2025

Date of Issue

24/10/2025

Date of Sample Recd.

: 16/10/2025

Date of Sampling

: 16/10/2025

Sample Condition

*Sample Packing

Satisfactory Sampling Nasco Bag

Date of Sample Booking

: 16/10/2025

Date of Start of Analysis

: 16/10/2025

Date of Completion

24/10/2025

*Sample Qty

350gm

*Batch No

Not Specified

*Mfg. Date *Exp. Date

Not Specified Not Specified

Product Group *Name of NPO

Sampled By

Sampling Method

*Sample Description:

Specification Followed

Food & Agricultural Products Ray Welfare Trust

FRAC/SOP/CHEM-MICRO/016

: Sample drawn by FRAC representative

*Name of School/Kitchen

: GCSS F Block Vikas Puri, New Delhi-110018

: FSSAI (Food Products Standards and Food Additives) Regulations

*School Id

Daliya

: 1618016

2011.

TEST RESULTS

| S.No. | Parameters | Unit | Result | Specification | Test Method |
|----------|---------------------|-----------|----------|---------------|--|
| Chemic | al Test Parameters | | | | , oot inclined |
| 1 | Fat | g/100g | 4.65 | Not Specified | IS 4684:1975 |
| 2 | Protein (N x 6.25) | g/100g | 6.57 | Not Specified | IS 7219:1973 |
| 3 | Total Carbohydrate | g/100g | 37.64 | Not Specified | FSSAI 01.067:2022 |
| 4 | Moisture | g/100g | 48.87 | Not Specified | IS 4684:1975 |
| 5 | Energy | Kcal/100g | 218.69 | Not Specified | FSSAI(LABELLING AND DISPLAY) Reg, 2020 Page No.14 |
| Biologic | cal Test Parameters | | | | |
| 6 | Total Plate Count | cfu/g | 7.4X10^2 | Not Specified | IS 5402: 2012 |
| 7 | Escherichia coli | cfu/g | <10 | Not Specified | IS 5887: Part 1: 1976 |
| 8 | Salmonella | /25g | Absent | Absent | IS 5887: Part 3: 1999 |

Remarks:

The sample conforms to the FSSAI (Food Products Standards and Food Additives) Regulations 2011. specifications mentioned above and is fit for human consumption only as per the above tested parameters.

End of Report



Anil Kumar

TM -Chemical * Indicates Information supplied by the Customer for which the laboratory has no control. Authorised Signatory

Neelima Gupta

OIC-Microbiology

Page No.1 of 1

Sample(s) not drawn by FRAC, unless specified.

The result listed refers only to tested sample(s) and applicable parameters. Endorsement of product is neither inferred nor implied.

Sample(s) will be destroyed after fifteen days of the date of issue of test report unless otherwise specified, except for perishable sample, which would be destroyed immediately after issuance of report.

Test report shall not be reproduced except in full, without written approval from FRAC.

This test report in full or in part shall not be used for advertising or legal action.

FRAC will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports.

This is a computer generated document with electronic signature hence does not require manual signature.

FRAC will ensure all corrective action as per our policy in case of any discrepancy in any sample tested, FRAC liability is limited to the amount charged against the testing of the sample.

Retesting charges will be applicable in case the results are reproducible.

File On D. Upel 25 (1656) PM DMI 2023 S (CONS PORCE) NOT 92-16366 basis.

Generated from eOffice by RAJESH KUMAR, PMP/MDM(ASO)-RAJESH, ASSISTANT SECTION OFFICER, EDUCATION DIRECTORATE on 01/12/2025 11:52 am



PLOT 2A, SECTOR-8, DWARKA, NEW DELHI-110077 Fax: 91-11-25360802 Tel: 91-11-45333500-510 E-mail: info@fraclabs.org, Website: www.fraclabs.org



TEST REPORT

*Issued To:

The Deputy Director of Education (PM-Poshan)

Directorate of education, government of NCT of Delhi ,Old Secretariat,Delhi-110054

ULR: TC527525000025985F

Reg. No

:FRAC/F/2510180047

*Your Ref. No

:TRF

*Letter/TRF Dated

: 18/10/2025

Date of Issue

: 27/10/2025

Date of Sample Recd.

Date of Sampling

: 18/10/2025

Sample Condition

18/10/2025 : Satisfactory

*Sample Packing

Date of Sample Booking

18/10/2025

Date of Start of Analysis

: 18/10/2025

Date of Completion

: 27/10/2025

: FSSAI (Food Products Standards and Food Additives) Regulations 2011

*Sample Qty

350gm

*Batch No

Not Specified

Sampling Method Sampled By

*Sample Description:

Halwa + Chana Specification Followed

FRAC/SOP/CHEM-MICRO/016

*Mfg. Date

Not Specified

Product Group

: Sample drawn by FRAC representative Food & Agricultural Products

*Exp. Date

Not Specified

*Name of NPO

: Ray Welfare Trust

*Name of School/Kitchen

: Govt. Sarvodaya Kanya Vidyalaya G-Block, Vikash Puri, New Delhi-110018

*School ID

TEST RESULTS

| S.No. | Parameters | Unit | Result | Specification | |
|----------|--|-----------|----------|---------------|-----------------------------|
| Chemic | al Test Parameters | | | opecification | Test Method |
| 1 | Fat | g/100g | 4.81 | Net Consider | |
| 2 | Protein (N x 6.25) | g/100g | 6.54 | Not Specified | IS 4684:1975 |
| 3 | Total Carbohydrate | | | Not Specified | IS 7219:1973 |
| 04 | | g/100g | 37.47 | Not Specified | FSSAI 01.067;2022 |
| 4 | Moisture | g/100g | 48.95 | Not Specified | IS 4684:1975 |
| 5 | Energy | Kcal/100g | 219.33 | Not Specified | FSSAI(LABELLING AND DISPLAY |
| Biologic | al Test Parameters | | | | Reg, 2020 Page No.14 |
| 6 | Total Plate Count | cfu/g | 7.4X10^2 | Net Consider | |
| 7 | Escherichia coli | | 23.1 | Not Specified | IS 5402: 2012 |
| 8 | CONTRACTOR OF THE CONTRACTOR O | cfu/g | <10 | Not Specified | IS 5887: Part 1: 1976 |
| 0 | Salmonella | /25g | Absent | Absent | IS 5887: Part 3: 1999 |

The sample conforms to the FSSAI (Food Products Standards and Food Additives) Regulations 2011, specifications mentioned above and is fit for human consumption only as per the above tested parameters.

End of Report



Anil Kumar

TM -Chemical

Authorised Signatory

Neelima Gupta OIC-Microbiology

* Indicates Information supplied by the Customer for which the laboratory has no control

Page No.1 of 1

Note: 1. Sample(s) not drawn by FRAC, unless specified.

The result listed refers only to tested sample(s) and applicable parameters. Endorsement of product is neither inferred nor implied. Sample(s) will be destroyed after fifteen days of the date of issue of test report unless otherwise specified, except for perishable sample which would be destroyed immediately after issuance of report.

Test report shall not be reproduced except in full, without written approval from FRAC.

This test report in full or in part shall not be used for advertising or legal action.

FRAC will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports.

This is a computer generated document with electronic signature hence does not require manual signature. FRAC will ensure all corrective action as per our policy in case of any discrepancy in any sample tested, FRAC liability is limited to the amount charged against the testing of the sample.

Retesting charges will be applicable in case the results are reproducible. Duplicate copy will be issued on chargeable basis.
 File No. DE.23(1056)/MDM/2025 (Computer No. 244966)

50



2510180047-1



PLOT 2A, SECTOR-8, DWARKA, NEW DELHI-110077 Fax: 91-11-25360802 Tel: 91-11-45333500-510 E-mail : info@fraclabs.org, Website : www.fraclabs.org



TC-5275

TEST REPORT

*Issued To:

The Deputy Director of Education (PM-Poshan)

Directorate of education, government of NCT of Delhi ,Old Secretariat,Delhi-110054

ULR: TC527525000026042F

Reg. No

:FRAC/F/2510210051

*Your Ref. No.

:TRF

*Letter/TRF Dated

: 21/10/2025

Date of Issue

28/10/2025

Date of Sample Recd. Date of Sampling

: 21/10/2025

Sample Condition

: 21/10/2025

*Sample Packing

: Satisfactory

Date of Sample Booking

Sampling Nasco Bag 21/10/2025

Date of Start of Analysis

: 21/10/2025

Date of Completion

: 28/10/2025

*Sample Qty

: 350gm

FRAC/SOP/CHEM-MICRO/016

"Batch No "Mfg. Date

Not Specified

: Sample drawn by FRAC representative

*Exp. Date

Not Specified Not Specified

Sampled By Product Group *Name Of NPO

Sampling Method

Dal Chawal

Food & Agricultural Products : Saghan Kshetra & Vikas Samiti

*Name Of School/Kitchen

*Sample Description:

Specification Followed

: Sarvodaya Bal Vidyalya No.-2 Palam Enclave New Delhi-110045

FSSAI (Food Products Standards and Food Additives) Regulations

*School ID

: 1821001

2011

TEST RESULTS

| S.No. | Parameters | Unit | Dec. W | T | |
|----------|--|------------|----------|---------------|-----------------------------|
| Chemic | al Test Parameters | - Onit | Result | Specification | Test Method |
| 1 | Fat | | | | |
| 2 | Protein (N x 6.25) | g/100g | 4.88 | Not Specified | IS 4684:1975 |
| 3 | A STATE OF THE PROPERTY OF THE | g/100g | 4.92 | Not Specified | |
| 4 | Total Carbohydrate | g/100g | 39.05 | Not Specified | IS 7219:1973 |
| 4 | Moisture | g/100g | 58.92 | | IS 1656:2022 |
| 5 | Energy | Kcal/100g | | Not Specified | IS 4684:1975 |
| | | rical roog | 179.8 | Not Specified | FSSAI(LABELLING AND DISPLAY |
| Biologic | al Test Parameters | | 300 | | Reg, 2020 Page No.14 |
| 6 | Total Plate Count | cfu/g | | | |
| 7 | Escherichia coli | | 1.1x10^3 | Not Specified | IS 5402:2012 |
| 3 | Salmonella | cfu/g | <10 | Not Specified | IS 5887: Part 1: 1976 |
| 50 | Calificities | /25g | Absent | Absent | |
| | | | | | IS 5887 Part 3: 1999 |

Remarks: The sample conforms to the FSSAI (Food Products Standards and Food Additives) Regulations 2011. specifications mentioned above and is fit for human

***End of Report*



Authorised Signatory

OIC-Microbiology

Anil Kumar TM -Chemical

* Indicates Information supplied by the Customer for which the laboratory has no control. Note: 1. Sample(s) not drawn by FRAC, unless specified.

Page No.1 of 1

The result listed refers only to tested sample(s) and applicable parameters. Endorsement of product is neither inferred nor implied. Sample(s) will be destroyed after fifteen days of the date of issue of test report unless otherwise specified, except for perishable sample, which would be destroyed immediately after issuance of report. Test report shall not be reproduced except in full, without written approval from FRAC.

This test report in full or in part shall not be used for advertising or legal action.

FRAC will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports. This is a computer generated document with electronic signature hence does not require manual signature.

FRAC will ensure all corrective action as per our policy in case of any discrepancy in any sample tested, FRAC liability is limited to

Retesting charges will be applicable in case the results are reproducible. Duplicate copy will be issued on chargeable basis.

51





PLOT 2A, SECTOR-8, DWARKA, NEW DELHI-110077 Fax: 91-11-25360802 Tel: 91-11-45333500-510 E-mail: info@fraclabs.org, Website: www.fraclabs.org



TC-5275

TEST REPORT

*Issued To:

The Deputy Director of Education (PM-Poshan)

Directorate of education, government of NCT of Delhi ,Old Secretariat,Delhi-110054

ULR: TC527525000025580F

Reg. No

:FRAC/F/2510140234

"Your Ref. No

: TRF

*Letter/TRF Dated

: 14/10/2025

Date of Issue

22/10/2025

Date of Sample Recd.

: 14/10/2025

Date of Sampling

: 14/10/2025

Sample Condition

: Satisfactory

*Sample Packing

Date of Sample Booking

: Sampling Nasco Bag

Date of Start of Analysis

14/10/2025

: 14/10/2025

Date of Completion

: 22/10/2025

: FSSAI (Food Products Standards and Food Additives) Regulations *Sample Qty *Batch No

350gm Not Specified

*Mfg Date

Not Specified

*Exp. Date

Not Specified

Product Group *Name Of NPO

Sampled By

Sampling Method

Halwa Chana

Food & Agricultural Products Saghan Kshetra & Vikas Samiti

FRAC/SOP/CHEM-MICRO/016

Sample drawn by FRAC representative

*Name Of School/Kitchen

*Sample Description:

Specification Followed

: Kitchen/Property no.A-2/22,Khasra no.19/10/1,A-2 Block,Kunwar Singh Nagar,Nangloi,Delhi-110041

TEST RESULTS

| S.No. | Parameters | Unit | Result | | |
|----------|--------------------|---|-----------|---------------|-----------------------------|
| Chemic | al Test Parameters | - John - | Result | Specification | Test Method |
| 1 | Fat | | | | |
| 2 | Protein (N x 6.25) | g/100g | 4.95 | Not Specified | IS 4684:1975 |
| 3 | | g/100g | 6.53 | Not Specified | IS 7219:1973 |
| 20 | Total Carbohydrate | g/100g | 37.42 | Not Specified | 1,3000,000,000,000,000 |
| 4 | Moisture | g/100g | 48.93 | | FSSAI 01.067:2022 |
| 5 | Energy | Kcal/100g | 220.35 | Not Specified | IS 4684:1975 |
| | 95000 | rical roog | 220.33 | Not Specified | FSSAI(LABELLING AND DISPLAY |
| Biologic | al Test Parameters | District States | | | Reg, 2020 Page No.14 |
| 6 | Total Plate Count | cfu/g | 7.00/10/4 | 10 - dr | |
| 7 | Escherichia coli | | 7.6X10^2 | Not Specified | IS 5402: 2012 |
| 8 | Salmonella | cfu/g | <10 | Not Specified | IS 5887: Part 1: 1976 |
| - | Camonella | /25g | Absent | Absent | IS 5887: Part 3: 1999 |

The sample conforms to the FSSAI (Food Products Standards and Food Additives) Regulations 2011. specifications mentioned above and is fit for human

***End of Report**



lote: 1.

Remarks:

Shiva Kant Dwivedi

G.M. (Quality & Technical)

Authorised Signatory

Neelima Gupta OIC-Microbiology

* Indicates Information supplied by the Customer for which the laboratory has no control. Sample(s) not drawn by FRAC, unless specified.

Page No.1 of 1

The result listed refers only to tested sample(s) and applicable parameters. Endorsement of product is neither inferred nor implied. Sample(s) will be destroyed after fifteen days of the date of issue of test report unless otherwise specified, except for perishable sample which would be destroyed immediately after issuance of report.

Test report shall not be reproduced except in full, without written approval from FRAC. This test report in full or in part shall not be used for advertising or legal action.

FRAC will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports. This is a computer generated document with electronic signature hence does not require manual signature.

FRAC will ensure all corrective action as per our policy in case of any discrepancy in any sample tested, FRAC liability is limited to the amount charged against the testing of the sample. 52 Retesting charges will be applicable in case the results are reproducible.

Duplicate copy will be issued on chargeable basis.

File No. DE.23(1056)/MDM/2025 (Computer No. 244966)





PLOT 2A, SECTOR-8, DWARKA, NEW DELHI-110077 Fax: 91-11-25360802 Tel: 91-11-45333500-510 E-mail: info@fraclabs.org, Website: www.fraclabs.org



TEST REPORT

*Issued To:

The Deputy Director of Education (PM-Poshan)

Directorate of education, government of NCT of Delhi ,Old Secretariat,Delhi-110054

ULR: TC527525000026038F

Reg. No

:FRAC/F/2510210047

*Your Ref. No.

: TRF

*Letter/TRF Dated

: 21/10/2025

Date of Issue

: 28/10/2025

Date of Sample Recd.

: 21/10/2025

Date of Sampling

: 21/10/2025

Sample Condition *Sample Packing

: Satisfactory

Date of Sample Booking

: Sampling Nasco Bag

: 21/10/2025

Date of Start of Analysis

: 21/10/2025

Date of Completion

28/10/2025

*Sample Qty

: FSSAI (Food Products Standards and Food Additives) Regulations

*Batch No.

350gm Not Specified

Sampling Method Sampled By

*Sample Description:

Specification Followed

FRAC/SOP/CHEM-MICRO/016

*Mfg. Date

Not Specified

Product Group

Veq Daliya

Sample drawn by FRAC representative Food & Agricultural Products

*Exp. Date

Not Specified

*Name Of NPO

Saghan Kshetra & Vikas Samiti

*Name Of School/Kitchen

: Sarvodaya Kanya Vidyalaya Raj Nagar II Palam Colony New Delhi-110077

*School ID

TEST RESULTS

| S.No. | Parameters | Unit | D | | |
|----------|--------------------|---------------|--------------|---------------|-----------------------------|
| Chemic | al Test Parameters | Oint | Result | Specification | Test Method |
| 1 | Fat | | | | |
| 2 | Mars. | g/100g | 4.65 | Not Specified | IS 4684:1975 |
| | Protein (N x 6.25) | g/100g | 6.53 | Not Specified | (18) PERSONALISATION |
| 3 | Total Carbohydrate | g/100g | 37.93 | Not Specified | IS 7219:1973 |
| 4 | Moisture | g/100g | 48.68 | | FSSAI 01.067:2022 |
| 5 | Energy | Kcal/100g | CONTRACTOR S | Not Specified | IS 4684:1975 |
| | 255 | Kcall 100g | 219.69 | Not Specified | FSSAI(LABELLING AND DISPLAY |
| Biologic | al Test Parameters | GUIDA ES RESE | 154 c | | Reg, 2020 Page No.14 |
| 6 | Total Plate Count | cfu/g | 0.074045 | | |
| 7 | Escherichia coli | | 8.0X10^2 | Not Specified | IS 5402:2012 |
| 3 | Salmonella | cfu/g | <10 | Not Specified | IS 5887: Part 1: 1976 |
| | Camonella | /25g | Absent | Absent | IS 5887 Part 3: 1999 |

Remarks:

The sample conforms to the FSSAI (Food Products Standards and Food Additives) Regulations 2011. specifications mentioned above and is fit for human

***End of Report*



Neelima Gupta OIC-Microbiology * Indicates Information supplied by the Customer for which the laboratory has no control. Authorised Signatory

Anil Kumar

TM -Chemical

Vote: 1. Sample(s) not drawn by FRAC, unless specified.

Page No.1 of 1 The result listed refers only to tested sample(s) and applicable parameters. Endorsement of product is neither inferred nor implied. Sample(s) will be destroyed after fifteen days of the date of issue of test report unless otherwise specified, except for perishable sample, which would be destroyed immediately after issuance of report.

Test report shall not be reproduced except in full, without written approval from FRAC.

This test report in full or in part shall not be used for advertising or legal action.

FRAC will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports. This is a computer generated document with electronic signature hence does not require manual signature.

FRAC will ensure all corrective action as per our policy in case of any discrepancy in any sample tested, FRAC liability is limited to the amount charged against the testing of the sample.

Retesting charges will be applicable in case the results are reproducible.

Duplicate copy will be issued on chargeable basis.

53





PLOT 2A, SECTOR-8, DWARKA, NEW DELHI-110077 Fax: 91-11-25360802 Tel: 91-11-45333500-51

E-mail: info@fraclabs.org, Website: www.fraclabs.org



TC-5275

TEST REPORT

*Issued To:

The Deputy Director of Education (PM-Poshan)

Directorate of education, government of NCT of Delhi ,Old Secretariat,Delhi-110054

ULR: TC527525000025986F

Reg. No

:FRAC/F/2510180048

*Your Ref. No

:TRF

*Letter/TRF Dated

Date of Issue

: 18/10/2025

27/10/2025

Date of Sample Recd.

: 18/10/2025

Date of Sampling

: 18/10/2025

Sample Condition

*Sample Packing

: Satisfactory

Date of Sample Booking

Sampling Nasco Bag

Date of Start of Analysis

18/10/2025

: 18/10/2025

Date of Completion

27/10/2025

FSSAI (Food Products Standards and Food Additives) Regulations

*Sample Qty *Batch No

: 350am

*Mfg. Date

Not Specified

*Exp. Date

Not Specified : Not Specified

Sampled By Product Group *Name of NPO

Sampling Method

Chole + Puri Specification Followed

Sample drawn by FRAC representative

2011

Food & Agricultural Products

Sohwasia Kalyankari Foundation

FRAC/SOP/CHEM-MICRO/016

*Name of School/Kitchen

*Sample Description:

Govt.Girls Sr.Sec.School Hastsal Uttam Nagar New Delhi-110059

*School ID

TEST RESULTS

| S.No. | Parameters | Unit | Result | Specification | |
|----------|--------------------|-----------|----------|---------------|-----------------------------|
| Chemic | al Test Parameters | | resure | Specification | Test Method |
| 1 | Fat | g/100g | 4.76 | T | |
| 2 | Protein (N x 6.25) | | | Not Specified | IS 4684:1975 |
| 3 | Total Carbohydrate | g/100g | 6.41 | Not Specified | IS 7219:1973 |
| 4 | Moisture | g/100g | 37.73 | Not Specified | FSSAI 01.067:2022 |
| | | g/100g | 48.92 | Not Specified | IS 4684:1975 |
| 5 | Energy | Kcal/100g | 219.4 | Not Specified | FSSAI(LABELLING AND DISPLAY |
| Biologic | al Test Parameters | | | | Reg, 2020 Page No.14 |
| 6 | Total Plate Count | cfu/g | 8.5X10^2 | Not Consider | |
| 7 | Escherichia coli | cfu/g | | Not Specified | IS 5402: 2012 |
| 8 | Salmonella | | <10 | Not Specified | IS 5887: Part 1: 1976 |
| M | Camonella | /25g | Absent | Absent | IS 5887: Part 3: 1999 |

Remarks:

The sample conforms to the FSSAI (Food Products Standards and Food Additives) Regulations 2011, specifications mentioned above and is fit for human consumption only as per the above tested parameters.

***End of Report**



Anil Kumar TM -Chemical Authorised Signatory

Neelima Gupta OIC-Microbiology

Page No.1 of 1

Indicates Information supplied by the Customer for which the laboratory has no control.

Note: 1. Sample(s) not drawn by FRAC, unless specified.

The result listed refers only to tested sample(s) and applicable parameters. Endorsement of product is neither inferred nor implied. Sample(s) will be destroyed after fifteen days of the date of issue of test report unless otherwise specified, except for perishable sa 3. which would be destroyed immediately after issuance of report.

Test report shall not be reproduced except in full, without written approval from FRAC.

This test report in full or in part shall not be used for advertising or legal action. 6

FRAC will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports.

This is a computer generated document with electronic signature hence does not require manual signature.

FRAC will ensure all corrective action as per our policy in case of any discrepancy in any sample tested, FRAC liability is limited to the amount charged against the testing of the sample. Retesting charges will be applicable in case the results are reproducible.

Duplicate copy will be issued on chargeable basis.

File No. DE.23(1056)/MDM/2025 (Computer No. 244966)

2510180048-1

Generated from eOffice by RAJESH KUMAR, PMP/MDM(ASO)-RAJESH, ASSISTANT SECTION OFFICER, EDUCATION DIRECTORATE on 01/12/2025 11:52 am



PLOT 2A, SECTOR-8, DWARKA, NEW DELHI-110077 Fax: 91-11-25360802 Tel: 91-11-45333500-510 E-mail : info@fraclabs.org, Website : www.fraclabs.org



C-5275

TEST REPORT

*Issued To:

The Deputy Director of Education (PM-Poshan)

Directorate of education, government of NCT of Delhi ,Old Secretariat,Delhi-110054

ULR: TC527525000026637F

Reg. No

:FRAC/F/2510290075

*Your Ref. No

: TRF

*Letter/TRF Dated

: 29/10/2025

Date of Issue

: 05/11/2025

Date of Sample Recd.

: 29/10/2025

Date of Sampling

: 29/10/2025

Sample Condition *Sample Packing

: Satisfactory

Date of Sample Booking

: Sampling Nasco Bag : 29/10/2025

Date of Start of Analysis

: 29/10/2025

Date of Completion

: 05/11/2025

*Sample Qty

350gm

*Batch No *Mfg Date

Not Specified Not Specified

*Exp. Date

: Not Specified

*Sample Description:

Chole Chawal

Sampling Method

Specification Followed

2011.

FRAC/SOP/CHEM-MICRO/016

Sample drawn by FRAC representative

Sampled By Product Group *Name Of NPO

Food & Agricultural Products Sohwasia Kalyankari Foundation

*Name Of School/Kitchen

CM SHRI SCHOOL Amalwas Jwalapuri, Delhi

FSSAI (Food Products Standards and Food Additives) Regulations

*School ID

: 1617036

TEST RESULTS

| S.No. | Parameters | Unit | Result | Chariffeette | |
|----------|--------------------|------------|----------|---------------|---|
| Chemic | al Test Parameters | | resuit | Specification | Test Method |
| 1 | Fat | g/100g | 4.50 | | |
| 2 | Protein (N x 6.25) | | 4.52 | Not Specified | IS 4684:1975 |
| 2 | | g/100g | 4.93 | Not Specified | IS 7219:1973 |
| | Total Carbohydrate | g/100g | 29.44 | Not Specified | IS 1656:2022 |
| 4 | Moisture | g/100g | 58.94 | Not Specified | TAN-DOMESTICATION OF THE PARTY |
| 5 | Energy | Kcal/100g | 178.16 | | IS 4684:1975 |
| | | rical 100g | 170.10 | Not Specified | FSSAI(LABELLING AND DISPLAY) |
| Biologic | al Test Parameters | | AMES. | | Reg, 2020 Page No.14 |
| 6 | Total Plate Count | cfu/g | 1.0X10^3 | I No. 15 | |
| 7 | Escherichia coli | | 10.1 | Not Specified | IS 5402: 2012 |
| 3 | | cfu/g | <10 | Not Specified | IS 5887: Part 1: 1976 |
| 3 | Salmonella | /25g | Absent | Absent | IS 5887: Part 3: 1999 |

The sample conforms to the FSSAI (Food Products Standards and Food Additives) Regulations 2011. specifications mentioned above and is fit for human Remarks: consumption only as per the above tested parameters.

End of Report



lote: 1.

Neelima Gupta OIC-Microbiology **Authorised Signatory**

Anil Kumar TM -Chemical

* Indicates Information supplied by the Customer for which the laboratory has no control.

Page No.1 of 1

The result listed refers only to tested sample(s) and applicable parameters. Endorsement of product is neither inferred nor implied.

Sample(s) will be destroyed after fifteen days of the date of issue of test report unless otherwise specified, except for perishable sample which would be destroyed immediately after issuance of report. Test report shall not be reproduced except in full, without written approval from FRAC.

This test report in full or in part shall not be used for advertising or legal action.

FRAC will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports. This is a computer generated document with electronic signature hence does not require manual signature.

FRAC will ensure all corrective action as per our policy in case of any discrepancy in any sample tested, FRAC liability is limited to the amount charged against the testing of the sample. Retesting charges will be applicable in case the results are reproducible. 55

10. Duplicate copy will be issued on chargeable basis.

Sample(s) not drawn by FRAC, unless specified.

File No. DE.23(1056)/MDM/2025 (Computer No. 244966)

2510290075-

Generated from eOffice by RAJESH KUMAR, PMP/MDM(ASO)-RAJESH, ASSISTANT SECTION OFFICER, EDUCATION DIRECTORATE on 01/12/2025 11:52 am



PLOT 2A, SECTOR-8, DWARKA, NEW DELHI-110077 Fax: 91-11-25360802 Tel: 91-11-45333500-510 E-mail : info@fraclabs.org, Website : www.fraclabs.org



TEST REPORT

*Issued To:

The Deputy Director of Education (PM-Poshan)

Directorate of education, government of NCT of Delhi ,Old Secretariat,Delhi-110054

ULR: TC527525000025579F

Reg. No.

:FRAC/F/2510140233

"Your Ref. No

: TRF

"Letter/TRF Dated

: 14/10/2025

Date of Issue

Date of Sample Recd.

22/10/2025 : 14/10/2025

Date of Sampling

: 14/10/2025

Sample Condition

: Satisfactory

*Sample Packing

: Sampling Nasco Bag

Date of Sample Booking

: 14/10/2025

Date of Start of Analysis

: 14/10/2025

Date of Completion

: 22/10/2025

: FSSAI (Food Products Standards and Food Additives) Regulations

350gm Not Specified

: FRAC/SOP/CHEM-MICRO/016

2011

*Sample Qty *Batch No *I/Ifg. Date

Not Specified

Sampled By Product Group

Sampling Method

Halwa Chana

Sample drawn by FRAC representative

*Exp. Date

Not Specified

*Name Of NPO

Food & Agricultural Products Sohwasia Kalyankari Foundation

*Name Of School/Kitchen

*Sample Description:

Specification Followed

: Kitchen/Property no.62, Dall Mill Compound, Kavita Colony, Kirari Road, Nangloi, Delhi-110041

TEST RESULTS

| S.No. | Parameters | Unit | Result | 1 | |
|----------|--------------------|-----------|---------------|---------------|------------------------------|
| Chemic | al Test Parameters | | Result | Specification | Test Method |
| 1 | Fat | g/100g | | | 2000 |
| 2 | Protein (N x 6.25) | | 4.91 | Not Specified | IS 4684:1975 |
| 3 | Total Carbohydrate | g/100g | 6.49 | Not Specified | IS 7219:1973 |
| 4 | | g/100g | 37.42 | Not Specified | FSSAI 01.067:2022 |
| ·// | Moisture | g/100g | 48.95 | Not Specified | |
| 5 | Energy | Kcal/100g | 219.83 | | IS 4684:1975 |
| | | | 07-3-71-7-7-1 | Not Specified | FSSAI(LABELLING AND DISPLAY) |
| Biologic | al Test Parameters | | | | Reg. 2020 Page No.14 |
| 6 | Total Plate Count | cfu/g | 0.074000 | | |
| 7 | Escherichia coli | | 9.3X10^2 | Not Specified | IS 5402: 2012 |
| 8 | Salmonella | cfu/g | <10 | Not Specified | IS 5887: Part 1: 1976 |
| | Odimonella | /25g | Absent | Absent | IS 5887: Part 3: 1999 |

Remarks:

The sample conforms to the FSSAI (Food Products Standards and Food Additives) Regulations 2011. specifications mentioned above and is fit for human consumption only as per the above tested parameters.

End of Report



lote: 1.

Shiva Kant Dwivedi

G.M. (Quality & Technical)

Authorised Signatory

Neelima Gupta **OIC-Microbiology**

* Indicates Information supplied by the Customer for which the laboratory has no control. Sample(s) not drawn by FRAC, unless specified.

Page No.1 of 1

The result listed refers only to tested sample(s) and applicable parameters. Endorsement of product is neither inferred nor implied. Sample(s) will be destroyed after fifteen days of the date of issue of test report unless otherwise specified, except for perishable sample, which would be destroyed immediately after issuance of report. Test report shall not be reproduced except in full, without written approval from FRAC.

This test report in full or in part shall not be used for advertising or legal action.

FRAC will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports. This is a computer generated document with electronic signature hence does not require manual signature.

FRAC will ensure all corrective action as per our policy in case of any discrepancy in any sample tested, FRAC liability is limited to the amount charged against the testing of the sample. Retesting charges will be applicable in case the results are reproducible. 56

10. Duplicate copy will be issued on chargeable basis.

File No. DE.23(1056)/MDM/2025 (Computer No. 244966)





PLOT 2A, SECTOR-8, DWARKA, NEW DELHI-110077 Fax: 91-11-25360802 Tel: 91-11-45333500-510 E-mail: info@fraclabs.org, Website: www.fraclabs.org



TC-5275

TEST REPORT

*Issued To:

The Deputy Director of Education (PM-Poshan)

Directorate of education, government of NCT of Delhi ,Old Secretariat,Delhi-110054

ULR: TC527525000026040F

Reg. No

:FRAC/F/2510210049

"Your Ref. No.

: TRF

*Letter/TRF Dated

: 21/10/2025

Date of Issue

Date of Sample Recd.

28/10/2025 : 21/10/2025

Date of Sampling

Sample Condition

: 21/10/2025 : Satisfactory

*Sample Packing

Sampling Nasco Bag

Date of Sample Booking

: 21/10/2025

Date of Start of Analysis

: 21/10/2025

Date of Completion

: 28/10/2025

: 350am

*Sample Qty *Batch No

Not Specified

*Mfg. Date *Exp. Date

Not Specified : Not Specified

Sampled By Product Group *Name Of NPO

Sampling Method

Halwa Chana

*Sample Description:

Specification Followed

: FRAC/SOP/CHEM-MICRO/016 Sample drawn by FRAC representative

Food & Agricultural Products Sohwasia Kalyankari Foundation

*Name Of School/Kitchen

Govt Girls Sr. Sec. School Ambika Vihar Delhi-110087

FSSAI (Food Products Standards and Food Additives) Regulations

*School ID

: 1617033

TEST RESULTS

| S.No. | Parameters | Unit | Result | 2 | |
|----------|--|---|----------|---------------|---|
| Chemic | al Test Parameters | | Nesult | Specification | Test Method |
| 1 | Fat | g/100g | | | MA SAN SAN SAN SAN SAN SAN SAN SAN SAN SA |
| 2 | Protein (N x 6.25) | | 4.94 | Not Specified | IS 4684:1975 |
| 3 | The second of th | g/100g | 6.48 | Not Specified | IS 7219:1973 |
| 4 | Total Carbohydrate | g/100g | 37.41 | Not Specified | FSSAI 01.067:2022 |
| 4 | Moisture | g/100g | 48.92 | Not Specified | |
| 5 | Energy | Kcal/100g | 220.02 | | IS 4684:1975 |
| | | riod#700g | 220.02 | Not Specified | FSSAI(LABELLING AND DISPLAY) |
| Biologic | al Test Parameters | 100000000000000000000000000000000000000 | | | Reg. 2020 Page No.14 |
| 6 | Total Plate Count | cfu/g | 7 EV4040 | | |
| 7 | Escherichia coli | | 7.5X10^2 | Not Specified | IS 5402:2012 |
| 8 | Salmonella | cfu/g | <10 | Not Specified | IS 5887: Part 1: 1976 |
| | Samonella | /25g | Absent | Absent | IS 5887 Part 3: 1999 |

Remarks:

The sample conforms to the FSSAI (Food Products Standards and Food Additives) Regulations 2011. specifications mentioned above and is fit for human consumption only as per the above tested parameters.

***End of Report**



Neelima Gupta OIC-Microbiology * Indicates Information supplied by the Customer for which the laboratory has no control. **Authorised Signatory**

Anil Kumar

TM -Chemical

Note: 1. Sample(s) not drawn by FRAC, unless specified.

The result listed refers only to tested sample(s) and applicable parameters. Endorsement of product is neither inferred nor implied. Sample(s) will be destroyed after fifteen days of the date of issue of test report unless otherwise specified, except for perishable sample which would be destroyed immediately after issuance of report.

Test report shall not be reproduced except in full, without written approval from FRAC.

This test report in full or in part shall not be used for advertising or legal action.

FRAC will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports. This is a computer generated document with electronic signature hence does not require manual signature.

FRAC will ensure all corrective action as per our policy in case of any discrepancy in any sample tested, FRAC liability is limited to the amount charged against the testing of the sample.

Retesting charges will be applicable in case the results are reproducible.

10. Duplicate copy will be issued on chargeable basis.

File No. DE.23(1056)/MDM/2025 (Computer No. 244966)

Generated from eOffice by RAJESH KUMAR, PMP/MDM(ASO)-RAJESH, ASSISTANT SECTION OFFICER, EDUCATION DIRECTORATE on 01/12/2025 11:52 am

57

Page No.1 of 1



PLOT 2A, SECTOR-8, DWARKA, NEW DELHI-110077 Fax: 91-11-25360802 Tel: 91-11-45333500-510 E-mail: info@fraclabs.org, Website: www.fraclabs.org



TC-5275

TEST REPORT

*Issued To:

The Deputy Director of Education (PM-Poshan)

Directorate of education, government of NCT of Delhi ,Old Secretariat,Delhi-110054

ULR: TC527525000026924F

Rea. No

:FRAC/F/2510310084

"Your Ref. No

: TRF

*Letter/TRF Dated

: 31/10/2025

Date of Issue

: 07/11/2025

Date of Sample Recd.

: 31/10/2025

Date of Sampling

: 31/10/2025

Sample Condition

: Satisfactory

*Sample Packing

: Sampling Nasco Bag

Date of Sample Booking

: 31/10/2025

Date of Start of Analysis

: 31/10/2025

Date of Completion

: 07/11/2025

*Sample Qty *Batch No

: 350gm Not Specified

*Mfg. Date

Not Specified

*Exp. Date

Not Specified

Sampling Method

Sambhar Chawai Specification Followed

*Sample Description:

Sampled By

: FRAC/SOP/CHEM-MICRO/016

Product Group

Sample drawn by FRAC representative Food & Agricultural Products

*Name Of NPO

Stri Shakti

*Name Of School/Kitchen

: Govt.Girls Sr.Sec. School K-Block, Jahangir Puri Delhi-33

: FSSAI (Food Products Standards and Food Additives) Regulations

*School ID

TEST RESULTS

| S.No. | Parameters | Unit | Result | C | |
|----------|--------------------|-----------|-----------|---------------|-----------------------------|
| Chemic | al Test Parameters | | result | Specification | Test Method |
| 1 | Fat | g/100g | 110 | | |
| 2 | Protein (N x 6.25) | | 4.42 | Not Specified | IS 4684:1975 |
| 3 | Total Carbohydrate | g/100g | 5.35 | Not Specified | IS 7219:1973 |
| 4 | | g/100g | 29.11 | Not Specified | IS 1656:2022 |
| 4 | Moisture | g/100g | 59.14 | Not Specified | IS 4684:1975 |
| 5 | Energy | Kcal/100g | 177.62 | Not Specified | FSSAI(LABELLING AND DISPLAY |
| Biologic | al Test Parameters | | | | Reg, 2020 Page No.14 |
| 6 | Total Plate Count | cfu/g | 1.07/1015 | | |
| 7 | Escherichia coli | | 1.2X10^3 | Not Specified | IS 5402: 2012 |
| 8 | | cfu/g | <10 | Not Specified | IS 5887: Part 1: 1976 |
| 0 | Salmonella | /25g | Absent | Absent | IS 5887: Part 3: 1999 |

The sample conforms to the FSSAI (Food Products Standards and Food Additives) Regulations 2011. specifications mentioned above and is fit for human consumption only as per the above tested parameters.

End of Report



Anil Kumar

TM -Chemical

Neelima Gupta OIC-Microbiology

Authorised Signatory

* Indicates Information supplied by the Customer for which the laboratory has no control.

Sample(s) not drawn by FRAC, unless specified.

The result listed refers only to tested sample(s) and applicable parameters. Endorsement of product is neither inferred nor implied. Sample(s) will be destroyed after fifteen days of the date of issue of test report unless otherwise specified, except for perishable sam 3. which would be destroyed immediately after issuance of report.

Test report shall not be reproduced except in full, without written approval from FRAC. This test report in full or in part shall not be used for advertising or legal action.

FRAC will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports.

This is a computer generated document with electronic signature hence does not require manual signature. FRAC will ensure all corrective action as per our policy in case of any discrepancy in any sample tested, FRAC liability is limited to the amount charged against the testing of the sample 58

Retesting charges will be applicable in case the results are reproducible.

10. Duplicate copy will be issued on chargeable basis. File No. DE.23(1056)/MDM/2025 (Computer No. 244966)

Generated from eOffice by RAJESH KUMAR, PMP/MDM(ASO)-RAJESH, ASSISTANT SECTION OFFICER, EDUCATION DIRECTORATE on 01/12/2025 11:52 am

Page No.1 of 1

2510310084-1



PLOT 2A, SECTOR-8, DWARKA, NEW DELHI-110077 Fax: 91-11-25360802 Tel: 91-11-45333500-510 E-mail : info@fraclabs.org, Website : www.fraclabs.org



TEST REPORT

*Issued To:

The Deputy Director of Education (PM-Poshan)

Directorate of education, government of NCT of Delhi ,Old Secretariat,Delhi-110054

: FRAC/SOP/CHEM-MICRO/016

: Sample drawn by FRAC representative

ULR: TC527525000025766F

Reg. No

:FRAC/F/2510150179

*Your Ref. No

: TRE

*Letter/TRF Dated

: 15/10/2025

Date of Issue

Date of Sample Recd.

24/10/2025

Date of Sampling

: 15/10/2025

Sample Condition

: 15/10/2025

*Sample Packing

: Satisfactory

Date of Sample Booking

Sampling Nasco Bag

Date of Start of Analysis

: 15/10/2025

15/10/2025

Date of Completion

: 24/10/2025

350am

*Sample Qty *Batch No.

Not Specified

*Mfg. Date

Not Specified

*Exp. Date

Not Specified

Product Group *Name of NPO

Sampled By

Sampling Method

Veg Daliya

*Sample Description:

Specification Followed

Food & Agricultural Products : Stri Shakti

2011

*Name of School/Kitchen

: Kitchen/Khasra no.444 & 447, Extended Lal Dora, Village Alipur, Delhi-110036

FSSAI (Food Products Standards and Food Additives) Regulations

TEST RESULTS

| S.No. | Parameters | Unit | Result | | |
|----------|---------------------|-----------|----------|---------------|--|
| Chemic | al Test Parameters | | Result | Specification | Test Method |
| 1 | Fat | -/400- | | | - Article - Arti |
| 2 | Protein (N x 6.25) | g/100g | 4.61 | Not Specified | IS 4684:1975 |
| | | g/100g | 6.58 | Not Specified | IS 7219:1973 |
| 3 | Total Carbohydrate | g/100g | 37.9 | Not Specified | |
| 4 | Moisture | g/100g | 48.66 | | FSSAI 01.067:2022 |
| 5 | Energy | | 200.00 | Not Specified | IS 4684:1975 |
| | | Kcal/100g | 219.41 | Not Specified | FSSAI(LABELLING AND DISPLAY |
| Biologic | cal Test Parameters | | | | Reg. 2020 Page No.14 |
| 6 | Total Plate Count | cfu/g | 0.084040 | | |
| 7 | Escherichia coli | | 8.2X10^2 | Not Specified | IS 5402: 2012 |
| 8 | | cfu/g | <10 | Not Specified | IS 5887: Part 1: 1976 |
| 5 | Salmonella | /25g | Absent | Absent | IS 5887: Part 3: 1999 |

The sample conforms to the FSSAI (Food Products Standards and Food Additives) Regulations 2011. specifications mentioned above and is fit for human consumption only as per the above tested parameters

End of Report



Anil Kumar

TM -Chemical

Authorised Signatory

Neelima Gupta OIC-Microbiology

Page No.1 of 1

* Indicates Information supplied by the Customer for which the laboratory has no control.

Sample(s) not drawn by FRAC, unless specified.

The result listed refers only to tested sample(s) and applicable parameters. Endorsement of product is neither inferred nor implied. Sample(s) will be destroyed after fifteen days of the date of issue of test report unless otherwise specified, except for perishable sample, which would be destroyed immediately after issuance of report.

Test report shall not be reproduced except in full, without written approval from FRAC.

This test report in full or in part shall not be used for advertising or legal action.

FRAC will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports.

This is a computer generated document with electronic signature hence does not require manual signature.

FRAC will ensure all corrective action as per our policy in case of any discrepancy in any sample tested, FRAC liability is limited to the amount charged against the testing of the sample.

Retesting charges will be applicable in case the results are reproducible. 10. Duplicate copy will be issued on chargeable basis. File No. DE.23(1056)/MDM/2025 (Computer No. 244966)



2510150179-1



PLOT 2A, SECTOR-8, DWARKA, NEW DELHI-110077 Fax: 91-11-25360802 Tel: 91-11-45333500-510 E-mail: info@fraclabs.org, Website: www.fraclabs.org



TC-5275

TEST REPORT

*Issued To:

The Deputy Director of Education (PM-Poshan)

Directorate of education, government of NCT of Delhi ,Old Secretariat,Delhi-110054

ULR: TC527525000026786F

Reg. No

:FRAC/F/2510300119

*Your Ref. No

: TRF

*Letter/TRF Dated

: 30/10/2025

Date of Issue

: 06/11/2025

Date of Sample Recd.

: 30/10/2025

Date of Sampling

: 30/10/2025

Sample Condition

: Satisfactory

*Sample Packing

Date of Sample Booking

Sampling Nasco Bag

Date of Start of Analysis

: 30/10/2025

: 30/10/2025

Date of Completion

: 06/11/2025

*Sample Qty *Batch No

350gm

*Mfg. Date

Not Specified Not Specified

*Exp. Date

Not Specified

Sampling Method

*Sample Description:

Specification Followed

2011.

Sampled By

Daliya

: FRAC/SOP/CHEM-MICRO/016 Sample drawn by FRAC representative

: FSSAI (Food Products Standards and Food Additives) Regulations

Product Group

Food & Agricultural Products

*Name Of NPO

Subharti Jan Kalyan Samiti

*Name Of School/Kitchen

: G.G.S.S.School Gautampuri Delhi-110053

*School ID

: 1105023

TEST RESULTS

| S.No. | Parameters | Unit | Result | Chariffeette | |
|----------|--------------------|-----------|----------|---------------|---|
| Chemic | al Test Parameters | | rteaut | Specification | Test Method |
| 1 | Fat | g/100g | 4.79 | | P T T T T T T T T T T T T T T T T T T T |
| 2 | Protein (N x 6.25) | | | Not Specified | IS 4684:1975 |
| 3 | Total Carbohydrate | g/100g | 6.56 | Not Specified | IS 7219:1973 |
| 4 | Moisture | g/100g | 37.58 | Not Specified | FSSAI 01.067:2022 |
| 5 | | g/100g | 48.84 | Not Specified | IS 4684:1975 |
| 5 | Energy | Kcal/100g | 219.67 | Not Specified | FSSAI(LABELLING AND DISPLAY |
| Biologic | al Test Parameters | | | | Reg, 2020 Page No.14 |
| 6 | Total Plate Count | cfu/g | 9.1X10^2 | Nat Consider | |
| 7 | Escherichia coli | | | Not Specified | IS 5402: 2012 |
| 8 | Salmonella | cfu/g | <10 | Not Specified | IS 5887: Part 1: 1976 |
| | Odinonella | /25g | Absent | Absent | IS 5887: Part 3: 1999 |

Remarks:

The sample conforms to the FSSAI (Food Products Standards and Food Additives) Regulations 2011. specifications mentioned above and is fit for human consumption only as per the above tested parameters.

***End of Report**



Ritu Singh Dy. Director **Authorised Signatory**

Neelima Gupta OIC-Microbiology

* Indicates Information supplied by the Customer for which the laboratory has no control. Note: 1.

Sample(s) not drawn by FRAC, unless specified.

Page No.1 of 1

The result listed refers only to tested sample(s) and applicable parameters. Endorsement of product is neither inferred nor implied. Sample(s) will be destroyed after fifteen days of the date of issue of test report unless otherwise specified, except for perishable sam which would be destroyed immediately after issuance of report. 3.

Test report shall not be reproduced except in full, without written approval from FRAC. This test report in full or in part shall not be used for advertising or legal action.

FRAC will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports. This is a computer generated document with electronic signature hence does not require manual signature.

FRAC will ensure all corrective action as per our policy in case of any discrepancy in any sample tested, FRAC liability is limited to the amount charged against the testing of the sample. 60

Retesting charges will be applicable in case the results are reproducible. 10. Duplicate copy will be issued on chargeable basis.

File No. DE.23(1056)/MDM/2025 (Computer No. 244966)



2510300119-1



PLOT 2A, SECTOR-8, DWARKA, NEW DELHI-110077 Fax: 91-11-25360802 Tel: 91-11-45333500-510

E-mail: info@fraclabs.org, Website: www.fraclabs.org



TC-5275

TEST REPORT

*Issued To:

The Deputy Director of Education (PM-Poshan)

Directorate of education, government of NCT of Delhi ,Old Secretariat,Delhi-110054

ULR: TC527525000026925F

Reg. No

:FRAC/F/2510310085

*Your Ref. No

: TRF

*Letter/TRF Dated

: 31/10/2025

Date of Issue

: 07/11/2025

Date of Sample Recd.

: 31/10/2025

Date of Sampling

: 31/10/2025

Sample Condition

: Satisfactory

*Sample Packing

: Sampling Nasco Bag

Date of Sample Booking

: 31/10/2025

Date of Start of Analysis

: 31/10/2025

Date of Completion

*Sample Qty

*Eatch No

*Mfg. Date

*Exp. Date

07/11/2025

: FSSAI (Food Products Standards and Food Additives) Regulations

350gm

FRAC/SOP/CHEM-MICRO/016

Not Specified Not Specified

Not Specified

Sampling Method Sampled By

Kadhi Chawal Specification Followed

Sample drawn by FRAC representative

Product Group *Name Of NPO

Food & Agricultural Products Subharti Jan Kalyan Samiti

*Name Of School/Kitchen

*Sample Description:

: Kitchen/Kh. No-603, Gaurav Chowk, Milan Garden, Sabhapur, Near sai Mandir, Delhi-41

TEST RESULTS

| S.No. | Parameters | Unit | Result | Specification | |
|----------|--------------------|-------------|----------|--|---|
| Chemic | al Test Parameters | | result | Specification | Test Method |
| 1 | Fat | g/100g | 4.46 | Not Specified | |
| 2 | Protein (N x 6.25) | g/100g | 5.05 | Not Specified | IS 4684:1975 |
| 3 | Total Carbohydrate | g/100g | 29.28 | Not Specified | IS 7219:1973 |
| 4 | Moisture | g/100g | 59.04 | Not Specified | IS 1656:2022 |
| 5 | Energy | Kcal/100g | 177.46 | V (1) (2) (2) (3) (3) (3) (3) (3) (3) (3) (3) (3) (3 | IS 4684:1975 |
| | | rtodii 100g | 177.40 | Not Specified | FSSAI(LABELLING AND DISPLAY Reg, 2020 Page No.14 |
| Biologic | al Test Parameters | | | | Neg, 2020 Page No.14 |
| 6 | Total Plate Count | cfu/g | 1.6X10^3 | Not Specified | 10 5400, 0040 |
| 7 | Escherichia coli | cfu/g | <10 | Not Specified | IS 5402: 2012 |
| 8 | Salmonella | /25g | Absent | | IS 5887; Part 1: 1976 |
| 7-1-1-1 | | | , would | Absent | IS 5887: Part 3: 1999 |

Remarks:

The sample conforms to the FSSAI (Food Products Standards and Food Additives) Regulations 2011. specifications mentioned above and is fit for human consumption only as per the above tested parameters.

End of Report



Anil Kumar

TM -Chemical

Authorised Signatory

Neelima Gupta

OIC-Microbiology

Indicates Information supplied by the Customer for which the laboratory has no control.

Sample(s) not drawn by FRAC, unless specified.

The result listed refers only to tested sample(s) and applicable parameters. Endorsement of product is neither inferred nor implied Page No.1 of 1 Sample(s) will be destroyed after fifteen days of the date of issue of test report unless otherwise specified, except for perishable sample (s) 3. which would be destroyed immediately after issuance of report.

Test report shall not be reproduced except in full, without written approval from FRAC. This test report in full or in part shall not be used for advertising or legal action.

FRAC will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports. This is a computer generated document with electronic signature hence does not require manual signature.

FRAC will ensure all corrective action as per our policy in case of any discrepancy in any sample tested, FRAC liability is limited to

the amount charged against the testing of the sample. 61 Retesting charges will be applicable in case the results are reproducible.

Duplicate copy will be issued on chargeable basis.
 File No. DE.23(1056)/MDM/2025 (Computer No. 244966)





PLOT 2A, SECTOR-8, DWARKA, NEW DELHI-110077 Fax: 91-11-25360802 Tel: 91-11-45333500-510

E-mail: info@fraclabs.org, Website: v/ww.fraclabs.org



TC-5275

TEST REPORT

*Issued To:

The Deputy Director of Education (PM-Poshan)

Directorate of education, government of NCT of Delhi ,Old Secretariat,Delhi-110054

ULR: TC527525000026926F

Reg. No

:FRAC/F/2510310086

*Your Ref. No

:TRF

*Letter/TRF Dated

: 31/10/2025

Date of Issue

: 07/11/2025

Date of Sample Recd.

: 31/10/2025

Date of Sampling

: 31/10/2025

Sample Condition

Satisfactory

*Sample Packing

Sampling Nasco Bag

Date of Sample Booking Date of Start of Analysis

: 31/10/2025

: 31/10/2025

Date of Completion

: 07/11/2025

: FSSAI (Food Products Standards and Food Additives) Regulations

*Sample Qty

350gm

Sampling Method

*Sample Description:

FRAC/SOP/CHEM-MICRO/016

*Eatch No *Mfg. Date Not Specified

Sampled By

Dal Chawal Specification Followed

Sample drawn by FRAC representative

*Exp. Date

Not Specified

Product Group *Name Of NPO : Food & Agricultural Products

Suprabhat Educational And Social Welfare Society

Not Specified

*Name Of School/Kitchen

: Kitchen/Khasra no.14/1,20 Futa Road, Kamal Vihar, Shiv Vihar, Delhi-110094

TEST RESULTS

| S.No. | Parameters | Unit | Result | Specification | |
|----------|---|-----------|----------|---------------|---|
| Chemic | al Test Parameters | | | ореспісаціон | Test Method |
| 1 | Fat | g/100g | 4.86 | Not Specified | |
| 2 | Protein (N x 6.25) | g/100g | 4.97 | Not Specified | IS 4684:1975 |
| 3 | Total Carbohydrate | g/100g | 28.99 | Not Specified | IS 7219:1973 |
| 4 | Moisture | g/100g | 58.94 | Not Specified | IS 1656:2022 |
| 5 | Energy | Kcal/100g | 179.58 | Not Specified | IS 4684:1975 FSSAI(LABELLING AND DISPLAY) |
| Biologic | cal Test Parameters | | | | Reg, 2020 Page No.14 |
| 6 | Total Plate Count | cfu/g | 1.3X10^3 | Not Specified | |
| 7 | Escherichia coli | cfu/g | <10 | | IS 5402: 2012 |
| 8 | Salmonella | /25g | Absent | Not Specified | IS 5887: Part 1: 1976 |
| | 100000000000000000000000000000000000000 | /20g | Ansent | Absent | IS 5887: Part 3: 1999 |

Remarks:

The sample conforms to the FSSAI (Food Products Standards and Food Additives) Regulations 2011. specifications mentioned above and is fit for human consumption only as per the above tested parameters.

End of Report



Anil Kumar

TM -Chemical

Neelima Gupta **OIC-Microbiology**

Authorised Signatory

Indicates Information supplied by the Customer for which the laboratory has no control. Sample(s) not drawn by FRAC, unless specified.

Page No.1 of 1

The result listed refers only to tested sample(s) and applicable parameters. Endorsement of product is neither inferred nor implied Sample(s) will be destroyed after fifteen days of the date of issue of test report unless otherwise specified, except for perishable sam 3. which would be destroyed immediately after issuance of report.

Test report shall not be reproduced except in full, without written approval from FRAC. This test report in full or in part shall not be used for advertising or legal action.

FRAC will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports. This is a computer generated document with electronic signature hence does not require manual signature.

FRAC will ensure all corrective action as per our policy in case of any discrepancy in any sample tested, FRAC liability is limited to the amount charged against the testing of the sample. 62

Retesting charges will be applicable in case the results are reproducible.

10. Duplicate copy will be issued on chargeable basis. File No. DE.23(1056)/MDM/2025 (Computer No. 244966)



PLOT 2A, SECTOR-8, DWARKA, NEW DELHI-110077 Fax: 91-11-25360802 Tel: 91-11-45333500-510 E-mail: info@fraclabs.org, Website: www.fraclabs.org



TC-5275

TEST REPORT

*Issued To:

The Deputy Director of Education (PM-Poshan)

Directorate of education, government of NCT of Delhi ,Old Secretariat,Delhi-110054

ULR: TC527525000026785F

Reg. No

:FRAC/F/2510300118

*Your Ref. No

:TRF

* etter/TRF Dated

: 30/10/2025

Date of Issue

: 06/11/2025

Date of Sample Recd.

: 30/10/2025

Date of Sampling

: 30/10/2025

Sample Condition

: Satisfactory

*Sample Packing

Sampling Nasco Bag

Date of Sample Booking

30/10/2025

Date of Start of Analysis

: 30/10/2025

Date of Completion

: 06/11/2025

*Sample Qty *Eatch No

350am Not Specified

*Mfg. Date

Not Specified

*Exp. Date

Not Specified

Specification Followed

*Sample Description:

FSSAI (Food Products Standards and Food Additives) Regulations 2011

Sampling Method

Daliya

: FRAC/SOP/CHEM-MICRO/016

Sampled By

: Sample drawn by FRAC representative

Product Group

Food & Agricultural Products

*Name Of NPO

Suprabhat Educational And Social Welfare Society

*Name Of School/Kitchen

: G.G.S.S.S No.2 New Seelampur Delhi-53

*School ID

: 1105025

TEST RESULTS

| S.No. | Parameters | Unit | Result | Specification | |
|----------|--------------------|-----------|-----------------|---------------|-----------------------------|
| Chemic | al Test Parameters | | | Opecification | Test Method |
| 1 | Fat | g/100g | 4.72 | Not Specified | T |
| 2 | Protein (N x 6.25) | g/100g | 6.51 | | IS 4684:1975 |
| 3 | Total Carbohydrate | | 201 | Not Specified | IS 7219:1973 |
| 4 | Moisture | g/100g | 37.67 | Not Specified | FSSAI 01.067:2022 |
| | PROPERTY. | g/100g | 48.83 | Not Specified | IS 4684:1975 |
| 5 | Energy | Kcal/100g | 219.2 | Not Specified | FSSAI(LABELLING AND DISPLAY |
| Biologic | al Test Parameters | | | | Reg, 2020 Page No.14 |
| 6 | Total Plate Count | cfu/g | 1.1X10^3 | Not Specified | |
| 7 | Escherichia coli | cfu/g | 33000 B.T. (#1) | | IS 5402: 2012 |
| 8 | Salmonella | | <10 | Not Specified | IS 5887: Part 1: 1976 |
| | Samonella | /25g | Absent | Absent | IS 5887: Part 3: 1999 |

Remarks:

The sample conforms to the FSSAI (Food Products Standards and Food Additives) Regulations 2011. specifications mentioned above and is fit for human consumption only as per the above tested parameters.

End of Report



Authorised Signatory

Neelima Gupta OIC-Microbiology

Dy. Director * Indicates Information supplied by the Customer for which the laboratory has no control. Note: 1. Sample(s) not drawn by FRAC, unless specified.

Page No.1 of 1

The result listed refers only to tested sample(s) and applicable parameters. Endorsement of product is neither inferred nor implied. Sample(s) will be destroyed after fifteen days of the date of issue of test report unless otherwise specified, except for perishable sam which would be destroyed immediately after issuance of report.

Test report shall not be reproduced except in full, without written approval from FRAC.

This test report in full or in part shall not be used for advertising or legal action.

FRAC will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports. This is a computer generated document with electronic signature hence does not require manual signature.

FRAC will ensure all corrective action as per our policy in case of any discrepancy in any sample tested, FRAC liability is limited to the amount charged against the testing of the sample.

Retesting charges will be applicable in case the results are reproducible.

File No. DE.23(1056)/MDM/2025 (Computer No. 244966)





PLOT 2A, SECTOR-8, DWARKA, NEW DELHI-110077 Fax: 91-11-25360802 Tel: 91-11-45333500-510 E-mail: info@fraclabs.org, Website: www.fraclabs.org



TEST REPORT

*Issued To:

The Deputy Director of Education (PM-Poshan)

Directorate of education, government of NCT of Delhi ,Old Secretariat,Delhi-110054

ULR: TC527525000026923F

Reg. No.

:FRAC/F/2510310083

*Your Ref. No

: TRF

*Letter/TRF Dated

: 31/10/2025

Date of Issue

: 10/11/2025

Date of Sample Recd.

: 31/10/2025

Date of Sampling

: 31/10/2025

Sample Condition

: Satisfactory

*Sample Packing

: Sampling Nasco Bag

Date of Sample Booking

: 31/10/2025

Date of Start of Analysis

: 31/10/2025

Date of Completion

: 10/11/2025

: FSSAI (Food Products Standards and Food Additives) Regulations

*Sample Qty *Elatch No

350gm Not Specified

FRAC/SOP/CHEM-MICRO/016

: Sample drawn by FRAC representative

*Mfg. Date *Exp. Date

Not Specified Not Specified

Sampled By Product Group *Name Of NPO

Sampling Method

Chole Chawal Specification Followed

> Food & Agricultural Products : Surya Charitable And Welfare Society

*Name Of School/Kitchen

*Sample Description:

: S.K.V No.2,A-Block,Jahangir Puri,Delhi-33

*School ID

: 1309254

TEST RESULTS

| S.No. | Parameters | Unit | Result | Specification | |
|----------|---|-----------|----------|--|-----------------------------|
| Chemic | al Test Parameters | A TI | | Specification | Test Method |
| 1 | Fat | g/100g | 4.56 | Not on the second | |
| 2 | Protein (N x 6.25) | g/100g | 4.94 | Not Specified | IS 4684:1975 |
| 3 | Total Carbohydrate | g/100g | 4505/67 | Not Specified | IS 7219:1973 |
| 4 | Moisture | | 29.34 | Not Specified | IS 1656:2022 |
| 5 | Energy | g/100g | 58.95 | Not Specified | IS 4684:1975 |
| 8 | Linergy | Kcal/100g | 178.16 | Not Specified | FSSAI(LABELLING AND DISPLAY |
| Biologic | al Test Parameters | | | 43 | Reg, 2020 Page No.14 |
| 6 | Total Plate Count | | | NE SERVICE DE LA CONTRACTOR DE LA CONTRA | |
| 7 | Escherichia coli | cfu/g | 8.8x10^2 | Not Specified | IS 5402: 2012 |
| 8 | 200000000000000000000000000000000000000 | cfu/g | <10 | Not Specified | IS 5887: Part 1: 1976 |
| 0 | Salmonella | /25g | Absent | Absent | IS 5887: Part 3: 1999 |

The sample conforms to the FSSAI (Food Products Standards and Food Additives) Regulations 2011. specifications mentioned above and is fit for human consumption only as per the above tested parameters.

End of Report



Authorised Signatory

Neelima Gupta OIC-Microbiology

Dy. Director * Indicates Information supplied by the Customer for which the laboratory has no control.

1. Sample(s) not drawn by FRAC, unless specified.

The result listed refers only to tested sample(s) and applicable parameters. Endorsement of product is neither inferred nor implied. Sample(s) will be destroyed after fifteen days of the date of issue of test report unless otherwise specified, except for perishable samples. which would be destroyed immediately after issuance of report.

Test report shall not be reproduced except in full, without written approval from FRAC.

This test report in full or in part shall not be used for advertising or legal action.

FRAC will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports.

This is a computer generated document with electronic signature hence does not require in anual signature.

FRAC will ensure all corrective action as per our policy in case of any discrepancy in any sample tested, FRAC liability is limited to the amount charged against the testing of the sample.

Retesting charges will be applicable in case the results are reproducible. 64

Duplicate copy will be issued on chargeable basis.

File No. DE.23(1056)/MDM/2025 (Computer No. 244966)



PLOT 2A, SECTOR-8, DWARKA, NEW DELHI-110077 Fax: 91-11-25360802 Tel: 91-11-45333500-510 E-mail : info@fraclabs.org, Website : www.fraclabs.org



TC-5275

TEST REPORT

*Issued To:

The Deputy Director of Education (PM-Poshan)

Directorate of education, government of NCT of Delhi ,Old Secretariat,Delhi-110054

ULR: TC527525000025932F

Reg. No

:FRAC/F/2510170125

*Your Ref. No

: TRF

*Letter/TRF Dated

: 17/10/2025

Date of Issue

27/10/2025

Date of Sample Recd.

: 17/10/2025

Date of Sampling

: 17/10/2025

Sample Condition

: Satisfactory

*Sample Packing Date of Sample Booking

Sampling Nasco Bag

Date of Start of Analysis

: 17/10/2025

: 17/10/2025

Date of Completion

27/10/2025

*Sample Qty

: 350am

*Batch No

Not Specified

*Nfg. Date *Exp. Date

Not Specified Not Specified

Sampled By Product Group

Sampling Method

Veg Daliya

*Sample Description:

Specification Followed

Sample drawn by FRAC representative

FRAC/SOP/CHEM-MICRO/016

Food & Agricultural Products

*Name Of NPO

: Surya Charitable And Welfare Society

*Name Of School/Kitchen

: Kitchen/Khasra no.31/10, Village Nangli Poona, Delhi-110036(Near TPDDL Office)

: FSSAI (Food Products Standards and Food Additives) Regulations

TEST RESULTS

| S.No. | Parameters | Unit | Result | Specification | Tark Made a |
|----------|---------------------|-----------|----------|---------------|-----------------------------------|
| Chemic | al Test Parameters | | | респисации | Test Method |
| 1 | Fat | g/100g | 4.66 | Not Specified | 10 100 100 |
| 2 | Protein (N x 6.25) | g/100g | 6.47 | Not Specified | IS 4684:1975 |
| 3 | Total Carbohydrate | g/100g | 37.93 | Not Specified | IS 7219:1973 FSSAI 01.067:2022 |
| 4 | Moisture | g/100g | 48.72 | Not Specified | IS 4684:1975 |
| 5 | Energy | Kcal/100g | 219.54 | Not Specified | FSSAI(LABELLING AND DISPLAY |
| | | | | 26 | Reg, 2020 Page No.14 |
| Biologic | cal Test Parameters | | SO AND | All Property | 31 20 - 250 HO.14 |
| 6 | Total Plate Count | cfu/g | 7.2X10^2 | Not Specified | IS 5402: 2012 |
| 7 | Escherichia coli | cfu/g | <10 | Not Specified | IS 5887: Part 1: 1976 |
| 8 | Salmonella | /25g | Absent | Absent | IS 5887: Part 1: 1976 |

Remarks:

The sample conforms to the FSSAI (Food Products Standards and Food Additives) Regulations 2011. specifications mentioned above and is fit for human consumption only as per the above tested parameters.

End of Report



Anil Kumar

TM -Chemical

Authorised Signatory peeling

Neelima Gupta

OIC-Microbiology

Vote: 1.

* Indicates Information supplied by the Customer for which the laboratory has no control. Sample(s) not drawn by FRAC, unless specified.

Page No.1 of 1

The result listed refers only to tested sample(s) and applicable parameters. Endorsement of product is neither inferred nor implied. Sample(s) will be destroyed after fifteen days of the date of issue of test report unless otherwise specified, except for perishable sample, which would be destroyed immediately after issuance of report.

Test report shall not be reproduced except in full, without written approval from FRAC.

This test report in full or in part shall not be used for advertising or legal action.

FRAC will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports.

This is a computer generated document with electronic signature hence does not require manual signature.

FRAC will ensure all corrective action as per our policy in case of any discrepancy in any sample tested, FRAC liability is limited to the amount charged against the testing of the sample. 65

Retesting charges will be applicable in case the results are reproducible. 10. Duplicate copy will be issued on chargeable basis. File No. DE.23(1056)/MDM/2025 (Computer No. 244966)





PLOT 2A, SECTOR-8, DWARKA, NEW DELHI-110077 Fax: 91-11-25360802 Tel: 91-11-45333500-510 E-mail: info@fraclabs.org, Website: www.fraclabs.org



TEST REPORT

*Issued To:

The Deputy Director of Education (PM-Poshan)

Directorate of education, government of NCT of Delhi ,Old Secretariat,Delhi-110054

ULR: TC527525000025806F

Reg. No

:FRAC/F/2510160031

*Your Ref. No

: TRF

*Letter/TRF Dated

: 16/10/2025

Date of Issue

: 25/10/2025

Date of Sample Recd.

: 16/10/2025

Date of Sampling

: 16/10/2025

Sample Condition

*Sample Packing

: Satisfactory

Date of Sample Booking

: Sampling Nasco Bag : 16/10/2025

Date of Start of Analysis

: 16/10/2025

Date of Completion

: 25/10/2025

: FSSAI (Food Products Standards and Food Additives) Regulations

*Sample Qty

: 350gm

*Batch No

Not Specified

*Mig. Date *Exp. Date

Not Specified Not Specified

Product Group

*Sample Description:

Dal + Chawal Specification Followed

: Sample drawn by FRAC representative

2011.

*Name of NPO

Sampling Method

Sampled By

: Food & Agricultural Products : The Akshaya Patra Foundation (BHD)

: FRAC/SOP/CHEM-MICRO/016

*Name of School/Kitchen

: Kitchen/S-73,Phase-1,Badli Industrial Area,Samaypur Badli,Delhi-110033

TEST RESULTS

| S.No. | Parameters | Unit | Result | Specification | Test Method |
|----------|--------------------|-----------|----------|---------------|--|
| Chemic | al Test Parameters | | | <u> </u> | |
| 1 | Fat | g/100g | 4.38 | Not Specified | IS 4684:1975 |
| 2 | Protein (N x 6.25) | g/100g | 4.99 | Not Specified | IS 7219:1973 |
| 3 | Total Carbohydrate | g/100g | 29.36 | Not Specified | IS 1656:2022 |
| 4 | Moisture | g/100g | 58.99 | Not Specified | IS 4684:1975 |
| 5 | Energy | Kcal/100g | 176.82 | Not Specified | FSSAI(LABELLING AND DISPLAY) Reg, 2020 Page No.14 |
| Biologic | al Test Parameters | | | | |
| 6 | Total Plate Count | cfu/g | 1.3X10^3 | Not Specified | IS 5402: 2012 |
| 7 | Escherichia coli | cfu/g | <10 | Not Specified | IS 5887: Part 1: 1976 |
| 8 | Salmonella | /25g | Absent | Absent | IS 5887: Part 3: 1999 |

Remarks: The sample conforms to the FSSAI (Food Products Standards and Food Additives) Regulations 2011. specifications mentioned above and is fit for human consumption only as per the above tested parameters.

***End of Report*



ote: 1.

Vishal Jhelum DGM-Instrument Authorised Signatory

Neelima Gupta OIC-Microbiology

Page No.1 of 1

* Indicates Information supplied by the Customer for which the laboratory has no control.

Sample(s) not drawn by FRAC, unless specified.

The result listed refers only to tested sample(s) and applicable parameters. Endorsement of product is neither inferred nor implied. Sample(s) will be destroyed after fifteen days of the date of issue of test report unless otherwise specified, except for perishable sample, which would be destroyed immediately after issuance of report.

Test report shall not be reproduced except in full, without written approval from FRAC.

This test report in full or in part shall not be used for advertising or legal action. FRAC will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports.

This is a computer generated document with electronic signature hence does not require manual signature.

FRAC will ensure all corrective action as per our policy in case of any discrepancy in any sample tested, FRAC liability is limited to the amount charged against the testing of the sample.

Retesting charges will be applicable in case the results are reproducible

Duplicate copy will be issued on chargeable basis.
 File No. DE.23(1056)/MDM/2025 (Computer No. 244966)





PLOT 2A, SECTOR-8, DWARKA, NEW DELHI-110077 Fax: 91-11-25360802 Tel: 91-11-45333500-510

E-mail: info@fraclabs.org, Website: v/ww.fraclabs.org



TC-5275

TEST REPORT

*Issued To:

The Deputy Director of Education (PM-Poshan)

Directorate of education, government of NCT of Delhi ,Old Secretariat,Delhi-110054

ULR: TC527525000026784F

Reg. No

:FRAC/F/2510300117

*Your Ref. No

: TRF

*Letter/TRF Dated

: 30/10/2025

Date of Issue

: 06/11/2025

Date of Sample Recd. Date of Sampling

: 30/10/2025

Sample Condition

: 30/10/2025 : Satisfactory

*Sample Packing

Sampling Nasco Bag

Date of Sample Booking

: 30/10/2025

Date of Start of Analysis

: 30/10/2025

Date of Completion

06/11/2025

FSSAI (Food Products Standards and Food Additives) Regulations

*Batch No

350gm

2011 : FRAC/SOP/CHEM-MICRO/016

*Sample Qty *Mfg. Date *Exp. Date

Not Specified Not Specified Not Specified

Sampled By Product Group

*Name Of NPO

Sampling Method

Daliya

*Sample Description:

Specification Followed

: Sample drawn by FRAC representative

Food & Agricultural Products

: The Akshaya Patra Foundation (BHD)

*Name Of School/Kitchen

Govt. Girls Sr. Sec. School No.3 Bhole Nath Nagar, Shahdara

*School ID

: 1001023

TEST RESULTS

| S.No. | Parameters | Unit | Result | Specification | T |
|----------|--------------------|-----------|----------|---------------|---|
| Chemic | al Test Parameters | | | Openication | Test Method |
| 1 | Fat | g/100g | 4.76 | Not Specified | 19 100 |
| 2 | Protein (N x 6.25) | g/100g | 6.54 | Not Specified | IS 4684:1975 |
| 3 | Total Carbohydrate | g/100g | 37.61 | Not Specified | IS 7219:1973 |
| 4 | Moisture | g/100g | 48.84 | Not Specified | FSSAI 01.067:2022 |
| 5 | Energy | Kcal/100g | 219.44 | Not Specified | IS 4684:1975 FSSAI(LABELLING AND DISPLAY) |
| Biologic | al Test Parameters | | | | Reg, 2020 Page No.14 |
| 6 | Total Plate Count | cfu/g | 1.4X10^3 | Not Specified | |
| 7 | Escherichia coli | cfu/g | <10 | | IS 5402: 2012 |
| 8 | Salmonella | /25g | Absent | Not Specified | IS 5887: Part 1: 1976 |
| | | 720g | Ausent | Absent | IS 5887: Part 3: 1999 |

Remarks:

The sample conforms to the FSSAI (Food Products Standards and Food Additives) Regulations 2011, specifications mentioned above and is fit for human consumption only as per the above tested parameters.

***End of Report*



Ritu Singh Dy. Director **Authorised Signatory**

Neelima Gupta OIC-Microbiology

* Indicates Information supplied by the Customer for which the laboratory has no control. Note: 1. Sample(s) not drawn by FRAC, unless specified.

Page No.1 of 1

The result listed refers only to tested sample(s) and applicable parameters. Endorsement of product is neither inferred nor implied. Sample(s) will be destroyed after fifteen days of the date of issue of test report unless otherwise specified, except for perishable sar 3. which would be destroyed immediately after issuance of report.

Test report shall not be reproduced except in full, without written approval from FRAC. This test report in full or in part shall not be used for advertising or legal action.

FRAC will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports. This is a computer generated document with electronic signature hence does not require manual signature

Generated from eOffice by RAJESH KUMAR, PMP/MDM(ASO)-RAJESH, ASSISTANT SECTION OFFICER, EDUCATION DIRECTORATE on 01/12/2025 11:52 am

FRAC will ensure all corrective action as per our policy in case of any discrepancy in any sample tested, FRAC liability is limited to the amount charged against the testing of the sample. 67

Retesting charges will be applicable in case the results are reproducible.

10. Duplicate copy will be issued on chargeable basis. File No. DE.23(1056)/MDM/2025 (Computer No. 244966)



2510300117-1



PLOT 2A, SECTOR-8, DWARKA, NEW DELHI-110077 Fax: 91-11-25360802 Tel: 91-11-45333500-51

E-mail: info@fraclabs.org, Website: www.fraclabs.org

TC-5275

TEST REPORT

*Issued To:

The Deputy Director of Education (PM-Poshan)

2011

Directorate of education, government of NCT of Delhi, Old Secretariat, Delhi-110054

ULR: TC527525000026315F

Reg. No

:FRAC/F/2510240069

*Your Ref. No

:TRF

*Letter/TRF Dated

: 24/10/2025

Date of Issue

31/10/2025

Date of Sample Recd.

: 24/10/2025

Date of Sampling

Sample Condition

: 24/10/2025

*Sample Packing

: Satisfactory

Date of Sample Booking

Sampling Nasco Bag : 24/10/2025

Date of Start of Analysis

: 24/10/2025

Date of Completion

31/10/2025

*Sample Otv

: 350gm

*Batch No

Not Specified

*Mfg. Date

Not Specified

*Exp. Date

Not Specified

Product Group *Name Of NPO

Sampling Method

Sampled By

*Sample Description

Kadhi Chawal Specification Followed

> Food & Agricultural Products The Akshaya Patra Foundation (DMC)

Sample drawn by FRAC representative

FRAC/SOP/CHEM-MICRO/016

*Name Of School/Kitchen

: Kitchen/Property No.E-17,Block-B1 Extn,Mohan Co-operative,Industrial Area,Badarpur,New Delhi-110044

FSSAI (Food Products Standards and Food Additives) Regulations

TEST RESULTS

| S.No. | Parameters | Unit | Result | Specification | Test Method |
|----------|--------------------|-----------|----------|---------------|---|
| Chemic | al Test Parameters | | | | Test Metrod |
| 1 | Fat | g/100g | 4.48 | Not Specified | IS 4684:1975 |
| 2 | Protein (N x 6.25) | g/100g | 5.08 | Not Specified | IS 7219:1973 |
| 3 | Total Carbohydrate | g/100g | 29.15 | Not Specified | IS 1656;2022 |
| 4 | Moisture | g/100g | 59.07 | Not Specified | IS 4684:1975 |
| 5 | Energy | Kcal/100g | 177.24 | Not Specified | FSSAI(LABELLING AND DISPLAY) Reg, 2020 Page No.14 |
| Biologic | al Test Parameters | | | | and a second second |
| 6 | Total Plate Count | cfu/g | 1.3X10^3 | Not Specified | IS 5402: 2012 |
| 7 | Escherichia coli | cfu/g | <10 | Not Specified | IS 5887: Part 1: 1976 |
| 8 | Salmonella | /25g | Absent | Absent | IS 5887: Part 3: 1999 |

The sample conforms to the FSSAI (Food Products Standards and Food Additives) Regulations 2011. specifications mentioned above and is fit for human consumption only as per the above tested parameters.

End of Report



Anil Kumar TM -Chemical Authorised Signatory

Neelima Gupta OIC-Microbiology

* Indicates Information supplied by the Customer for which the laboratory has no control.

Note: 1 Sample(s) not drawn by FRAC, unless specified.

Page No.1 of 1 The result listed refers only to tested sample(s) and applicable parameters. Endorsement of product is neither inferred nor implied. Sample(s) will be destroyed after fifteen days of the date of issue of test report unless otherwise specified, except for perishable sa 3.

which would be destroyed immediately after issuance of report. Test report shall not be reproduced except in full, without written approval from FRAC.

This test report in full or in part shall not be used for advertising or legal action.

FRAC will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports.

This is a computer generated document with electronic signature hence does not require manual signature.

FRAC will ensure all corrective action as per our policy in case of any discrepancy in any sample tested, FRAC liability is limited to the amount charged against the testing of the sample.

Retesting charges will be applicable in case the results are reproducible.

10. Duplicate copy will be issued on chargeable basis.

File No. DE.23(1056)/MDM/2025 (Computer No. 244966)

Generated from eOffice by RAJESH KUMAR, PMP/MDM(ASO)-RAJESH, ASSISTANT SECTION OFFICER, EDUCATION DIRECTORATE on 01/12/2025 11:52 am





PLOT 2A, SECTOR-8, DWARKA, NEW DELHI-110077 Fax: 91-11-25360802 Tel: 91-11-45333500-51

E-mail: info@fraclabs.org, Website: www.fraclabs.org



TC-5275

TEST REPORT

*Issued To:

The Deputy Director of Education (PM-Poshan)

Directorate of education, government of NCT of Delhi ,Old Secretariat,Delhi-110054

ULR: TC527525000026317F

Reg. No

:FRAC/F/2510240071

*Your Ref. No

: TRF

*Letter/TRF Dated

: 24/10/2025

Date of Issue

: 31/10/2025

Date of Sample Recd.

24/10/2025

Date of Sampling

: 24/10/2025

Sample Condition

: Satisfactory

*Sample Packing

Sampling Nasco Bag

Date of Sample Booking

: 24/10/2025

Date of Start of Analysis

: 24/10/2025

Date of Completion

: 31/10/2025

*Sample Qty

: 350gm

*Batch No

Not Specified

*Mfg. Date

Not Specified

*Exp. Date

Not Specified

Product Group *Name Of NPO

Sampling Method

Food & Agricultural Products The Akshaya Patra Foundation (DMC)

Sample drawn by FRAC representative

FRAC/SOP/CHEM-MICRO/016

*Name Of School/Kitchen

*Sample Description:

Specification Followed

Veg Daliya

Sampled By

S.K.V Railway Colony Tuglakabad New Delhi-44

: FSSAI (Food Products Standards and Food Additives) Regulations

*School ID

1925046

2011

TEST RESULTS

| S.No. | Parameters | Unit | Result | Specification | Test Method |
|----------|--------------------|-----------|----------|---------------|---|
| Chemic | al Test Parameters | | | | rest metrod |
| 1 | Fat | g/100g | 4.65 | Not Specified | IS 4684:1975 |
| 2 | Protein (N x 6.25) | g/100g | 6.44 | Not Specified | IS 7219:1973 |
| 3 | Total Carbohydrate | g/100g | 37.94 | Not Specified | FSSAI 01.067:2022 |
| 4 | Moisture | g/100g | 48.71 | Not Specified | IS 4684:1975 |
| 5 | Energy | Kcal/100g | 219.37 | Not Specified | FSSAI(LABELLING AND DISPLAY Reg, 2020 Page No.14 |
| Biologic | al Test Parameters | | | | 3, 2020 1030 110.11 |
| 6 | Total Plate Count | cfu/g | 7.5X10^2 | Not Specified | IS 5402: 2012 |
| 7 | Escherichia coli | cfu/g | <10 | Not Specified | IS 5887: Part 1: 1976 |
| 8 | Salmonella | /25g | Absent | Absent | IS 5887: Part 3: 1999 |

Remarks:

The sample conforms to the FSSAI (Food Products Standards and Food Additives) Regulations 2011. specifications mentioned above and is fit for human consumption only as per the above tested parameters.

End of Report



Anil Kumar

TM -Chemical

Authorised Signatory

Neelima Gupta OIC-Microbiology

* Indicates Information supplied by the Customer for which the laboratory has no control.

Note: 1. Sample(s) not drawn by FRAC, unless specified.

Page No.1 of 1 The result listed refers only to tested sample(s) and applicable parameters. Endorsement of product is neither inferred nor implied.

Sample(s) will be destroyed after fifteen days of the date of issue of test report unless otherwise specified, except for perishable sa which would be destroyed immediately after issuance of report.

Test report shall not be reproduced except in full, without written approval from FRAC.

This test report in full or in part shall not be used for advertising or legal action.

6. FRAC will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports.

This is a computer generated document with electronic signature hence does not require manual signature. FRAC will ensure all corrective action as per our policy in case of any discrepancy in any sample tested, FRAC liability is limited to

the amount charged against the testing of the sample.

Retesting charges will be applicable in case the results are reproducible. Duplicate copy will be issued on chargeable basis.

File No. DE.23(1056)/MDM/2025 (Computer No. 244966)





PLOT 2A, SECTOR-8, DWARKA, NEW DELHI-110077 Fax: 91-11-25360802 Tel: 91-11-45333500-510 E-mail: info@fraclabs.org, Website: www.fraclabs.org



TEST REPORT

*Issued To:

The Deputy Director of Education (PM-Poshan)

Directorate of education, government of NCT of Delhi ,Old Secretariat,Delhi-110054

ULR: TC527525000025807F

Reg. No

:FRAC/F/2510160032

*Your Ref. No

:TRF

*Letter/TRF Dated

: 16/10/2025

Date of Issue

: 25/10/2025

Date of Sample Recd.

: 16/10/2025

Date of Sampling

: 16/10/2025

Sample Condition

*Sample Packing

: Satisfactory : Sampling Nasco Bag

Date of Sample Booking

: 16/10/2025

Date of Start of Analysis

: 16/10/2025

Date of Completion

: 25/10/2025

*Sample Qty

: 350gm

*Batch No

Not Specified

*Mfg. Date

Not Specified

Sampling Method Sampled By

*Sample Description:

: FRAC/SOP/CHEM-MICRO/016 : Sample drawn by FRAC representative

2011.

*Exp. Date

Not Specified

Product Group *Name of NPO

Dal + Chawal Specification Followed

Food & Agricultural Products

: The Akshaya Patra Foundation (Jahangirpuri)

: FSSAI (Food Products Standards and Food Additives) Regulations

*Name of School/Kitchen

: Kitchen/Property no.27, Block D, SMA(CIE) Industrial Area, G.T Karnal Road, Delhi-110033

TEST RESULTS

| S.No. | Parameters | Unit | Result | Specification | Test Method |
|----------|--------------------|-----------|----------|---------------|--|
| Chemic | al Test Parameters | | | | |
| 1 | Fat | g/100g | 4.61 | Not Specified | IS 4684:1975 |
| 2 | Protein (N x 6.25) | g/100g | 5.07 | Not Specified | IS 7219:1973 |
| 3 | Total Carbohydrate | g/100g | 29.22 | Not Specified | IS 1656:2022 |
| 4 | Moisture | g/100g | 58.89 | Not Specified | IS 4684:1975 |
| 5 | Energy | Kcal/100g | 178.65 | Not Specified | FSSAI(LABELLING AND DISPLAY) Reg, 2020 Page No.14 |
| Biologic | al Test Parameters | | | | |
| 6 | Total Plate Count | cfu/g | 1.0X10^3 | Not Specified | IS 5402: 2012 |
| 7 | Escherichia coli | cfu/g | <10 | Not Specified | IS 5887: Part 1: 1976 |
| 8 | Salmonella | /25g | Absent | Absent | IS 5887: Part 3: 1999 |

The sample conforms to the FSSAI (Food Products Standards and Food Additives) Regulations 2011. specifications mentioned above and is fit for human Remarks: consumption only as per the above tested parameters.

***End of Report*



Vishal Jhelum DGM-Instrument Authorised Signatory

Neelima Gupta OIC-Microbiology

* Indicates Information supplied by the Customer for which the laboratory has no control.

Page No.1 of 1

ote: 1. Sample(s) not drawn by FRAC, unless specified.

The result listed refers only to tested sample(s) and applicable parameters. Endorsement of product is neither inferred nor implied. Sample(s) will be destroyed after fifteen days of the date of issue of test report unless otherwise specified, except for perishable sample, which would be destroyed immediately after issuance of report.

Test report shall not be reproduced except in full, without written approval from FRAC.

This test report in full or in part shall not be used for advertising or legal action.

FRAC will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports. This is a computer generated document with electronic signature hence does not require manual signature.

FRAC will ensure all corrective action as per our policy in case of any discrepancy in any sample tested, FRAC liability is limited to the amount charged against the testing of the sample.

Retesting charges will be applicable in case the results are reproducible. 10. Duplicate copy will be issued on chargeable basis. File No. DE.23(1056)/MDM/2025 (Computer No. 244966)





PLOT 2A, SECTOR-8, DWARKA, NEW DELHI-110077 Fax: 91-11-25360802 Tel: 91-11-45333500-51

E-mail: info@fraclabs.org, Website: www.fraclabs.org



TEST REPORT

*Issued To:

The Deputy Director of Education (PM-Poshan)

Directorate of education, government of NCT of Delhi ,Old Secretariat,Delhi-110054

ULR: TC527525000026311F

Reg. No

:FRAC/F/2510240065

*Your Ref. No

: TRF

*Letter/TRF Dated

: 24/10/2025

Date of Issue

: 30/10/2025

Date of Sample Recd.

: 24/10/2025

Date of Sampling

: 24/10/2025

Sample Condition

*Sample Packing

: Satisfactory

Date of Sample Booking Date of Start of Analysis

: Sampling Nasco Bag : 24/10/2025

: 24/10/2025

Date of Completion

: 30/10/2025

*Sample Qtv

350gm

*Batch No

Not Specified

*Mfg. Date

Not Specified

*Exp. Date

Not Specified

*Sample Description: Dal Chawal

Specification Followed

2011

Sampling Method

FRAC/SOP/CHEM-MICRO/016

Sampled By

Sample drawn by FRAC representative

Product Group *Name Of NPO

Food & Agricultural Products The People Welfare Society

*Name Of School/Kitchen

Sarvodaya (Co-Ed) Vidyalaya No-2 Kalkaji New Delhi -110019

: FSSAI (Food Products Standards and Food Additives) Regulations

*School ID

TEST RESULTS

| S.No. | Parameters | Unit | Result | Specification | Test Method |
|----------|--------------------|-----------|----------|---------------|---|
| Chemic | al Test Parameters | | | | rest Wethou |
| 1 | Fat | g/100g | 4.75 | Not Specified | IS 4684:1975 |
| 2 | Protein (N x 6.25) | g/100g | 4.95 | Not Specified | IS 7219:1973 |
| 3 | Total Carbohydrate | g/100g | 29.17 | Not Specified | IS 1656;2022 |
| 4 | Moisture | g/100g | 58.95 | Not Specified | IS 4684:1975 |
| 5 | Energy | Kcal/100g | 179.23 | Not Specified | FSSAI(LABELLING AND DISPLAY) Reg. 2020 Page No.14 |
| Biologic | al Test Parameters | | | | |
| 6 | Total Plate Count | cfu/g | 1.2X10^3 | Not Specified | IS 5402: 2012 |
| 7 | Escherichia coli | cfu/g | <10 | Not Specified | IS 5887: Part 1: 1976 |
| 8 | Salmonella | /25g | Absent | Absent | IS 5887: Part 3: 1999 |

The sample conforms to the FSSAI (Food Products Standards and Food Additives) Regulations 2011, specifications mentioned above and is fit for human Remarks: consumption only as per the above tested parameters

End of Report



Anil Kumar

TM -Chemical

Authorised Signatory

Neelima Gupta OIC-Microbiology

Page No.1 of 1

* Indicates Information supplied by the Customer for which the laboratory has no control.

Note: 1. Sample(s) not drawn by FRAC, unless specified.

The result listed refers only to tested sample(s) and applicable parameters. Endorsement of product is neither inferred nor implied. Sample(s) will be destroyed after fifteen days of the date of issue of test report unless otherwise specified, except for perishable sa 3.

which would be destroyed immediately after issuance of report. Test report shall not be reproduced except in full, without written approval from FRAC.

This test report in full or in part shall not be used for advertising or legal action.

FRAC will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports.

This is a computer generated document with electronic signature hence does not require manual signature

FRAC will ensure all corrective action as per our policy in case of any discrepancy in any sample tested, FRAC liability is limited to

the amount charged against the testing of the sample. Retesting charges will be applicable in case the results are reproducible. 71

10. Duplicate copy will be issued on chargeable basis.

File No. DE.23(1056)/MDM/2025 (Computer No. 244966)

Generated from eOffice by RAJESH KUMAR, PMP/MDM(ASO)-RAJESH, ASSISTANT SECTION OFFICER, EDUCATION DIRECTORATE on 01/12/2025 11:52 am



PLOT 2A, SECTOR-8, DWARKA, NEW DELHI-110077 Fax: 91-11-25360802 Tel: 91-11-45333500-51

E-mail: info@fraclabs.org, Website: v/ww.fraclabs.org

TC-5275

TEST REPORT

*Issued To:

The Deputy Director of Education (PM-Poshan)

Directorate of education, government of NCT of Delhi ,Old Secretariat,Delhi-110054

ULR: TC527525000026316F

Reg. No

:FRAC/F/2510240070

*Your Ref. No

: TRF

*Letter/TRF Dated

: 24/10/2025

Date of Issue

31/10/2025

Dale of Sample Recd.

Date of Sampling

: 24/10/2025

: 24/10/2025

Sample Condition

*Sample Packing

: Satisfactory

Date of Sample Booking

: Sampling Nasco Bag

Date of Start of Analysis

: 24/10/2025

: 24/10/2025

Date of Completion

31/10/2025

*Sample Qty

*Batch No

: 350gm

*Mfg. Date

 Not Specified Not Specified

*Exp. Date

Not Specified

Product Group *Name Of NPO

Sampled By

Sampling Method

Food & Agricultural Products

FRAC/SOP/CHEM-MICRO/016

2011

*Sample Description:

Kadhi Chawal Specification Followed

Trimurti Charitable Trust

Sample drawn by FRAC representative

*Name Of School/Kitchen

Kitchen/Khasra no.45,DCM Colony,Ibrahimpur Ext.Nagli Poona Road,Delhi-110036

: FSSAI (Food Products Standards and Food Additives) Regulations

TEST RESULTS

| S.No. | Parameters | Unit | Result | Specification | Test Method |
|----------|--------------------|-----------|----------|---------------|---|
| Chemic | al Test Parameters | | | - Parameter | Test Method |
| 1 | Fat | g/100g | 4.51 | Not Specified | IS 4684:1975 |
| 2 | Protein (N x 6.25) | g/100g | 5.05 | Not Specified | IS 7219:1973 |
| 3 | Total Carbohydrate | g/100g | 29.17 | Not Specified | IS 1656:2022 |
| 4 | Moisture | g/100g | 59.03 | Not Specified | IS 4684:1975 |
| 5 | Energy | Kcal/100g | 177.47 | Not Specified | FSSAI(LABELLING AND DISPLAY Reg, 2020 Page No.14 |
| Biologic | al Test Parameters | | | | 1 3 |
| 6 | Total Plate Count | cfu/g | 1.5X10^3 | Not Specified | IS 5402: 2012 |
| 7 | Escherichia coli | cfu/g | <10 | Not Specified | IS 5887: Part 1: 1976 |
| 8 | Salmonella | /25g | Absent | Absent | IS 5887: Part 3: 1999 |

The sample conforms to the FSSAI (Food Products Standards and Food Additives) Regulations 2011, specifications mentioned above and is fit for human consumption only as per the above tested parameters.

End of Report



Anil Kumar

TM -Chemical

Authorised Signatory

Neelima Gupta OIC-Microbiology

Page No.1 of 1

Indicates Information supplied by the Customer for which the laboratory has no control.

Note: 1 Sample(s) not drawn by FRAC, unless specified.

The result listed refers only to tested sample(s) and applicable parameters. Endorsement of product is neither inferred nor implied. 3.

Sample(s) will be destroyed after fifteen days of the date of issue of test report unless otherwise specified, except for perishable se which would be destroyed immediately after issuance of report.

Test report shall not be reproduced except in full, without written approval from FRAC.

This test report in full or in part shall not be used for advertising or legal action.

FRAC will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports. 6. This is a computer generated document with electronic signature hence does not require manual signature.

FRAC will ensure all corrective action as per our policy in case of any discrepancy in any sample tested, FRAC liability is limited to

the amount charged against the testing of the sample. Retesting charges will be applicable in case the results are reproducible.

10. Duplicate copy will be issued on chargeable basis.

File No. DE.23(1056)/MDM/2025 (Computer No. 244966)

Generated from eOffice by RAJESH KUMAR, PMP/MDM(ASO)-RAJESH, ASSISTANT SECTION OFFICER, EDUCATION DIRECTORATE on 01/12/2025 11:52 am





PLOT 2A, SECTOR-8, DWARKA, NEW DELHI-110077 Fax: 91-11-25360802 Tel: 91-11-45333500-510

E-mail: info@fraclabs.org, Website: www.fraclabs.org



TC-5275

TEST REPORT

*Issued To:

The Deputy Director of Education (PM-Poshan)

Directorate of education, government of NCT of Delhi ,Old Secretariat,Delhi-110054

ULR: TC527525000026783F

Reg. No

:FRAC/F/2510300116

*Your Ref. No

: TRF

*Letter/TRF Dated

: 30/10/2025

Date of Issue

06/11/2025

Date of Sample Recd.

: 30/10/2025

Date of Sampling

: 30/10/2025

Sample Condition

*Sample Packing

Satisfactory : Sampling Nasco Bag

Date of Sample Booking

: 30/10/2025

Date of Start of Analysis

: 30/10/2025

Date of Completion

: 06/11/2025

Not Specified

Not Specified

Not Specified

*Sample Qty *Batch No

*Mfg. Date

*Exp. Date

350gm

FSSAI (Food Products Standards and Food Additives) Regulations

Sampling Method

Daliya

FRAC/SOP/CHEM-MICRO/016

Sampled By

: Sample drawn by FRAC representative

Product Group

Food & Agricultural Products

*Name Of NPO

Vishwakarma Education And Charitable Society

*Name Of School/Kitchen

*Sample Description:

Specification Followed

: St.Ekanth Govt.Sarvodaya Kanya Vidyalaya J & K Block , Dilshad Garden , Delhi-110095

*School ID

: 1106023

TEST RESULTS

| S.No. | Parameters | Unit | Result | Specification | Test Method |
|----------|---------------------|-----------|----------|---------------|---|
| Chemic | al Test Parameters | | | - Promission | Test Wediod |
| 1 | Fat | g/100g | 4.75 | Not Specified | IS 4684:1975 |
| 2 | Protein (N x 6.25) | g/100g | 6.52 | Not Specified | IS 7219:1973 |
| 3 | Total Carbohydrate | g/100g | 37.55 | Not Specified | FSSAI 01.067:2022 |
| 4 | Moisture | g/100g | 48.87 | Not Specified | IS 4684:1975 |
| 5 | Energy | Kcal/100g | 219.03 | Not Specified | FSSAI(LABELLING AND DISPLAY Reg, 2020 Page No.14 |
| Biologic | cal Test Parameters | | 100000 | | 110g, 2020 Fage 140.14 |
| 6 | Total Plate Count | cfu/g | 1.2X10^3 | Not Specified | IS 5402: 2012 |
| 7 | Escherichia coli | cfu/g | <10 | Not Specified | IS 5887: Part 1: 1976 |
| 8 | Salmonella | /25g | Absent | Absent | IS 5887: Part 3: 1999 |

Remarks:

The sample conforms to the FSSAI (Food Products Standards and Food Additives) Regulations 2011. specifications mentioned above and is fit for human consumption only as per the above tested parameters.

***End of Report**



Ritu Singh

73

Authorised Signatory

Neelima Gupta **OIC-Microbiology**

Dy. Director * Indicates Information supplied by the Customer for which the laboratory has no control. Note: 1.

Sample(s) not drawn by FRAC, unless specified.

Page No.1 of 1 The result listed refers only to tested sample(s) and applicable parameters. Endorsement of product is neither inferred nor implied. Sample(s) will be destroyed after fifteen days of the date of issue of test report unless otherwise specified, except for perishable sar

which would be destroyed immediately after issuance of report. Test report shall not be reproduced except in full, without written approval from FRAC.

This test report in full or in part shall not be used for advertising or legal action.

FRAC will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports.

Retesting charges will be applicable in case the results are reproducible.

10. Duplicate copy will be issued on chargeable basis. File No. DE.23(1056)/MDM/2025 (Computer No. 244966)

This is a computer generated document with electronic signature hence does not require manual signature. FRAC will ensure all corrective action as per our policy in case of any discrepancy in any sample tested, FRAC liability is limited to the amount charged against the testing of the sample.





PLOT 2A, SECTOR-8, DWARKA, NEW DELHI-110077 Fax: 91-11-25360802 Tel: 91-11-45333500-510 E-mail: info@fraclabs.org, Website: www.fraclabs.org



TEST REPORT

*Issued To:

The Deputy Director of Education (PM-Poshan)

Directorate of education, government of NCT of Delhi ,Old Secretariat,Delhi-110054

ULR: TC527525000025930F

Reg. No

:FRAC/F/2510170123

*Your Ref. No

: TRE

*Letter/TRF Dated

: 17/10/2025

Date of Issue

: 27/10/2025

Date of Sample Recd.

: 17/10/2025

Date of Sampling

: 17/10/2025

Sample Condition

: Satisfactory

*Sample Packing

Sampling Nasco Bag

Date of Sample Booking

: 17/10/2025

Date of Start of Analysis

: 17/10/2025

Date of Completion

: 27/10/2025

: FSSAI (Food Products Standards and Food Additives) Regulations

*Sample Qty

: 350am

Sampling Method

FRAC/SOP/CHEM-MICRO/016

*Batch No

Not Specified Not Specified

Sampled By

Halwa Chana Specification Followed

Sample drawn by FRAC representative

*Mfg. Date *Exp. Date

Not Specified

Product Group *Name Of NPO

Food & Agricultural Products : Vishwakarma Education And Charitable Society

*Name Of School/Kitchen

*Sample Description:

: Kitchen/Property no.751 & 482,Gali no.4&5,Wazirabad Village,Jagatpur Extension,Delhi-110085

TEST RESULTS

| S.No. | Parameters | Unit | Result | Specification | Test Method |
|----------|--------------------|-----------|----------|---------------|---|
| Chemic | al Test Parameters | | | | rest inethod |
| 1 | Fat | g/100g | 4.85 | Not Specified | IS 4684:1975 |
| 2 | Protein (N x 6.25) | g/100g | 6.51 | Not Specified | IS 7219:1973 |
| 3 | Total Carbohydrate | g/100g | 37.49 | Not Specified | FSSAI 01.067:2022 |
| 4 | Moisture | g/100g | 48.94 | Not Specified | IS 4684:1975 |
| 5 | Energy | Kcal/100g | 219.65 | Not Specified | FSSAI(LABELLING AND DISPLAY Reg, 2020 Page No.14 |
| Biologic | al Test Parameters | | | ALC: NO. | Neg, 2020 Fage No. 14 |
| 6 | Total Plate Count | cfu/g | 7.8X10^2 | Not Specified | IS 5402: 2012 |
| 7 | Escherichia coli | cfu/g | <10 | Not Specified | IS 5887: Part 1: 1976 |
| 8 | Salmonella | /25g | Absent | Absent | IS 5887: Part 3: 1999 |

The sample conforms to the FSSAI (Food Products Standards and Food Additives) Regulations 2011. specifications mentioned above and is fit for human consumption only as per the above tested parameters.

End of Report



Anil Kumar

TM -Chemical

Authorised Signatory

Neelima Gupta

OIC-Microbiology

Vote: 1. Sample(s) not drawn by FRAC, unless specified.

* Indicates Information supplied by the Customer for which the laboratory has no control.

Page No.1 of 1

The result listed refers only to tested sample(s) and applicable parameters. Endorsement of product is neither inferred nor implied. Sample(s) will be destroyed after fifteen days of the date of issue of test report unless otherwise specified, except for perishable sample, which would be destroyed immediately after issuance of report.

Test report shall not be reproduced except in full, without written approval from FRAC. This test report in full or in part shall not be used for advertising or legal action.

FRAC will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports. 6.

This is a computer generated document with electronic signature hence does not require manual signature.

FRAC will ensure all corrective action as per our policy in case of any discrepancy in any sample tested, FRAC liability is limited to the amount charged against the testing of the sample.

Retesting charges will be applicable in case the results are reproducible. Duplicate copy will be issued on chargeable basis.
 File No. DE.23(1056)/MDM/2025 (Computer No. 244966)







PLOT 2A, SECTOR-8, DWARKA, NEW DELHI-110077 Fax: 91-11-25360802 Tel: 91-11-45333500-510 E-mail : info@fraclabs.org, Website : www.fraclabs.org



TEST REPORT

*Issued To:

The Deputy Director of Education (PM-Poshan)

Directorate of education, government of NCT of Delhi ,Old Secretariat,Delhi-110054

ULR: TC527525000025767F

Reg. No

:FRAC/F/2510150180

*Your Ref. No

: TRF

*Letter/TRF Dated

: 15/10/2025

Date of Issue

: 24/10/2025

Date of Sample Recd.

Date of Sampling

: 15/10/2025

Sample Condition

: 15/10/2025

*Sample Packing

: Satisfactory : Sampling Nasco Bag

Date of Sample Booking

15/10/2025

Date of Start of Analysis

: 15/10/2025

Date of Completion

24/10/2025

: 350gm

FSSAI (Food Products Standards and Food Additives) Regulations 2011

: Waruda

*Sample Qty

Sampling Method

*Batch No

Not Specified

Sampled By

FRAC/SOP/CHEM-MICRO/016

*Mig. Date

Not Specified

Sample drawn by FRAC representative

Product Group *Name of NPO

Food & Agricultural Products

*Exp. Date

Not Specified

*Name of School/Kitchen

*Sample Description:

Halwa + Chana Specification Followed

: Kitchen/Khasra no. 10/21-Min, Shiv Vihar Colony, Village Mohd. Pur Majri, Karala, Delhi-110081

TEST RESULTS

| S.No. | Parameters | Unit | Result | Specification | Total Matter d |
|----------|--------------------|------------|----------|---------------|---|
| Chemic | al Test Parameters | | | Specification | Test Method |
| 1 | Fat | g/100g | 4.74 | Not Specified | 10 400 4 400 |
| 2 | Protein (N x 6.25) | g/100g | 6.55 | Not Specified | IS 4684:1975 |
| 3 | Total Carbohydrate | g/100g | 36.92 | Not Specified | IS 7219:1973 |
| 4 | Moisture | g/100g | 49.58 | Not Specified | FSSAI 01.067:2022 |
| 5 | Energy | Kcal/100g | 216.54 | | IS 4684:1975 |
| | | rtod# roog | 210,34 | Not Specified | FSSAI(LABELLING AND DISPLAY Reg, 2020 Page No.14 |
| Biologic | al Test Parameters | | | | Neg, 2020 Page No. 14 |
| 6 | Total Plate Count | cfu/g | 7.4X10^2 | Not Specified | 10.5400,0040 |
| 7 | Escherichia coli | cfu/g | <10 | | IS 5402: 2012 |
| 8 | Salmonella | | | Not Specified | IS 5887: Part 1: 1976 |
| 0 | Gairrionella | /25g | Absent | Absent | IS 5887: Part 3: 1999 |

The sample conforms to the FSSAI (Food Products Standards and Food Additives) Regulations 2011. specifications mentioned above and is fit for human consumption only as per the above tested parameters.

End of Report



ote: 1.

TM -Chemical

Neelima Gupta **OIC-Microbiology**

Authorised Signatory

* Indicates Information supplied by the Customer for which the laboratory has no control. Sample(s) not drawn by FRAC, unless specified.

Page No.1 of 1

The result listed refers only to tested sample(s) and applicable parameters. Endorsement of product is neither inferred nor implied. Sample(s) will be destroyed after fifteen days of the date of issue of test report unless otherwise specified, except for perishable sample, which would be destroyed immediately after issuance of report.

Test report shall not be reproduced except in full, without written approval from FRAC. This test report in full or in part shall not be used for advertising or legal action.

FRAC will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports.

This is a computer generated document with electronic signature hence does not require manual signature.

FRAC will ensure all corrective action as per our policy in case of any discrepancy in any sample tested, FRAC liability is limited to the amount charged against the testing of the sample.

Retesting charges will be applicable in case the results are reproducible. 10. Duplicate copy will be issued on chargeable basis. File No. DE.23(1056)/MDM/2025 (Computer No. 244966)





PLOT 2A, SECTOR-8, DWARKA, NEW DELHI-110077 Fax: 91-11-25360802 Tel: 91-11-45333500-510 E-mail: info@fraclabs.org, Website: www.fraclabs.org



TEST REPORT

*Issued To:

The Deputy Director of Education (PM-Poshan)

Directorate of education, government of NCT of Delhi ,Old Secretariat,Delhi-110054

ULR: TC527525000025805F

Reg. No

:FRAC/F/2510160030

*Your Ref. No

:TRF

*Letter/TRF Dated

: 16/10/2025

Date of Issue

: 25/10/2025

Date of Sample Recd.

: 16/10/2025

Date of Sampling

: 16/10/2025

Sample Condition

*Sample Packing

: Satisfactory

Date of Sample Booking

: Sampling Nasco Bag

Date of Start of Analysis

: 16/10/2025 : 16/10/2025

Date of Completion

: 25/10/2025

*Sample Qty *Batch No

: 350gm Not Specified

*Mfg. Date

Not Specified

*Exp. Date

: Not Specified

Sampling Method Sampled By

*Sample Description:

: FRAC/SOP/CHEM-MICRO/016

: FSSAI (Food Products Standards and Food Additives) Regulations

Halwa + Chana Specification Followed

: Sample drawn by FRAC representative

Product Group

: Food & Agricultural Products

*Name of NPO

*Name of School/Kitchen

*School Id

: SKV Q-BKL. Mangol Puri : 1412080

: Waruda

2011.

TEST RESULTS

| S.No. | Parameters | Unit | Result | Specification | Test Method |
|----------|--------------------|-----------|----------|---------------|--|
| Chemica | al Test Parameters | | | | |
| 1 | Fat | g/100g | 4.72 | Not Specified | IS 4684:1975 |
| 2 | Protein (N x 6.25) | g/100g | 6.59 | Not Specified | IS 7219:1973 |
| 3 | Total Carbohydrate | g/100g | 37.85 | Not Specified | FSSAI 01.067:2022 |
| 4 | Moisture | g/100g | 48.66 | Not Specified | IS 4684:1975 |
| 5 | Energy | Kcal/100g | 220.24 | Not Specified | FSSAI(LABELLING AND DISPLAY) Reg, 2020 Page No.14 |
| Biologic | al Test Parameters | | | | |
| 6 | Total Plate Count | cfu/g | 8.1X10^2 | Not Specified | IS 5402: 2012 |
| 7 | Escherichia coli | cfu/g | <10 | Not Specified | IS 5887: Part 1: 1976 |
| 8 | Salmonella | /25g | Absent | Absent | IS 5887; Part 3: 1999 |

Remarks:

The sample conforms to the FSSAI (Food Products Standards and Food Additives) Regulations 2011. specifications mentioned above and is fit for human consumption only as per the above tested parameters.

***End of Report*



Vishal Jhelum **DGM-Instrument** Authorised Signatory

Neelima Gupta OIC-Microbiology

* Indicates Information supplied by the Customer for which the laboratory has no control.

Page No.1 of 1

Sample(s) not drawn by FRAC, unless specified.

The result listed refers only to tested sample(s) and applicable parameters. Endorsement of product is neither inferred nor implied. Sample(s) will be destroyed after fifteen days of the date of issue of test report unless otherwise specified, except for perishable sample, which would be destroyed immediately after issuance of report.

Test report shall not be reproduced except in full, without written approval from FRAC.

This test report in full or in part shall not be used for advertising or legal action.

FRAC will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports. This is a computer generated document with electronic signature hence does not require manual signature.

FRAC will ensure all corrective action as per our policy in case of any discrepancy in any sample tested, FRAC liability is limited to the amount charged against the testing of the sample. the amount charged against the testing of the sample.

Retesting charges will be applicable in case the results are reproducible.

File No. DE.23(1056)/MDM/2025 (Computer No. 244966) asis.

